#### **G10** MUSICAL INSTRUMENTS; ACOUSTICS

#### **Notes**

- This class **covers** all sound-emitting devices, in general, whether or not they may be considered as being musical. (1)
- (2) In this class, the following expression is used with the meaning indicated:
  - "musical instrument" does not exclude devices emitting a single sound signal.
- The following Class Index is given in place of subclass indexes, to show the grouping of the elaborations belonging to different (3) subclasses, under the following three fundamental types:
  - wind instruments;
  - string instruments;
  - percussion instruments,

which relate clearly to the majority of instruments.

There are of course some instruments of which the principle of operation belongs less clearly to one of the three types mentioned in (4) Note (3). They correspond to groups G10D 17/00 or G10K 7/00, G10K 9/00 or G10K 15/04, all the other groups normally finding a definite place.

#### **Class Index**

ACOUSTICS; OPERATIONS ON SOUND WAVES	Pianos, similar instruments; tools and methods for making or
Speech analysis or synthesis; speech recognition	maintenanceG10C 1/00, 3/00; 9/00
Methods or devices for transmission of sound or protection against sound, not otherwise provided for G10K 11/00, 13/00	Other types of instruments
Acoustics not otherwise provided for	Other instruments
Organs, harmoniums, or similar instruments	Electrophonic musical instruments
instruments	instruments; of other instruments
STRING INSTRUMENTS  General features; details, accessories	INSTRUMENTS NOT OTHERWISE PROVIDED FOR
G10B ORGANS; HARMONIUMS (mouth organs or accordions	s G10D; aspects of automatic actuation G10F; combinations of

microphones, pick-ups or amplifiers with musical instruments, electronic organs G10H)

1/00	General design of organs, harmoniums, or like wind-actuated musical instruments
1/02	<ul> <li>of organs</li> </ul>
1/04	electrically operated
1/06	fluid operated
1/08	. of harmoniums
3/00	Details of, or accessories for, organs, harmoniums, or the like
3/00	, , , , ,
	the like

3/08	. Pipes, e.g. open pipe, reed pipe
3/10	. Actions, e.g. coupler
3/12	. Keys or keyboards; Manuals (keyboards for musical
	instruments in general G10C 3/12)
3/14	. Pedals or pedal boards
3/16	. Swell chambers; Accentuating means
3/18	. Tremolo-producing devices
3/20	. Transposing devices
3/22	. Details peculiar to electrically-operated organs,

e.g. contacts therefor

**G10C PIANOS** (non-musical aspects of toy pianos A63H 5/00; aspects of automatic actuation G10F; combinations of microphones, pickups or amplifiers with musical instruments G10H)

1/00	General design of pianos or like stringed musical instruments with keyboard	3/18 3/20	<ul><li>. Hammers</li><li>. involving the use of hydraulic, pneumatic, or</li></ul>
1/02	. of upright pianofortes		electromagnetic means
1/04	<ul> <li>of grand pianofortes</li> </ul>	3/22	for grand pianofortes
1/06	. of cembaloes, spinets, or similar stringed instruments	3/24	for reciprocating of tremolo
3/00	Details of, or accessories for, pianos or the like	3/26	<ul> <li>Pedals or pedal mechanisms for half-blow or similar sound-modifying</li> </ul>
3/02	. Cases	3/28	Transposing devices
3/04	• Frames; Bridges; Bars	3/30	. Couplers, e.g. for playing octaves
3/06	Resonating means, e.g. resonant strings, soundboards; Fastenings of the resonating means	5/00	Combinations of pianos with other musical instruments, e.g. with bells, with xylophone
3/08	. Arrangements of strings		instruments, e.g. with bens, with xyrophone
3/10	. Tuning pins or straining devices	9/00	Special tools or methods for the manufacture or
3/12	. Keyboards; Keys		maintenance of pianos
3/14	for actuation by the feet		_
3/16	. Actions		

G10D MUSICAL INSTRUMENTS NOT OTHERWISE PROVIDED FOR (aspects of automatic actuation G10F; combinations of microphones, pick-ups or amplifiers with musical instruments G10H; sound-producing devices not regarded as musical instruments or parts thereof G10K)

1/00 1/02 1/04 1/06 1/08 1/10 1/12	General design of stringed musical instruments (pianos or similar instruments with keyboard G10C)  of violins, violas, violoncellos, basses  of harps, lyres  of mandolins  of guitars  of banjos  of zithers, e.g. autoharp	7/06 7/08 7/10 7/12	<ul> <li>of the type with a beating reed (Rohrblatt) or reeds, e.g. oboe, clarinet, bassoon, bagpipe</li> <li>Saxophones</li> <li>of the type with a cupped mouthpiece, e.g. cornet, orchestral trumpet, trombone</li> <li>of the type with free reeds (Zunge), e.g. mouth-organ, trumpet for children</li> </ul> Details of, or accessories for, wind-actuated musical
2/00	Details of an executive for attituded and a	2700	instruments
3/00	Details of, or accessories for, stringed musical instruments	9/02	. Mouthpieces; Reeds
3/02	Resonating means, horns, or diaphragms	9/04	. Valves; Valve controls
3/04	Bridges, mutes, or capo-tastos	9/06	. Mutes
3/06 3/08	<ul> <li>Fingerboards</li> <li>in the form of keyboards (keyboards for musical instruments in general G10C 3/12)</li> </ul>	11/00	Accordions, concertinas, or the like; Keyboards therefor (keyboards for musical instruments in general G10C 3/12)
3/10	• Strings	11/02	. Actions
3/12	. Anchoring devices for strings, e.g. tail piece, hitchpin		
3/14	. Tuning devices, e.g. pegs, pins, friction discs	13/00	Percussive musical instruments
3/16	. Bows; Guides for bows; Plectra or like playing	13/02	. Drums; Tambourines
	means	13/04	. Timpani
3/18	. Chin-rests, hand-rests or guards as part of the	13/06	. Castanets, cymbals, triangles, or other single-toned
	instruments (separate auxiliary devices or supports G10G)	13/08	percussive musical instruments (bells G10K)  Multi-toned musical instruments, with sonorous bars, blocks, forks, gongs, plates, rods, or teeth
7/00	General design of wind-actuated musical instruments (accordions G10D 11/00; organs, harmoniums G10B; whistles G10K)	15/00	Combinations of different musical instruments (combinations with pianos G10C)
7/02	• of the type wherein an air current is directed against a ramp edge, e.g. flute, recorder	17/00	Musical instruments not provided for in any other group of this subclass, e.g. Aeolian harp, singing-
7/04	Ocarinas		flame musical instrument

**G10F AUTOMATIC MUSICAL INSTRUMENTS** (non-musical aspects of toy instruments A63H 5/00; sound-recording or reproducing G11B; associated working with recording or reproducing apparatus G11B 31/02)

## Note

This subclass <u>does not cover</u> aspects of musical instruments which are independent of the automatic actuation, which are covered by subclass G10B, G10C or G10D.

1/00	Automatic musical instruments	1/20	to be plucked
1/02	<ul> <li>Pianofortes with keyboard</li> </ul>	1/22	<ul> <li>Combinations of two or more instruments</li> </ul>
1/04 1/06	Pianofortes which have no keyboard     Musical boxes with plucked teeth, blades, or the like	3/00	Independent players for keyboard instruments
	(combinations with other articles, <u>see</u> the relevant classes for the articles)	5/00	Details of, or accessories for, automatic musical instruments
1/08	<ul> <li>Percussive musical instruments</li> </ul>	5/02	. Actions
1/10	Carillons	5/04	. Tune barrels, sheets, rollers, spools, or the like
1/12	. Wind-actuated instruments	5/06	Driving or setting of tune barrels, discs, or the
1/14	Barrel-organs		like; Winding, rewinding, or guiding of tune sheets
1/16	<ul> <li>Stringed musical instruments (pianofortes G10F 1/02, G10F 1/04)</li> </ul>		or the like (handling webs or sheets in general B65H)
1/18	to be played by a bow		

## G10G AIDS FOR MUSIC (metronomes G04F 5/02; teaching music G09B 15/00)

1/00 1/02	Means for the representation of music  Chord or note indicators, fixed or adjustable, for keyboards or fingerboards  Transposing; Transcribing	5/00 7/00 7/02	Supports for musical instruments  Other auxiliary devices, e.g. separate holder for resin, strings, conductors' batons  . Tuning forks or like devices
3/00 3/02 3/04	Recording music in notation form, e.g. recording the mechanical operation of a musical instrument . using mechanical means only . using electrical means	7702	. Tulling forks of like devices

## G10H ELECTROPHONIC MUSICAL INSTRUMENTS (electronic circuits in general H03)

# **Note**

This subclass <u>covers</u> musical instruments in which individual notes are constituted as electric oscillations under the control of a performer and the oscillations are converted to sound-vibrations by a loud-speaker or equivalent instrument.

1/00	Details of electrophonic musical instruments (keyboards applicable also to other musical instruments	1/06	Circuits fo	or establishing the harmonic content of
1/02	G10B, G10C; arrangements for producing a reverberation or echo sound G10K 15/08) [5]  Means for controlling the tone frequencies, e.g. attack, decay; Means for producing special	1/08	take pre analysis	bining tones (G10H 1/14, G10H 1/16 ecedence; chord G10H 1/38; speech s or synthesis, G10L) [3]
1/04	musical effects, e.g. vibrato, glissando by additional modulation	1/10	effec	ets (continuous modulation H 1/043) [3]
1/043 1/045	Continuous modulation [3] by electromechanical means [3]	1/12	•	ring complex wave forme (G10H 1/14, 1/16 take precedence) [3]
1/047	by acousto-mechanical means, e.g. rotating speakers or sound deflectors [3]	1/14	U	execution (modulation during execution 1/053) [3]
	<ul><li> during execution only [3]</li><li> by switches with variable impedance</li></ul>	1/16	precede	linear elements (G10H 1/14 takes ence; generation of non-sinusoidal basic
	elements [3] by envelope-forming circuits [3]	1/18 1/20	tones G  Selecting circ  for transpo	

1/22	for suppressing tones; Preference networks [3]	3/24	incorporating feedback means, e.g. acoustic [3]
1/24	for selecting plural preset register stops [3]	3/26	using electric feedback [3]
1/26	for automatically producing a series of tones [3]	5/00	Instruments in which the tones are generated by
1/28	to produce arpeggios [3]	3700	means of electronic generators (G10H 7/00 takes
1/30	to reiteratively sound two tones [3]		precedence) [3]
1/32	. Constructional details [3]	5/02	. using generation of basic tones
1/34	Switch arrangements, e.g. keyboards or	5/04	• with semiconductor devices as active elements
	mechanical switches peculiar to electrophonic	2,01	(G10H 5/10, G10H 5/12 take precedence)
	musical instruments (keyboards applicable also to	5/06	tones generated by frequency multiplication or
	other musical instruments G10B, G10C) [3]		division of a basic tone
1/36	. Accompaniment arrangements [3]	5/07	resulting in complex waveforms [3]
1/38	Chord [3]	5/08	tones generated by heterodyning
1/40	Rhythm (metronomes G04F 5/02) [3]	5/10	. using generation of non-sinusoidal basic tones,
1/42	comprising tone forming circuits [3]		e.g. sawtooth
1/44	. Tuning means [3]	5/12	using semiconductor devices as active elements
1/46	. Volume control [3]	5/14	. using electromechanical resonator, e.g. quartz crystal,
3/00	Instruments in which the tones are generated by		as frequency-determining element [3]
	electromechanical means	5/16	. using cathode ray tube [3]
3/02	<ul> <li>using mechanical interrupters</li> </ul>	7/00	Instruments in which the tones are synthesised from
3/03	. using pick-up means for reading recorded waves,	7700	a data store, e.g. computer organs (synthesis of
	e.g. on rotating discs [3]		acoustic waves not specific to musical instruments
3/06	using photoelectric pick-up means		G10K 15/02, G10L) [3,5]
3/08	using inductive pick-up means	7/02	. in which amplitudes at successive sample points of a
3/09	using tapes or wires [3]		tone waveform are stored in one or more
3/10	using capacitive pick-up means		memories [5]
3/12	. using mechanical resonant generators, e.g. strings or	7/04	in which amplitudes are read at varying rates,
	percussive instruments, the tones of which are picked		e.g. according to pitch [5]
	up by electromechanical transducers, the electrical	7/06	in which amplitudes are read at a fixed rate, the
	signals being further manipulated or amplified and		read-out address varying stepwise by a given value, e.g. according to pitch [5]
	subsequently converted to sound by a loudspeaker or equivalent instrument [3]	7/08	<ul> <li>by calculating functions or polynomial</li> </ul>
3/14	using mechanically actuated vibrators with pick-	7708	approximations to evaluate amplitudes at successive
3/14	up means (G10H 3/24 takes precedence) [3]		sample points of a tone waveform [5]
3/16	using a reed [3]	7/10	using coefficients or parameters stored in a
3/18	using a rectify using a string, e.g. electric guitar [3]	,,10	memory, e.g. Fourier coefficients (G10H 7/12
3/20	using a string, e.g. electric gartar [5]		takes precedence) [5]
3/22	using a tuning lock, rod of tube [5] . using electromechanically actuated vibrators with	7/12	by means of a recursive algorithm using one or
31 22	pick-up means (G10H 3/24 takes precedence) [3]		more sets of parameters stored in a memory and
			the calculated amplitudes of one or more
			preceding sample points [5]

G10K SOUND-PRODUCING DEVICES (sound-producing toys A63H 5/00; musical instruments or parts thereof, <u>see</u> the relevant subclass, e.g. G10D); ACOUSTICS NOT OTHERWISE PROVIDED FOR (fluid oscillators or pulse generators for fluid-pressure systems F15B 21/12; systems using the reflection or reradiation of acoustic waves G01S 15/00; generating seismic energy G01V 1/02; signalling or calling arrangements, alarm arrangements G08B; piezo-electric, electrostrictive or magnetostrictive elements in general H01L 41/00; transmission systems using infrasonic, sonic, or ultrasonic waves H04B 11/00; loudspeakers, microphones, gramophone pick-ups or like acoustic electromechanical transducers H04R) [6]

#### **Notes**

- (1) This subclass <u>covers</u> arrangements for generating mechanical vibrations in fluids. [6]
- (2) This subclass <u>covers</u> also the production of sounds which may not be audible to human beings but which are audible to animals.
- (3) In this subclass, the following terms are used with the meanings indicated: [6]
  - "acoustics" and "sound" cover the technical field dealing with mechanical vibrations at all infrasonic-, sonic- and ultrasonic frequencies. However, generation or transmission of mechanical waves, in general, is covered by subclass B06B, subject to the exception specified in Note (1) above. [6]

1/00	Devices in which sound is produced by striking a	1/062 electrically operated
	resonating body, e.g. bell, chimes, gong (combinations	1/063 the sounding member being a bell
	with clocks or watches G04B, G04C; carillons	1/064 Operating or striking mechanisms therefor
1 /0 /	G10F 1/10)	1/065 for timed or repeated operation
1/06	the resonating device having the shape of a bell,	1/066 the sounding member being a tube, plate, or rod
	plate, rod, or tube (bells for towers G10K 1/28)	1/067 Operating or striking mechanisms therefor

arrangements for avoiding or reducing out-of-balance forces due to motion F16F 15:00)  1/38 Supports; Mountings  3/00 Rattles or like noise-producing devices  1/1/02 Whistles  5/00 Whistles  1/1/03 Sirens  1/1/05 Sirens  1/1/06 . in which the sound-producing member is rotated manually or by a motor (G10K 7/06 takes precedence)  7/06 . in which the sound-producing member is driven by a fluid, e.g. by a compressed gase precedence)  9/00 Devices in which sound is produced by vibrating a diaphragm or analogous element, e.g. fog horn, vehicle hooter, buzzer (loudspeakers or like acoustic electromechanical transducers 10-4K)  9/02 . driven by sa.es, e.g. suction operated  9/08 . in by compressed gases, e.g. compressed air  9/10 . driven by water or other liquids  9/10 . driven by water or other liquids  9/10 . driven by water or other liquids  9/11 . using piezo-electric driving means [6]  9/122 . using piezo-electric driving means [6]  9/123 . using magnetostrictive driving means [6]  9/125 . with a plurality of active elements [6]  9/126 . Solit-interrupting arrangements [3]  9/13 . using electromagnetic driving means [6]  9/13 . using electromagnetic driving means [6]  9/14 . Solit-interrupting arrangements [3]  9/15 . Solf-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/19 . Mountings; Casings  11/26 . Sound-fousing or directing, e.g. seanning [3]  11/27 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/28 . using refraction, e.g. acoustic lenses [3]  11/29 . Lange effection, e.g., parabolic refetor [3]  11/20 . Sound-fousing or directing, e.g., seanning [3]  11/21 . using effection, e.g. acoustic lenses [3]  11/22 . using refraction, e.g. acoustic lenses [3]  11/23 . characterised by shape of the source [3]  11/24 . using electrical steering of transducer arrays, e.g. beam steering [3]	1/068 1/07 1/071 1/072 1/074 1/076 1/08 1/10 1/26 1/28 1/30 1/32 1/34 1/36	<ul> <li>hydraulically operated; pneumatically operated</li> <li>mechanically operated; Hand bells; Bells for animals</li> <li>Hand bells; Bells for animals</li> <li>Operating or striking mechanisms therefor</li> <li>with rotary clappers or shells</li> <li>for timed or repeated operation</li> <li>Details or accessories of general applicability</li> <li>Sounding members; Mounting thereof; Clappers or other strikers</li> <li>Mountings; Casings</li> <li>Bells for towers or the like</li> <li>Details or accessories</li> <li>Sounding members; Clappers or other strikers</li> <li>Operating mechanisms</li> <li>Means for silencing or damping (means or</li> </ul>	11/00	Methods or devices for transmitting, conducting or directing sound in general; Methods or devices for protecting against, or for damping, noise or other acoustic waves in general (sound insulation for vehicles B60R 13/08; sound insulation for aircraft B64C 1/40; sound insulating materials, see the relevant places, e.g. C04B 26/00 to C04B 38/00; reduction of noise on permanent way E01B 19/00; absorption of airtransmitted noise from road or railway traffic E01F 8/00; noise insulation, absorption or reflection in buildings E04B 1/74; room acoustics E04B 1/99; sound insulation in floors E04F 15/20; gas-flow silencers or exhaust apparatus for machines or engines in general, for internal-combustion engines F01N; intake silencers for internal-combustion engines F02M 35/00; suppression of undesired vibrations F16F 7/00 to F16F 15/00; preventing noise in valves F16K 47/02; noise absorbers in pipes F16L 55/02; arrangements for
### Artitles or like noise-producing devices  Whistles  5/00  Whistles  Ultrasonic whistles [3]  **Tobal Sirens  **Tobal Siren	1/20	balance forces due to motion F16F 15/00)		suppressing noise in direct-contact trickle coolers F28C 1/10; silencers for weapons F41)
11/04   Acoustic filters [3]   11/08   Non-electric sound-amplifying devices, e.g. non-electric megaphones (amplifying by horms (10K 11/02; amplifying damping apprecading by horms (10K 11/02; amplifying damping apprecading by horms (10K 11/02; amplifyi			11/02	
Sizens   S		• •		
7/00 Sirens 7/02 . in which the sound-producing member is rotated manually or by a motor (G10K 7/06 takes precedence) 7/04 by an electric motor 7/06 . in which the sound-producing member is driven by a fluid, e.g. by a compressed gas 9/00 Devices in which sound is produced by vibrating a diaphragm or analogous element, e.g. fog horn, vehicle hooter, bruzer (loadspeakers or like acoustic electromechanical transducers H04R) 9/02 . driven by gas, e.g. suction operated 9/04 . by compressed gases, e.g. compressed air 9/06 . driven by mechanical means only 9/12 . electrically operated  Note  This group does not cover protecting against, or damping of, acoustic waves, e.g. sound (G10K 11/36 takes precedence) [3]  11/162 . Selection of materials [6] 11/163 . Particles in a matrix [6] 11/165 . Particles in a matrix [6] 11/168 . Plural layers of different materials, e.g. sandwiches [6]  Note  Note  Note  Note  Note  Note  Note  Note  When classifying in this group, classification is also made in subclass B32B, in so far as any layered product is concerned. [6]  Note  When classifying in this group, classification is also made in subclass B32B, in so far as any layered product is concerned. [6]  11/172 . using resonance effects [6] 11/173 . using interference effects: Masking sound [6] 11/174 . by electron-acoustically regenerating the original acoustic waves in anti-phase [6] 11/175 . with near some of the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/19 . Sounding members  11/102 . Sendenting ound through hollow pipes, e.g. speaking tubes [3] 11/26 . Sounding ound through hollow pipes, e.g. speaking ubes [3] 11/26 . Sounding ound through lollow pipes, e.g. speaking ubes [3] 11/26 . Sounding ound through lollow pipes, e.g. speaking ubes [3] 11/27 . using refraction, e.g. canning [3] 11/28 . using refraction, e.g. canning [3] 11/29 . using refraction, e.g. canning [3] 11/20 . using refraction, e.g. canning [3] 11/21			11/08	electric megaphones (amplifying by horns
This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]	7/00	Sirens	11/16	
7/06 in which the sound-producing member is driven by a fluid, e.g. by a compressed gas  9/00 Devices in which sound is produced by vibrating a diaphragm or analogous element, e.g. fog horn, vehicle hooter, buzzer (loudspeakers or like acoustic electromechanical transducers H04R)  9/02 driven by gas, e.g. suction operated 9/03 . by compressed gases, e.g. compressed air 9/06 . produced by detonation 9/08 driven by water or other liquids 9/10 driven by mechanical means only 9/12 electrically operated  Note	7/02	manually or by a motor (G10K 7/06 takes	11/10	damping of, acoustic waves, e.g. sound (G10K 11/36
Fluid, e.g. by a compressed gas  Prints group does not cover protecting against, or damping of, acoustic waves adapted for particular applications, which are covered by the subclasses for these applications, provided that there is a specific provision for this aspect. [6]  Produced by detention of the subclasses for these applications, which are covered by the subclasses for these applications, provided that there is a specific provision for this aspect. [6]  Produced by detonation 11/165  Produced by detonation, provided that there is a specific provision for this aspect. [6]  Produced by detonation, provided that there is a specific provision for this aspect. [6]  Produced by detonation 11/165  Produced by detonation, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for these applications, which are covered by the subclasses for thes		•	<u>Note</u>	
Devices in which sound is produced by vibrating a diaphragm or analogous element, e.g. fog horn, vehicle hooter, buzzer (loudspeakers or like acoustic electromechanical transducers H04R)  9/02 . driven by gas, e.g. suction operated  9/04 by compressed gases, e.g. compressed air  9/05 . produced by detonation  9/08 . driven by water or other liquids  9/10 . driven by mechanical means only  9/12 . electrically operated  Note  Note  This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]  9/125 with a plurality of active elements [6]  9/128 . using magnetostrictive driving means [6]  9/129 with a plurality of active elements [6]  9/121 . using magnetostrictive driving means [3]  9/15 Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/21 . Mountings; Casings  4 Details, e.g. bulb, pump, piston, switch, casing  9/22 . using reflecting arrangements (G10K 11/28 takes precedence): [3]  11/24 . using reflection, e.g. acoustic lenses [3]  11/25 . using reflection, e.g. acoustic lenses [3]  11/26 . Sound-focusing or directings ound through solid bodies, e.g. wire [3]  11/28 . using reflection, e.g. acoustic lenses [3]  11/29 . using reflection, e.g. acoustic lenses [3]  11/20 . using reflection, e.g. acoustic lenses [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/28 . using reflection, e.g. acoustic lenses [3]  11/29 . using reflection, e.g. acoustic lenses [3]  11/29 . using reflection, e.g. acoustic lenses [3]  11/29 . using reflection, e.g. acoustic lenses [3]  11/20 . using reflection, e.g. acoustic lenses [3]  11/20 . using reflection, e.g. acoustic lenses [3]  11/20 . using reflection, e.g. acoustic lenses [3]  11/24 . using electrically dependent there is a specific provision for this aspect. [6]  11/175 . using reflection, e.g. acoustic lenses [3]	//06			
9/04 by compressed gases, e.g. compressed air 9/06 produced by detonation 9/08 . driven by water or other liquids 9/10 . driven by mechanical means only 9/12 . electrically operated  Note  This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]  9/122 . using piezo-electric driving means [6] 9/125 with a plurality of active elements [6] 9/126 . using agenetostrictive driving means [6] 9/127 using gelectromagnetic driving means [6] 9/128 . using agenetostrictive driving means [6] 9/129 Self-interrupting arrangements [3] 9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing 9/20 . Sounding members  9/21 . Mountings; Casings  11/24 . Sound-focusing or directing, e.g. scanning [3] 11/28 using reflection, e.g. parabolic reflector [3] 11/28 using referction, e.g. acoustic lenses [3] 11/29 . Sound-focusing or directing, e.g. scanning [3] 11/29 . using reflection, e.g. acoustic lenses [3] 11/20 . Sound-focusing or directing, e.g. scanning [3] 11/21 . using reflection, e.g. parabolic reflector [3] 11/22 . using reflection, e.g. acoustic lenses [3] 11/24 . using reflection, e.g. acoustic lenses [3] 11/25 . Sound-focusing or directing, e.g. scanning [3] 11/26 . Sound-focusing or directing, e.g. scanning [3] 11/28 using reflection, e.g. acoustic lenses [3] 11/29 using reflection sterior of transducer arrays,	9/00	diaphragm or analogous element, e.g. fog horn, vehicle hooter, buzzer (loudspeakers or like acoustic		applications, which are covered by the subclasses for these applications, provided that there is a specific
9/06 produced by detonation 9/08 . driven by water or other liquids 9/10 . driven by mechanical means only 9/12 . electrically operated  Note  This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]  9/122 . using piezo-electric driving means [6] 9/125 with a plurality of active elements [6] 9/126 . using magnetostrictive driving means [6] 9/127 Self-interrupting arrangements [3] 9/15 Self-interrupting arrangements [3] 9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing 9/20 . Sounding members  9/20 . Sounding members  9/21 . Mountings; Casings  11/22 . using resonance effects [6] 11/178 . by electro-acoustically regenerating the original acoustic waves in anti-phase [6] 11/18 . Methods or devices for transmitting, conducting or directing sound (G10K 11/02, G10K 11/36 take precedence; medical stethoscopes A61B 7/02) [3]  11/20 . Reflecting arrangements (G10K 11/28 takes precedence) [3]  11/21 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/22 . sound-focusing or directing, e.g. scanning [3]  11/23 . using reflection, e.g. parabolic reflector [3]  11/24 . using reflection, e.g. parabolic reflector [3]  11/25 . sound-focusing or directing, e.g. acoustic lenses [3]  11/26 . Sound-focusing of transducer arrays,			11/162	Selection of materials [6]
9/08 driven by water or other liquids 9/10 driven by mechanical means only 9/12 electrically operated  Note  This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]  9/122 . using piezo-electric driving means [6] 9/125 . with a plurality of active elements [6] 9/126 . using magnetostrictive driving means [6] 9/127 . using electroagnetic driving means [6] 9/128 . using electromagnetic driving means [6] 9/129 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing 9/20 . Sounding members  9/20 . Mountings; Casings  9/21 . Mountings; Casings  9/22 . Mountings; Casings  9/23 . using reflection, e.g. parabolic reflector [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/28 . using reflection, e.g. parabolic reflector [3]  11/29 . characterised by shape of the source [3]  11/30 . using electrical steering of transducer arrays,				
Note  Note  This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]  9/122 . using piezo-electric driving means [6]  9/125 . with a plurality of active elements [6]  9/126 . using electromagnetic driving means [6]  9/13 . using electromagnetic driving means [6]  9/15 . Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/19 . Sounding members  11/20 . Reflecting arrangements (G10K 11/28 takes precedence) [3]  11/24 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/27 . using reflection, e.g. parabolic reflector [3]  11/28 . using reflection, e.g. parabolic reflector [3]  11/29 . using reflection, e.g. acoustic lenses [3]  11/30 . using reflection, e.g. acoustic lenses [3]			11/168	
Note  This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]  9/122 . using piezo-electric driving means [6]  9/125 . with a plurality of active elements [6]  9/128 . using magnetostrictive driving means [6]  9/13 . using electromagnetic driving means [6]  9/15 . Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/20 . Mountings; Casings  When classifying in this group, classification is also made in subclass B32B, in so far as any layered product is concerned. [6]  11/172 . using resonance effects [6]  11/178 . by electro-acoustically regenerating the original acoustic waves in anti-phase [6]  11/18 . Methods or devices for transmitting, conducting or directing sound (G10K 11/02, G10K 11/36 take precedence; medical stethoscopes A61B 7/02) [3]  11/20 . Reflecting arrangements (G10K 11/28 takes precedence) [3]  11/21 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/22 . for conducting sound through solid bodies, e.g. wire [3]  11/24 . for conducting sound through solid bodies, e.g. wire [3]  11/25 . sound-focusing or directing, e.g. scanning [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/28 . using refraction, e.g. parabolic reflector [3]  11/30 . using refraction, e.g. acoustic lenses [3]  11/31 . using electrical steering of transducer arrays,		•		e.g. sandwienes [v]
This group does not cover the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass H04R. [6]  9/122 . using piezo-electric driving means [6]  9/125 with a plurality of active elements [6]  9/126 . using magnetostrictive driving means [6]  9/13 . using electromagnetic driving means [6]  9/15 . Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/20 . Sounding members  9/20 . Mountings; Casings  made in subclass B32B, in so far as any layered product is concerned. [6]  11/172 . using resonance effects [6]  11/173 . using interference effects; Masking sound [6]  11/174 . Methods or devices for transmitting, conducting or directing sound (G10K 11/02, G10K 11/36 take precedence; medical stethoscopes A61B 7/02) [3]  11/20 . Reflecting arrangements (G10K 11/28 takes precedence) [3]  11/22 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/24 . Sound-focusing or directing, e.g. scanning [3]  11/25 . Sound-focusing or directing, e.g. scanning [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/27 . using refraction, e.g. acoustic lenses [3]  11/28 . using refraction, e.g. acoustic lenses [3]  11/29 . characterised by shape of the source [3]  11/30 . using refraction, e.g. acoustic lenses [3]	9/12	. electrically operated	<u>Note</u>	
microphones, which are covered by subclass H04R. [6]  9/122 . using piezo-electric driving means [6]  9/125 with a plurality of active elements [6]  9/128 . using magnetostrictive driving means [6]  9/13 . using electromagnetic driving means [6]  9/15 Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/22 . Mountings; Casings  11/24 . using resonance effects [6]  11/175 . using resonance effects; Masking sound [6]  11/178 . by electro-acoustically regenerating the original acoustic waves in anti-phase [6]  11/18 . Methods or devices for transmitting, conducting or directing sound (G10K 11/02, G10K 11/36 take precedence; medical stethoscopes A61B 7/02) [3]  11/20 . Reflecting arrangements (G10K 11/28 takes precedence) [3]  11/22 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/24 . for conducting sound through solid bodies, e.g. wire [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/28 . using refraction, e.g. parabolic reflector [3]  11/30 . using refraction, e.g. acoustic lenses [3]  11/31 . using electrical steering of transducer arrays,	<u>Note</u>			made in subclass B32B, in so far as any layered product
9/122 using piezo-electric driving means [6] 9/125 with a plurality of active elements [6] 9/126 using magnetostrictive driving means [6] 9/13 . using electromagnetic driving means [3] 9/15 Self-interrupting arrangements [3] 9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing 9/20 . Sounding members  9/20 . Mountings; Casings  11/24 . Sound-focusing or directing, e.g. scanning [3] 11/26 . Sound-focusing or directing, e.g. scanning [3] 11/27 . Sound-focusing or directing, e.g. acoustic lenses [3] 11/28 using refraction, e.g. acoustic lenses [3] 11/29 characterised by shape of the source [3] 11/30 using electrical steering of transducer arrays,			11/172	using resonance effects [6]
9/125 with a plurality of active elements [6]  9/128 using magnetostrictive driving means [6]  9/13 . using electromagnetic driving means [3]  9/15 Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/20 . Mountings; Casings  11/24 Sound-focusing or directing, e.g. scanning [3]  11/25 Sound-focusing or directing, e.g. scanning [3]  11/26				
9/128 . using magnetostrictive driving means [6]  9/13 . using electromagnetic driving means [3]  9/15 Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/22 . Mountings; Casings  11/24 . Sound-focusing or directing, e.g. scanning [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/28 using reflection, e.g. parabolic reflector [3]  11/30 using refraction, e.g. acoustic lenses [3]  11/31 using electrical steering of transducer arrays,			11/178	
9/13 . using electromagnetic driving means [3] 9/15 . Self-interrupting arrangements [3]  9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/22 . Mountings; Casings  11/24 . Reflecting arrangements (G10K 11/28 takes precedence) [3]  11/24 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/25 . Sound-focusing or directing, e.g. scanning [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/27 . using reflection, e.g. parabolic reflector [3]  11/28 . using refraction, e.g. acoustic lenses [3]  11/34 . using electrical steering of transducer arrays,			11/18	
9/16 . with means for generating the current by muscle power  9/18 . Details, e.g. bulb, pump, piston, switch, casing  9/20 . Sounding members  9/22 . Mountings; Casings  11/24 . Reflecting arrangements (G10K 11/28 takes precedence) [3]  11/25 . for conducting sound through hollow pipes, e.g. speaking tubes [3]  11/26 . Sound-focusing or directing, e.g. scanning [3]  11/28 using reflection, e.g. parabolic reflector [3]  11/30 using refraction, e.g. acoustic lenses [3]  11/34 using electrical steering of transducer arrays,				
9/18 Details, e.g. bulb, pump, piston, switch, casing 9/20 Sounding members 9/22 Mountings; Casings  11/24 For conducting sound through hollow pipes, e.g. speaking tubes [3]  11/24 For conducting sound through solid bodies, e.g. wire [3]  11/26 Sound-focusing or directing, e.g. scanning [3]  11/28 Lusing reflection, e.g. parabolic reflector [3]  11/30 Lusing refraction, e.g. acoustic lenses [3]  11/34 Lusing electrical steering of transducer arrays,			11/20	Reflecting arrangements (G10K 11/28 takes
11/24 Sounding members  9/22 Mountings; Casings  11/26 Sound-focusing or directing, e.g. scanning [3]  11/28 using reflection, e.g. parabolic reflector [3]  11/30 using refraction, e.g. acoustic lenses [3]  11/32 characterised by shape of the source [3]  11/34 using electrical steering of transducer arrays,		Details, e.g. bulb, pump, piston, switch, casing	11/22	for conducting sound through hollow pipes,
e.g. wire [3]  11/26  Sound-focusing or directing, e.g. scanning [3]  11/28  using reflection, e.g. parabolic reflector [3]  11/30  using refraction, e.g. acoustic lenses [3]  11/32  characterised by shape of the source [3]  11/34  using electrical steering of transducer arrays,		_	11/24	for conducting sound through solid bodies,
11/28 using reflection, e.g. parabolic reflector [3] 11/30 using refraction, e.g. acoustic lenses [3] 11/32 characterised by shape of the source [3] 11/34 using electrical steering of transducer arrays,			11/26	<u> </u>
11/30 using refraction, e.g. acoustic lenses [3] 11/32 characterised by shape of the source [3] 11/34 using electrical steering of transducer arrays,				
11/34 using electrical steering of transducer arrays,				using refraction, e.g. acoustic lenses [3]
				using electrical steering of transducer arrays,

6

11/35 11/36 13/00 15/00 15/02	<ul> <li>using mechanical steering of transducers [6]</li> <li>Devices for manipulating acoustic surface waves (electro-acoustic amplifiers H03F 13/00; networks comprising electro-acoustic elements H03H 9/00) [3]</li> <li>Cones, diaphragms, or the like, for emitting or receiving sound in general (for electromechanical transducers H04R 7/00)</li> <li>Acoustics not otherwise provided for [4]</li> <li>Synthesis of acoustic waves (synthesis of speech G10L 13/00) [4]</li> </ul>	15/04 15/06 15/08 15/10 15/12	<ul> <li>Sound-producing devices (G10K 15/02 takes precedence) [4]</li> <li>using electric discharge [4]</li> <li>Arrangements for producing a reverberation or echo sound [5]</li> <li>using time-delay networks comprising electromechanical or electro-acoustic devices [5]</li> <li>using electronic time-delay networks [5]</li> </ul>
G10L	SPEECH ANALYSIS OR SYNTHESIS; SPEECH RECO processing methods or equipment specially adapted for hand the blind, deaf or mute G09B 21/00; telephonic communicat	lling natural la	inguage data G06F 17/20; teaching or communicating with
11/00 11/02 11/04 11/06 13/00 13/02 13/04 13/06 13/08 15/00 15/02 15/04 15/06 15/10 15/10	Determination or detection of speech characteristics not restricted to a single one of groups G10L 15/00 to G10L 21/00 [7]  Detection of presence or absence of speech signals (switching of direction of transmission by voice frequency in two-way loud-speaking telephone systems H04M 9/10) [7]  Pitch determination of speech signals [7]  Discriminating between voiced and unvoiced parts of speech signals (G10L 11/04 takes precedence) [7]  Speech synthesis; Text to speech systems (electrophonic musical instruments G10H) [7]  Methods for producing synthetic speech; Speech synthesisers [7]  Details of speech synthesis systems, e.g. synthesiser structure, memory management [7]  Elementary speech units used in speech synthesisers; Concatenation rules [7]  Text analysis or generation of parameters for speech synthesis out of text, e.g. grapheme to phoneme translation, prosody generation, stress or intonation determination [7]  Speech recognition (G10L 17/00 takes precedence) [7]  Feature extraction for speech recognition; Selection of recognition unit [7]  Creation of reference templates; Training of speech recognition systems, e.g. adaptation to the characteristics of the speaker's voice (G10L 15/14 takes precedence) [7]  Speech classification or search (pattern recognition G06K 9/00) [7]  using distance or distortion measures between unknown speech and reference templates [7]  using dynamic programming techniques,	15/20 15/22 15/24 15/26 15/28 17/00 19/00 19/00 19/02 19/04 19/06 19/08 19/10 19/12 19/14 21/00	<ul> <li>Speech recognition techniques specially adapted for robustness in adverse environments, e.g. in noise, of stress induced speech (G10L 21/02 takes precedence) [7]</li> <li>Procedures used during a speech recognition process, e.g. man-machine dialog [7]</li> <li>Speech recognition using non-acoustical features, e.g. position of the lips [7]</li> <li>Speech to text systems (G10L 15/08 takes precedence) [7]</li> <li>Constructional details of speech recognition systems [7]</li> <li>Speech analysis-synthesis techniques for redundancy reduction, e.g. in vocoders; Coding or decoding of speech [7]</li> <li>using spectral analysis, e.g. transform vocoders, subband vocoders [7]</li> <li>using predictive techniques [7]</li> <li>Determination or coding of the spectral characteristics, e.g. of the short term prediction coefficients [7]</li> <li>Determination or coding of the excitation function; Determination or coding of the long-term prediction parameters [7]</li> <li>Determination or coding of a multipulse excitation [7]</li> <li>Determination or coding of a code excitation, e.g. in code excited linear prediction (CELP) vocoders [7]</li> <li>Details not provided for in groups G10L 19/06 to G10L 19/12, e.g. gain coding, post filtering design, vocoder structure [7]</li> <li>Processing of the speech signal to produce another audible or non-audible signal, e.g. visual, tactile, in order to modify its quality or its intelligibility</li> </ul>
15/14 15/16 15/18	<ul> <li>e.g. Dynamic Time Warping (DTW) [7]</li> <li>using statistical models, e.g. Hidden Markov Models (HMM) (G10L 15/18 takes precedence) [7]</li> <li>using artificial neural networks [7]</li> <li>using natural language modelling [7]</li> </ul>	21/02 21/04 21/06	<ul> <li>order to modify its quality or its intelligibility (G10L 19/00 takes precedence) [7]</li> <li>Speech enhancement, e.g. noise reduction, echo cancellation (echo suppression in hand-free telephones H04M 9/08; hearing aids H04R 25/00) [7]</li> <li>Time compression or expansion [7]</li> <li>Transformation of speech into a non-audible representation, e.g. speech visualisation, speech processing for tactile aids (G10L 15/26 takes precedence) [7]</li> </ul>