

Questionnaire on the Implementation of Paragraph 12(a) of WIPO Standard ST.10/C

Name of the Reporting Office/ Organization	KG (ST.3 two-letter country/organization code) <u>Kyrgyzpatent</u>
---	--

Paragraph 12(a) of WIPO Standard ST.10/C sets out the following recommendation:

“12. (a) In order to improve the quality of patent family data and to avoid confusion in the presentation of priority application numbers, the following recommendations are made:

Industrial property offices (IPOs) should always provide priority application number complying with “Recommended Presentation in Abbreviated Form as a Priority Application Number” given in the Appendix to the Standard ST.10/C when presenting the application number of a patent document in the notification of the first filing and in the certificate of priority. The “Recommended Presentation in Abbreviated Form as a Priority Application Number” should be presented with the Standard ST.3 code (preferably in a specified line or column along with the title “The country code (in case of the international organization, ‘The organization code’) and number of your priority application, to be used for filing abroad under the Paris Convention, is”) to be easily recognized as priority number by other IPOs and applicants.

Example of presentation of “Recommended Presentation in Abbreviated Form as a Priority Application Number”:

- (i) in case of the country:
The country code and number of your priority application,
to be used for filing abroad under the Paris Convention, is
JP2000-001234
- (ii) in case of the international organization:
The organization code and number of your priority
application, to be used for filing abroad under the Paris
Convention, is EP79100953”

WIPO Standard ST.10/C is available at the following URL of WIPO’s website:

<http://www.wipo.int/scit/en/standards/standards.htm>

Q U E S T I O N N A I R E

1. (a) Does your Office/Organization comply with the provisions of paragraph 12(a) in WIPO Standard ST.10/C when presenting the application number of a patent document in the notification of the first filing?

YES ☐

NO ☒

Comments, if necessary:

(b) If the answer was “NO”, is your Office/Organization planning to implement the said paragraph 12(a) in the notifications of the first filing? If so, when?

YES ☐

NO ☒

When ?

Comments, if necessary:

2. (a) Does your Office/Organization comply with the provisions of paragraph 12(a) in WIPO Standard ST.10/C when presenting the application number of a patent document in the certificate of priority?

YES ☒

NO ☐

Comments, if necessary:

(b) If the answer was “NO”, is your Office/Organization planning to implement the said paragraph 12(a) in the certificates of priority? If so, when?

YES ☐

NO ☐

When ?

Comments, if necessary:

Note: Your Office/Organization is kindly invited to provide copies of filing notifications and priority certificates of patent applications along with the responses to this questionnaire.


[End of Annex and of Questionnaire]

КЫРГЫЗ РЕСПУБЛИКАСЫНЫН ӨКМӨТҮНӨ КАРАШТУУ
ИЛИМ ЖАНА ИНТЕЛЛЕКТУАЛДЫК МЕНЧИК БОЮНЧА МАМЛЕКЕТТИК АГЕНТСТВОСУ
ГОСУДАРСТВЕННОЕ АГЕНТСТВО ПО НАУКЕ И ИНТЕЛЛЕКТУАЛЬНОЙ СОБСТВЕННОСТИ
ПРИ ПРАВИТЕЛЬСТВЕ КЫРГЫЗСКОЙ РЕСПУБЛИКИ
(КЫРГЫЗПАТЕНТ)

720021, г. Бишкек, Московская 62

Телефон:
общий отдел: (3312) 68-16-98
отдел экспертизы изобретений и
полезных моделей (3312) 51-08-75
факс (3312) 68-17-03

Наш № 1341



Адрес: 720005, г. Бишкек,
пер. Геологический 12-18, тел.
43-43-45, Омуралиеву М.

УВЕДОМЛЕНИЕ

о принятии заявки к рассмотрению

Формальная экспертиза по данной заявке завершена

(21) Заявка № 20030001.1

(22) Дата подачи заявки 04 января 2003г.

(54) Название изобретения

Способ определения глубин землетрясений вблизи цифровой сейсмической станции и тонких скоростных 3D неоднородностей участка литосферы в области очагов

(71) Заявитель(и) Омуралиев М., Омуралиева А., (KG)

(72) Автор(ы) Омуралиев М., Омуралиева А., (KG)

В результате проведения формальной экспертизы данной заявки установлено, что заявочная документация соответствует предъявляемым требованиям (ч.4 ст.23 Патентного Закона Кыргызской Республики). Заявка принята к рассмотрению.

Нач. отдела экспертизы изобретений,
полезных моделей и пром. образцов

Шатманов Т.Ш.

подпись

Ф.И.О.

Эксперт

подпись

Искакова Г.А.

Ф.И.О.

для ввода в делопроизводство с 1 апреля 2006 г.

КЫРГЫЗ РЕСПУБЛИКАСЫНЫН ӨКМӨТҮНӨ КАРАШТУУ ИЛИМ
ЖАНА ИНТЕЛЛЕКТУАЛДЫК МЕНЧИК БОЮНЧА МАМЛЕКЕТТИК АГЕНТСТВОСУ
ГОСУДАРСТВЕННОЕ АГЕНТСТВО ПО НАУКЕ И ИНТЕЛЛЕКТУАЛЬНОЙ СОБСТВЕННОСТИ
ПРИ ПРАВИТЕЛЬСТВЕ КЫРГЫЗСКОЙ РЕСПУБЛИКИ
(КЫРГЫЗПАТЕНТ)

720021, г. Бишкек, Московская, 62

отдел экспертизы изобретений,
полезных моделей и промышленных
образцов: (3312) 52-08-75
общий отдел: (3312) 68-16-98
факс: (3312) 68-17-03

Наш № 1555 от 29.04.2005

«14» апреля 2006

СПРАВКА

Государственное агентство интеллектуальной собственности при Правительстве Кыргызской Республики (Кыргызпатент) настоящим удостоверяет, что приложенные материалы являются точным воспроизведением первоначального описания, формулы и чертежей поданной в заявки на изобретение

№ KG20050031.1 от 29 апреля 2005 г.Установка для нагрева жидкости «Алмаз»

(название)

Заявитель(и): Рыжков Владимир Николаевич
Рыжков Николай Владимирович
Кошмуратов Рустажан Гафарович
Кошмуратов Эркинбек Рустажанович

Автор(ы): Рыжков Владимир Николаевич
Рыжков Николай Владимирович
Кошмуратов Рустажан Гафарович
Кошмуратов Эркинбек Рустажанович

Начальник отдела экспертизы изобретений,
полезных моделей и промышленных образцов

Орозалиев Т.О.
Ф.И.О.