

PATENTSCOPE Latest developments


Sandrine Ammann
Marketing & Communications Officer

Tokyo, Japan November 11th 2011

Presentation: 4 parts



The coverage



WIPO
WORLD
INTELLECTUAL PROPERTY
ORGANIZATION

The data coverage



PATENTSCOPE

┗ Mobile | Deutsch | English | Español | Français | 한국어 | Português | Русский | 中文 |

国内特許及びPCTコレクションの検索

WORLD INTELLECTUAL PROPERTY ORGANIZATION

| 検索 | 閲覧 | 翻訳 | オブション | News | ログイン | ヘルブ

Home > IP Services > PATENTSCOPE

当システムでは1,953,418件以上の公開された国際特許出願(PCT)、また広域及び国内特許コレクションを含めると8,095,073件以上の特許文献の中から検索ができます。データ収録範囲に関する詳細情報についてはこちらを参照してください。(->) フロントページ 全てのフィールド フルテキスト ID番号 国際特許分類(IPC) 氏名(名称) 公開日 中国ントページ 中CT コロンピア ホンジュラス 全検索:フロントページ又は全てのフィールドから検索することができます。フリックするとその例がテキストボックス内に表示されます。コリックするとその例がテキストボックス内に表示されます。コリックするとその例がテキストボックス内に表示されます。コリックするとその例がテキストボックス内に表示されます。コルサルバドル コカラヴァ 常常アフリカ 常見検索 Smith or Klein W02010000001 ローエルサルバドル コカラヴァ ARIPO コスタリカ アテマラ ブラジル LATIPAT コスタリカ マトナム アタモで コスタリカ マルー LATIPAT コートページ又は全てのフィールドから検索を「リー・リー・アルージ又は全てのフィールドから検索することができます。フリックするとその例がテキストボックス内に表示されます。コリックするとその例がテキストボックス内に表示されます。コートルドから検索することができます。フリットができます。フリットでは実施を表示されます。コートルドから検索することができます。フリットの検索することができます。フリットの検索をできます。フリットの検索をできます。コンドのでは関係を定していた。コートルドから検索をできます。コントページ又は全てのフィールドから検索することができます。コートルドから検索することができます。フリットのでは対し、「なら、「なら、」とは、なら、」とは、「なら、」とは、「なら、」とは、「なら、」とは、「なら、」	簡易検索	
特許庁 / P C T	ら検索ができます。データ収録範囲に関する詳細情報についてはこちらを参照してください。(->)	
特許庁 / P C T PCT	プロントページ 全てのフィールド フルテキスト ID番号 国際特許分類(IPC) 民名(名称)	公開日
一世衆 リセット	特許庁 / P C T □ PCT □ コロンビア □ ホンジュラス □ アルゼンチン □ シンガポール □ メキシコ □ イスラエル □ スペイン □ モロッコ □ ウルグアイ □ チリ □ 南アフリカ □ エクアドル □ ドミニカ共和国□ 韓国 □ エルサルバドル□ ニカラグア □ ARIPO □ キューバ □ パナマ □ 欧州特許庁 □ グアテマラ □ ブラジル □ LATIPAT □ ケニア □ ベトナム ▼全て	全検索: フロントページ又は全ての フィールドから検索することができます。クリックするとその例がテキスト ボックス内に表示されます。 「近傍検索」 Smith or Klein WO2010000001 「ワイルドカード検索及び近傍検索」 「ワイルドカード検索」


National Collections - Data Coverage

Last Update:2011-10-12

Last Opdate:201 Country	Biblio Data	Abstract	Doc images	OCR (full-text) Indexed	Nb records	Note
PCT	20.10.1978 - 14.10.2011	1 112 2 2 2 2 2 2	1953418	Total records: 1946515 English: 1288321 French: 78502 Spanish: 13134 German: 244195 Korean: 11693 Japanese: 260675 Chinese: 38211 Russian: 11311 Portuguese: 473	1953418	Note
Argentina	12.02.1965 - 01.09.2011	01.11.1990 - 01.09.2011			119571	
Brazil	26.04.1972 - 03.08.2011	26.04.1989 - 03.08.2011	181706	Total records: 186003 Portuguese: 186003	516637	
Chile	08.01.2005 - 25.10.2008	08.01.2005 - 24.05.2008			3826	
Colombia	14.02.1995 - 21.12.2010	14.02.1995 - 21.12.2010			12028	
Costa Rica	14.07.1988 - 28.05.2011	14.07.1988 - 28.05.2011			5992	
Cuba	13.03.1968 - 27.04.2011	13.03.1968 - 27.04.2011	1569	Total records: 1569 Spanish: 1569	2382	
Dominican Rep.	01.11.2001 - 16.07.2011	01.11.2001 - 16.07.2011	1	Total records: 1 Spanish: 1	2159	
Ecuador	02.10.1990 - 29.08.2009	02.10.1990 - 29.08.2009			2858	
El Salvador	11.03.1970 - 14.09.2010	11.03.1970 - 14.09.2010			1356	
Guatemala	31.12.1961 - 14.04.2011	31.12.1961 - 14.04.2011			5948	
Honduras	14.01.2005 - 23.07.2010	28.01.2005 - 23.07.2010			286	
Israel	02.01.1900 - 01.09.2011	05.01.1998 - 01.07.2011	102969	Total records: 91045 English: 91045	162794	
Kenya	12.05.1996 - 01.02.2011	12.05.1996 - 01.02.2011			373	
Mexico	02.12.1991 - 25.03.2010	02.12.1991 - 25.03.2010	142337	Total records: 138592 Spanish: 138592	195540	
Morocco	07.07.1977 - 02.06.2010	02.04.1999 - 02.06.2010	9045	Total records: 8741 French: 8741	12882	
Nicaragua	06.11.2003 - 25.03.2009	06.11.2003 - 25.03.2009			197	
Panama	10.03.1990 - 28.07.2010	10.03.1990 - 28.07.2010			2312	



Future plans










What's new?



PATENTSCOPE Mobile





WIPO
WORLD
INTELLECTUAL PROPERTY
ORGANIZATION



Search patent documents by

Front Page

ID/Number

<u>Name</u>

<u>FullText</u>

<u>IPC</u>

Dates

<u>Advanced</u>

Search



Mobile vs classic

Home | Search | Results

1. (WO2011080625) DISPOSABLE URINE INCONTINENCE DEVICE WITH COVER SHEET

Pub. No.: WO/2011

International Application

/080625 International Filing Date:

PCT/IB2010 /055542 Dec 1, 2010

Publication Date:

Jul 7, 2011

IPC: A61F 13/45

> A61F 13/511 A61L 15/22

Applicants: KIMBERLY-CLARK WORLDWIDE, INC.

ZUNKER, MaryAnn

WOLTMAN, Garry, Roland

CHEN, Fung-jou PAWAR, Paulin LEMKE, Sarah, Anne SAMOLINSKI, Patricia, Ann OLSON, Sarah, Anne

Inventors: ZUNKER. MarvAnn

WOLTMAN, Garry, Roland

CHEN, Funa-iou PAWAR, Paulin LEMKE, Sarah, Anne SAMOLINSKI, Patricia, Ann OLSON, Sarah, Anne

DISPOSABLE URINE INCONTINENCE DEVICE WITH COVER SHEET Title:

Abstract: A disposable urinary incontinence device comprises a liquid-stable resilient member and a cover sheet. The cover sheet envelops the liquid-stable resilient member to form an elongated member having a tubular profile. The elongated member has a first end, a second end. The cover sheet exhibits a skin-facing surface contact area of less than 30% at a depth of 10% of the cover sheet. In addition, the cover sheet has a static coefficient of 0.275 to 0.150, and a dynamic

coefficient of friction of 0.230 to 0.150.

1. (WO2011080625) DISPOSABLE URINE INCONTINENCE DEVICE WITH COVER SHEET

Pub. No.: WO/2011/080625 International Application No.: PCT/IB2010/055542 Publication Date: 07.07.2011 International Filing Date: 01.12.2010 A61F 13/45 (2006.01), A61F 13/511 (2006.01), A61L 15/22 (2006.01) IPC:

PCT Biblio, Data Description Claims National Phase Notices Documents

Applicants: KIMBERLY-CLARK WORLDWIDE, INC. [US/US]; Neenah, WI 54956 (US) (For All Designated States

Latest bibliographic data on file with the International Bureau

ZUNKER, MaryAnn [US/US]; (US) (For US Only). WOLTMAN, Garry, Roland [US/US]; (US) (For US Only). CHEN, Fung-jou [US/US]; (US) (For US Only). PAWAR, Paulin [US/US]; (US) (For US Only). LEMKE, Sarah, Anne [US/US]; (US) (For US Only). SAMOLINSKI, Patricia, Ann [US/US]; (US) (For US Only).

OLSON, Sarah, Anne [US/US]; (US) (For US Only)

Inventors: ZUNKER, MaryAnn; (US). WOLTMAN, Garry, Roland; (US),

CHEN, Fung-jou; (US). PAWAR, Paulin; (US). LEMKE, Sarah, Anne; (US). SAMOLINSKI, Patricia, Ann; (US). OLSON, Sarah, Anne; (US)

DUDKOWSKI, Alvssa, A.: Kimberly-Clark Worldwide, Inc. 2300 Winchester Road Neenah, WI 54956 Agent:

Priority Data: 12/651,355 31.12.2009 US

(EN) DISPOSABLE URINE INCONTINENCE DEVICE WITH COVER SHEET Title

(FR) DISPOSITIF JETABLE POUR INCONTINENCE URINAIRE DOTÉ D'UNE FEUILLE DE

COUVERTURE

Abstract: (EN) A disposable urinary incontinence device comprises

a liquid-stable resilient member and a cover sheet. The cover sheet envelops the liquid-stable resilient member to form an elongated member having a tubular profile. The elongated member has a first end, a second end. The cover sheet exhibits a skin-facing surface contact area of less than 30% at a depth of 10% of the cover sheet. In addition, the cover sheet has a static coefficient

of 0.275 to 0.150, and a dynamic coefficient of friction of

0.230 to 0.150.

(FR) L'invention porte sur un dispositif jetable pour incontinence urinaire comprenant un élément souple résistant aux liquides et une feuille de couverture. La feuille de couverture enveloppe l'élément souple résistant aux liquides de façon à former un élément allongé ayant un profil tubulaire. L'élément allongé possède une première extrémité et une seconde extrémité. La feuille de couverture présente une zone de contact de surface orientée vers la peau de moins de 30 % à une profondeur de 10 % de la feuille de couverture. En outre, la feuille de couverture a un coefficient statique de frottement compris entre 0,275 et 0,150, et un coefficient dynamique de frottement

compris entre 0,230 et 0,150.

Designated AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, States: DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP,

MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV



æ





PATENTSCOPE

国内特許及がPCTコレクションの検索

WORLD INTELLECTUAL PROPERTY ORGANIZATION

検索 | 閲覧 | 翻訳 | オプション | News | ログインNEW! | ヘルプ

Home > IP Services > PATENTSCOPE

New in PATENTSCOPE

Having a PATENTSCOPE account enables you to:

- Save your customized configuration.
- Save your queries.
- Download result lists up to 100 records.

Did you know?

 Using CLIR, you can search patent applications in Japanese even if you don't speak Japanese.

ログイン
Email Password Stay signed in
Can't access your account? Don't have a PATENTSCOPE account?



Signing up



PATENTSCOPE

ь Mobile | Deutsch | Español | Français | 日本語 | 한국어 | Português | Русский | 中文 |

Search International and National Patent Collections

WORLD INTELLECTUAL PROPERTY ORGANIZATION

Search | Browse | Translate | Options | News | Login NEW! | Help

Home > IP Services > PATENTSCOPE

Account Sign Up						
This feature is a b	eta version. Some functionalities might not work as expected!					
Name(*)						
Company						
Country						
Occupation:	Select One					
Email(*)						
Password(*)						
Retype Password(*)						
Would you like to get news from us?						
Sign Up Reset						

Once logged-in



PATENTSCOPE

┗ Mobile | Deutsch | Español | Français | 日本語 | 한국어 | Português | Русский | 中文 |

Search International and National Patent Collections WORLD INTELLECTUAL PROPERTY ORGANIZATION Search Browse Translate Options User: sandrine.ammann@wipo.int Help News Session queries Home > IP Services > PATENTSCOPE Saved queries Simple Search Save current interface options Log out Using PATENTSCOPE you can search 7,786,506 patent documents in atent applications (PCT). Detailed coverage information can be found here (->) Front Page Any Field Full Text ID/Number Int. Classification(IPC) Dates Names Front Page US2010/059963 Examples: Office The entered value is searched □ PCT ☐ Ecuador ☐ Panama ☐ ARIPO against the Title, Abstract, ☐ El Salvador ☐ Peru □ EPO ☐ Argentina Numbers and Names. ¶"electric car"~50. ☐ Brazil ☐ Guatemala ☐ Republic of Korea ☐ LATIPAT ¶Smith or Klein ☐ Honduras ☐ Singapore ☐ Chile ✓ AII. ¶WO2010000001 Colombia | □ Israel South Africa. ¶"sol* panel"~5 Costa Rica ☐ Mexico 🔲 Spain ■elect?icit?. □ Cuba ☐ Morocco ☐ Uruquay electric^10 and car^3 □ Dominican Rep. □ Nicaragua □ Viet Nam Search Reset

Saving a query



PATENTSCOPE

┗ Mobile | Deutsch | Español | Français | 日本語 | 한국어 | Português | Русский | 中文 |

Search International and National Patent Collections

WORLD INTELLECTUAL PROPERTY ORGANIZATION

Search | Browse | Translate | Options | News | User: sandrine.ammann@wipo.int | Help

Home > IP Services > PATENTSCOPE

These are the all queries saved in your profile with PATENTSCOPE.

They are available every time you log in!

Saved Queries								
Name	Query	Offices	Remove					
Electric car	FP:(EN_Tl:"electric car")	All	Remove					
Wind turbine	EN_AB:"wind turbine"	All	Remove					



Saved queries



Home > IP Services > PATENTSCOPE


These are the all queries saved in your profile with PATENTSCOPE. They are available every time you log in!


Saved Queries							
Name	Query	Offices	Remove				
Electric car	FP:(EN_Tl:"electric car")	All	Remove				
Wind turbine	EN_AB:"wind turbine"	All	Remove				



Help


Downloading the results








Account customization




Focus of 2011: languages



WIPO
WORLD
INTELLECTUAL PROPERTY
ORGANIZATION


Practical Tools

Search interface is available in 9 languages:



- Available:
- Google translate





- CLIR (Cross Lingual Information Retrieval)
- PATENTSCOPE Translate



Google translate

Νο,	国/PCT	発明の名称	オリジナル オリジナル			許分類	出願番号	出願人	発明者
1.	wo	WO/2011/121046 -OPTOELECTRONIC DEVI	オリジナル オリジナル	レー->フランス。 レ>スペイン。 レ>日本語 レ>中国語		33/08	PCT/EP2011 /054960	OSRAM OPTO SEMICONDUCTORS GMBH	WIRTH, Ralph
wavele second operati have/h emitting electric followir (101) o	ength range with a d semiconductor li ion, wherein the f as a second temp g diode (31), whic cal resistance, and ng are connected of the parallel circ	ice for emitting mixed light compi a first intensity during operation ight source (2) having a second irst and the second wavelength perature dependence, which dif the emits light in a third waveleng d - a semiconductor light source I in a parallel circuit: the first ser uit, the second semiconductor light source (3) and the semiconductor light	オリジナル オリジナル オリジナル オリジナル control elem es circuit cor ght source (2	レー> ロシア語 レー> アラビア レー> ドイツ語 ent (9) for con nprising the re) in a second k	ル語 frolling th sistance oranch (1	and/or the mits light i wherein the dence, - a operation, e intensity element (4 02) of the	e first intensity han a second war he second wav a third semicond - a resistance of the third ser and the first s parallel circuit a	emiconductor light source and a second series circu	re dependence, - ond intensity duri second intensity ing a third light- erature-depender 3), - wherein the (1) in a first brar
2.	wo	WO/2011/120775 -OPTOELECTRONIC SEMICONDUCTOR CHIP		06.10.2011	H01L	27/15	PCT/EP2011 /053638	OSRAM OPTO SEMICONDUCTORS GMBH	VON MALM, Norwin



Google translate

PCT Biblio. Data Full Text	National Phase Notices	Documents		
			Select Language ▼ Powered by Google™Translate	English Powered by Google™Translate

명세서

[규칙 제26조에 의한 보정 16.09.2009] 헤드폰

기술분야

1] 본 발명은 헤드폰에 관한 것이다.

배경기술

- [2] 헤드폰은 오디오와 같은 음향재생장치에 접속하여 음향을 청취하기 위한 장치로써, 다른 사람이 청취하지 못하도록 음향을 차단하여 사용자만이 음향을 들을 수 있도록 하는 기능을 갖는다. ▲
- [3] 도 1을 참조하면, 종래 헤드폰(10)은 스피커(11)와, 헤드폰하우징(12)과, 헤드밴드(13)와, 하우징행거(14)를 포함한다.
- [4] 스피커(11)는 신호선(미도시)과 연결되어 입력되는 전기적 신호에 따른 음향을 증폭시켜주는 장치이다.



[規則第26条に基づく補正16.09.2009]ヘッドホン

技術分野

1] 本発明は、ヘッドフォンに関するものである。

背景技術

- 2] ヘッドホンは、オーディオなどの音響再生装置に接続して音を聴取するための装置として、他の人が聴取できないように音を遮断して、ユーザーだけが音を聞くことができるようにする機能を持つ。
- 3] 図1を参照すれば、従来のヘッドホン(10)は、スピーカー(11)と、ヘッドフォンのハウジング(12)と、ヘッドバンド(13) と、ハウジングハンガー(14)を含んでいる。
- 4] スピーカー(11)は、信号線(みどり市)と接続されて入力される電気信号に応じた音を増幅させる装置である。
- 5] ヘッドフォンのハウジング(12)は、ユーザーの両方の耳に装着されるようにペアで用意され、その内部にスピーカー(11)が設置される。また、ヘッドバンド(13)は、ユーザーの頭に固定されて、一組のヘッドホンハウジング(12)を接続する役割を担っている。



PATENTSCOPE

Search International and National Patent Collections

WORLD INTELLECTUAL PROPERTY ORGANIZATION

Search | Browse | Translate | Options | News | Login | Help

Home > IP Services > PATENTSCOPE



4. (WO2011122928) WAFER CONTAINER WITH ADJUSTABLE INSIDE DIAMETER

PCT Biblio, Data	Description	Claims	National Phase	Notices	Documents	
						Translate this page
Note: Text based on Please use the PDF		Spanish 📥 🔽 🗾				
i lease use the i Di	version for legal	illialieis				Microsoft® Translator <>

WAFER CONTAINER WITH ADJUSTABLE INSIDE DIAMETER

FIELD OF THE INVENTION

This invention relates to improvements in a container for the transportation of semiconductor wafers. More particularly, the present wafer container includes improvements in clamping sidewalls that prevent movement to the wafers.


DESCRIPTION OF RELATED ART

In the processing of semiconductor wafers the typically must be transported either between processes or to other facilities. The semiconductor wafers are fragile and damage to the surface of the wafers can make the wafer useless for the intended purpose. Because of the high potential for damage to the wafer the semiconductors must be packaged and transported to minimize harm. In transportation, multiple semiconductor wafers are stacked into a transportation container. There have been a number of containment products and patents have been sold and patented to try and minimize damage to these silicon wafers. Exemplary examples of patents covering these products are disclosed herein.

- U.S. Patent Publication Number US2006/0042998 that was published on March 2, 2006 to Cliffton C. Haggard et al., discloses using a cushion insert that is placed on top of the wafers. When the lid is closed on top of the cushion insert, the support portions push on the inside of the lid. This causes the cushioning member to conform around the wafer at contact points. While this reference minimizes movement of the wafers, the wafers are stored vertically and the cushioning is applied on the closing side of the enclosure. The closing of the carrier pushes down on the cushion instead of sliding on the cushion. The cushion is further not integrated with the enclosure, and exists as a separate component.
- U.S. Patent Number 7,100,772 issued September 5, 2006 to John Burns et al., disclose a containment device for retaining semiconductor wafers with several methods of pushing on the sides of a semiconductor wafer. In all of the embodiments, one half of the housing interacts with an arm located in the second half of the housing to press on the sides of the semiconductor wafer. In one embodiment, a spring loaded pistons push on branch members. In another embodiment, an arm on a living hinge is pushed to make contact with the wafer. While this patent discloses a wafer carrier that reduces movement of the wafers, the wafers are stored vertically and the cushioning is applied on the closing side of the enclosure. The closing of the carrier pushes down on the cushion instead of sliding on the cushion. This patent uses multiple arms, one for each wafer. The top housing pushed down on the cushion instead of sliding on the arms to provide the cushion.
- U.S. Patent Number 6,988,620 issued January 24, 2006 to Clifton C. Haggard et al., discloses a wafer container having a top housing with sidewall tab portions that have a chamfered edge that pushes against a corresponding chamfered edge in the bottom housing to push extensions against the wafers. In this patent the hinge bends from the bottom housing and can bow whereby making contact with some but not all of the wafers. The hinge does not swing from the sidewall of the wafer carrier and the contact point on the wafers is not distal from the hinge to


OPERTY







CLIR





Precision - recall



- Precision = Exactness or fidelity
 Everything returned is relevant
- Not all relevant items might have been found



- Recall = Completeness
 All is included, nothing is missed
- A lot of useless results could be returned Sorting is necessary

CLIR – Automatic mode



Results – Automatic mode

検索 | 閲覧 | 翻訳 | オブション | News | ログイン | ヘルブ

Home >IP Services >PATENTSCOPE

検索結果1-10 of 11,008 for 検索基準: (EN_TI:("sports clothing" OR "sportswear" OR "athletic wearing" OR "sports wearing" OR "sports garment" OR "sports laundry"~21) OR EN_AB;("sports clothing" OR "sportswear" OR "athletic wearing" OR "sports wearing" OR "sports garment" OR "sports laundry"~21)) OR (DE-TI:("Sportbekleidungsstücken" OR "Sportbekleidung" OR "Sportkleidung" OR "Sportausübung" OR "Sportkleidungsstück") OR DE AB:("Sportbekleidungsstücken" OR "Sportbekleidung" OR "Sportkleidung" OR "Sportausübung" OR "Sportkleidungsstück")) OR (ES-TI:("ropa deportivo"~22 OR "prendas de vestir deportivo"~22 OR "prendas deportivo"~22 OR "vestir deportivo"~22 OR "lavandería deportivo"~22 OR "colada deportivo"~22 OR "lavado deportivo"~22 OR "traje de deporte" OR "guarnición deportivo"~22) OR ES_AB:("ropa deportivo"~22 OR "prendas de vestir deportivo"~22 OR "prendas deportivo"~22 OR "vestir deportivo"~22 OR "lavandería deportivo"~22 OR "colada deportivo"~22 OR "lavado deportivo"~22 OR "traje de deporte" OR "guarnición deportivo"~22)) OR (FR_TI:("vêtements de sport" OR "vêtements sportifs" OR "vêtements") OR FR_AB:("vêtements de sport" OR "vêtements sportifs" OR "vêtements")) OR (JA_TI:("スポーツ 衣類"~22 OR "スポーツ 衣料"~22 OR "運動 衣類"~22 OR "運動 衣料"~22 OR "スポーツ 衣服"~22 OR "スポーツウェア" OR "スポーツ 洗濯"~22 OR "運動着" OR "運動 衣服"~22) OR JA AB:("スポーツ 衣類"~22 OR "スポーツ 衣料"~22 OR "運動 衣類"~22 OR "運動 衣料"~22 OR "スポーツ 衣服"~22 OR "スポーツウェア" OR "スポーツ 洗濯"~22 OR "運動着" OR "運動 衣服"~22)) OR (KO_TI;("스포츠 의류"~22 OR "스포츠 세탁물"~22 OR "스포츠 세탁"~22 OR "스포츠신발 의류"~22 OR "스포츠용 의류"~22 OR "스포츠신 발 세탁물"~22 OR "스포츠용 세탁물"~22 OR "스포츠신발 세탁"~22 OR "스포츠용 세탁"~22) OR KO_AB;("스포츠 의류"~22 OR "스포츠 세 탁물"~22 OR "스포츠 세탁"~22 OR "스포츠신발 의류"~22 OR "스포츠용 의류"~22 OR "스포츠신발 세탁물"~22 OR "스포츠용 세탁물"~22 OR "스포츠신발 세탁"~22 OR "스포츠용 세탁"~22)) OR (PT-TI:("Vestuário esportivo"~22 OR "Vestuário desportivos"~22 OR "fisicos" OR "quarnicão esportivo"~22 OR "quarnicão desportivos"~22 OR "roupas esportivo"~22 OR "roupas desportivos"~22 OR "lavanderia esportivo"~22 OR "lavanderia desportivos"~22) OR PT AB;("vestuário esportivo"~22 OR "vestuário desportivos"~22 OR "fisicos" OR "quarnicão esportivo"~22 OR "quarnicão desportivos"~22 OR "roupas esportivo"~22 OR "roupas desportivos"~22 OR "lavanderia esportivo"~22 OR "lavanderia desportivos"~22)) OR (RU_TI:("покрытиях для одежды"~22 OR "спортивная одежды"~22 OR "покрытиях для изделий"~22 OR "спортивная изделий"~22 OR "покрытиях для белья"~22 OR "спортивная белья"~22 OR "покрытиях для режимом стирки"~22 OR "спортивная режимом стирки"~22 OR "покрытиях для бельевой"~22) OR RU_AB:("покрытиях для одежды"~22 ОR "спортивная одежды"~22 ОR "покрытиях для изделий"~22 ОR "спортивная изделий"~22 ОR "покрытиях для белья"~22 ОR "спортивная белья"~22 ОR "покрытиях для режимом стирки"~22 ОR "спортивная режимом стирки"~22 ОR "покрытиях для бельевой"~22)) OR (ZH_TI:("运动服装" OR "及运动衣料" OR "运动服") OR ZH_AB:("运动服装" OR "及运动衣料" OR "运动服")) 特許庁/ PCT:all言語:JA語幹処理:true 戻る

絞り込み検索 (EN_T):("sports clothing" OR "sportswear" OR "athletic wearing" d RSS a

検索結果の分析									
オブション ⑨ 表 ⑨ グラフ オブション ⑨ 棒グラフ ⑨ 円グラフ									
国/ P (C T	主要な	IPC	主要な出願	主要な発明者 公開日				
国 / P C T ÷	No. +	IPC +	No. +	氏名(名称) 🕈	No. +	氏名	No. +	年♦	No. +
PCT	6386	A41D	2124	THE PROCTER &	381	MARMAROPOULOS,	26	2001	544
European	4240	A61F	1716		GAMBLE George COMPANY MARMAROPOULOS			2002	496
Patent Office		DOSE	ene				26	2002	ene

WIPO WORLD INTELLECTUAL PROPERTY ORGANIZATION

CLIR - Supervised mode



Next step: domain selection

検索用語を入力 検索語 [Help] 技術分野 [TEXT] [ADMN] 管理、ビジネス、経営及び社会科学 ITEXTI 繊維衣料産業 追加 [AERO] 航空宇宙工学 [AGRI] 農業、漁業及び林業 [AUDV] オーディオ、オーディオビジュアル、画像及びビ引 [AUTO] 自動車及び道路車両工学 [BLDG] 土木及び建築工学 [CHEM] 化学及び材料技術 削除 |[DATA]|コンピュータ科学及び通信放送| |[ELEC] 電気工学及びエレクトロニクス [ENGY]エネルギー、燃料及び伝熱工学 |[ENVR] 環境及び安全工学| [FOOD] 食品及び食品技術 [GENR] 一般性、言語及びメディア情報科学 [HOME] 家財の内容及び家庭のメンテナンス [HORO] 精密機械、宝石及び時計 [MANU] 製造及び材料処理技術 [MARI]海洋技術 [MEAS] 標準化、単位、計量及び試験 [MECH] 機械工学 [MEDI] 医療技術 [METL] 金属工学 [MILI] 軍事技術 |[MINE] 鉱業、石油ガス抽出及び鉱物 [NANO] ナノテクノロジー |[PACK] 包装及び商品の流通 |[PRNT] 印刷及び紙 [RAIL] 鉄道工学 ISCIEI 光工学 [SPRT] スポーツ、レジャー、観光及びサービス業 ITRANI 交通 検索語を拡張する

WIPO
WORLD
INTELLECTUAL PROPERTY
ORGANIZATION

Next step: synonyms selection


検索用語を入力									
検索用語 1: sports									
検索用語 2: clothing									
類義語 技術分野	(TEXT)				[Help]				
» 当該検索用語を残しつつその検索用語を他の言語にも拡張する。 🖂									
» より少なく -	1 1	より多く							
☑ clothes	☑ garments ☑	☐ laundry	□ linen	apparel					
□ washing	packing packing	☐ lining	☑ wear ☑	☐ insert					
appareil	☐ inner	☐ furnishings	☐ liner						
類義語を追加 一									
検索用語 3: sports cloth	ning				•				
選択された検索用	語を翻訳する			初めに戻る					
				WIPO					

WORLD

ORGANIZATION

INTELLECTUAL PROPERTY

Translation proposals, IPC and editing



Results – Supervised mode

検索 | 閲覧 | 翻訳 | オブション | News | ログイン | ヘルブ

Home >IP Services >PATENTSCOPE

検索結果1-10 of 334 for 検索基準: (DE_AB:("Sportkleidung" OR "Sportbekleidung") OR EN_AB:("sports clothing" OR "sports garments"~21 OR "sports wear"~21) OR ES_AB:("ropa deportivo"~22 OR "prendas de vestir deportivo"~22 OR "prendas deportivo"~22 OR "vestir deportivo"~22 OR "desgaste deportivo"~22 OR "vestir mas particularmente medias deportivo"~22 OR "recuento deportivo"~22) OR FR_AB: ("vêtements de sport") OR JA AB:("スポーツ 衣類"~22 OR "スポーツ 衣料"~22 OR "スポーツ 衣服"~22 OR "運動 衣類"~22 OR "運動 衣 料"~22 OR "運動 衣服"~22 OR "スポーツ ウェア"~22 OR "スポーツ ウエア"~22 OR "運動 ウェア"~22) OR KO AB:("스포츠 의류"~22 OR "스 포츠용 의류"~22 OR "스포츠 의복"~22 OR "스포츠용 의복"~22 OR "스포츠 웨어"~22 OR "스포츠용 웨어"~22) OR PT AB:("Vestuário esportivo"~22 OR "vestuário desportivos"~22 OR "guarnição esportivo"~22 OR "roupas esportivo"~22 OR "roupas desportivos"~22 OR "vestimenta esportivo"~22 OR "artigos esportivo"~22 OR "vestimenta desportivos"~22 OR "artigos desportivos"~22 OR "fraldas esportivo"~22 OR "fraidas desportivos"~22 OR "desgastar artigos esportivo"~22 OR "desgastar artigos desportivos"~22) OR RU_AB: ("покрытиях для одежды"~22 OR "спортивная одежды"~22 OR "покрытиях для ношения"~22 OR "покрытиях для ходовой"~22 OR "спортивная ношения"~22 ОR "спортивная изделий"~22 ОR "покрытиях для швейных изделий"~22 ОR "спортивная швейных изделий"~22) OR ZH_AB:("**运动衣料**")) AND ICF:(A41 OR A43 OR A44B OR B68 OR D0? OR F26) 特許庁 / Р С Т :all言語:JA語幹処理:true 次へ 戻る Page: 1 /34 > 絞り込み検索 (DE_AB:("Sportkleidung" OR "Sportbekleidung") OR EN AB:("spo RSS 5



PATENTSCOPE Translate




PATENTSCOPE

┕ Mobile | Deutsch | English | Español | Français | 한국어 | Português | Русский | 中文 |

国内特許及がPCTコレクションの検索

WORLD INTELLECTUAL PROPERTY ORGANIZATION	
検索 関覧 <mark>翻訳</mark> オプション News ログインNEW! ヘルプ	
lome > IP Services > P. Translation Assistant for Patent Titles and Abstracts	
簡易検索	
当システムでは1,949,796件以上の公開された国際特許出願(PCT)、また広域及が国内特許コレクショ	ンを含めると5,692,729件以上の特許文
献の中から検索ができます。データ収録範囲に関する詳細情報についてはこちらを参照してください。	(->)
	A (A3h) ABBD
フロントページ 全てのフィールド フルテキスト ID番号 国際特許分類 (IPC) 氏:	名(名称) 公開日
フロントページ optoelectronic	
特許庁 / P C T	例:
□ PCT □ コロンビア □ ホンジュラス	全検索:フロントページ又は全て のフィールドから検索することが
□ アルゼンチン □ シンガポール □ メキシコ	できます。クリックするとその例
□ イスラエル □ スペイン □ モロッコ	がテキストボックス内に表示され
□ ウルグアイ □ チリ □ 南アフリカ □ エクアドル □ ドミニカ共和国□ 韓国	ます。 ◀近傍検索
□ エンアドル □ ドミニガ共和国 □ 韓国 □ エルサルバドル□ ニカラグア □ ARIPO	⁴ Smith or Klein
□ キューバ □ パナマ □ 欧州特許庁	4WO2010000001
\square グアテマラ \square ブラジル \square LATIPAT	▼ワイルドカード検索及が近傍検 索
□ ケニア □ ベトナム ■ 全て	「 ▼ワイルドカード検索
□ コスタリカ □ ベルー	● 重み付け検索(「electric」の重
	みが10、「car」の重みが3)
検索 リセット	

Language pairs





Domains

[ADMN] Admin, Business, Management & Soc Sci	[MARI]	Marine Engineering
[AERO] Aeronautics & Aerospace Engineering	[MEAS]	Standards, Units, Metrology & Testing
[AGRI] Agriculture, Fisheries & Forestry	[MECH]	Mechanical Engineering
[AUDV] Audio, Audiovisual, Image & Video Tech	[MEDI]	Medical Technology
[AUTO] Automotive & Road Vehicle Engineering	[METL]	Metallurgy
[BLDG] Civil Engineering & Building Construction	[MILI]	Military Technology
[CHEM] Chemical & Materials Technology	[MINE]	Mining, Oil & Gas Extraction & Minerals
[DATA] Computer Sci, Telecom & Broadcasting	[NANO]	Nano Technology
[ELEC] Electrical Engineering & Electronics	[PACK]	Packaging & Distribution of Goods
[ENGY] Energy, Fuels & Heat Transfer Eng	[PRNT]	Printing & Paper
[ENVR] Environmental & Safety Engineering	[RAIL]	Railway Engineering
[FOOD] Foods & Food Technology	[SCIE]	Optical Engineering
[GENR] Generalities, Language, Media & Info Sci	[SPRT]	Sports, Leisure, Tourism & Hospitality
[HOME] Home Contents & Household Maintenance	[TEXT]	Textile & Clothing Industries
[HORO] Precision Mechanics, Jewelry & Horology	[TRAN]	Transportation
[MANU] Manufacturing & Materials Handling Tech		



Translation

Home > IP Services > PATENTSCOPE > Database Search > Translation Assistant

Translate		
	ed on statistics and trained only on patent titles and abstracts.	[help/user guide]
	d paste titles/abstracts from any published patent application. HOULD NOT BE USED FOR THE PURPOSE OF TRANSLATING CONFIDENTIAL OR SENSITIVE DA	TA. IN PARTICULAR
•	D PATENT DATA, BECAUSE DATA TRANSMITTED VIA THIS TOOL IS NOT ENCRYPTED)	,
Source text:	Disque de frein pour matériel roulant ferroviaire destiné à être rendu solidaire d'une roue à freiner, et à coopérer en freinage avec une garniture, constituée d'un matériau composite, montée sur une mâchoire mobile et susceptible d'être mise en contact avec le disque par l'intermédiaire de moyens de commande, caractérisé en ce que le disque se subdivise en trois secteurs identiques, chacun d'eux comportant, sur sa face interne (6), opposée à celle de freinage, des éléments de rigidification constitués par des nervures (8) dirigées, de	
Language pair:	manière régulière, à la fois dans un sens radial et dans un sens concentrique, par rapport à l'axe de la roue.	
Domain:	[automatic detection]	
	Translate	



Translate

[help/user quide]

This tool is based on statistics and trained only on patent titles and abstracts. You can cut and paste titles/abstracts from any published patent application.

(THIS TOOL SHOULD NOT BE USED FOR THE PURPOSE OF TRANSLATING CONFIDENTIAL OR SENSITIVE DATA, IN PARTICULAR UNDISCLOSED PATENT DATA, BECAUSE DATA TRANSMITTED VIA THIS TOOL IS NOT ENCRYPTED)

Source text:

Disque de frein pour matériel roulant ferroviaire destiné à être rendu solidaire d'une roue à freiner, et à coopérer en freinage avec une garniture, constituée d'un matériau composite, montée sur une mâchoire mobile et susceptible d'être mise en contact avec le disque par l'intermédiaire de moyens de commande, caractérisé en ce que le disque se subdivise en trois secteurs identiques, chacun d'eux comportant, sur sa face interne (6), opposée à celle de freinage, des éléments de rigidification constitués par des nervures (8) dirigées, de manière régulière, à la fois dans un sens radial et dans un sens concentrique, par rapport à l'axe de la roue.

Language pair:	French->English	▼	
Domain:	Mechanical Engineering		¥

Translate

This automatic translation is provided for information only, it may contain discrepancies or mistakes and does not have any juridical value.

- Please hover your mouse over parallel segments of text
- Click to view other proposals
- · Select words or phrases on the right to access other translation proposals

Brake disc for railway rolling stock to be made integral with a wheel to be braked, and to co-operate with a brake lining, made of a composite material, mounted on a movable jaw and which can be brought into contact with the disk by the control means, characterised in that the disc is divided into three identical sectors, each of them having, on its inner surface (6), opposite to that of the brake, stiffening elements formed by ribs (8) directed, in a regular manner, both in a radial direction and in a concentric direction, relative to the axis of the wheel.

Disque de frein pour matériel roulant ferroviaire destiné à être rendu solidaire d'une roue à freiner, et à coopérer en freinage avec une garniture, constituée d'un matériau composite, montée sur une mâchoire mobile et susceptible d'être mise en contact avec le disque par l'intermédiaire de moyens de commande, caractérisé en ce que le disque se subdivise en trois secteurs identiques, chacun d'eux comportant, sur sa face interne(6), opposée à celle de freinage, des éléments de rigidification constitués par des nervures(8) dirigées, de manière régulière, à la fois dans un sens radial et dans un sens concentrique, par rapport à l'axe de la roue.


Edit translation


Translation segments and editing

of reinforcing elements consisting of ribs

Brake disc for railway rolling stock to be made integral with a Disque de frein pour matériel roulant ferroviaire destiné à être rendu wheel to be braked , and to co-operate with a brake lining . solidaire d'une roue à freiner, et à coopérer en freinage avec une made of a composite material , mounted on a movable jaw garniture, constituée d'un matériau composite, montée sur une and which can be brought into contact with the disk by the mâchoire mobile et susceptible d'être mise en contact avec le disque control means , characterised in that the disc is divided into par l'intermédiaire de moyens de commande, caractérisé en ce que le disque se subdivise en trois secteurs identiques, chacun d'eux Ithree identical sectors , each of them having, on its innersurface (6), opposite to that of the brake, stiffening elements comportant, sur sa face interne(6) , opposée à celle de freinage, des éléments de rigidification constitués par des nervures(8) dirigées, de formed by ridges (8) directed, in a regular manner , both in a radial direction and in a concentric direction , relative to the manière régulière, à la fois dans un sens radial et dans un sens axis of the wheel <u>lconcentrique, par rapport à l'axe de la roue.</u> ↓Choose among proposals, or edit the text. stiffening elements formed by ribs Ok stiffening elements formed by ribs stiffening elements consisting of ribs stiffening elements formed by the ribs stiffening elements constituted by ribs stiffening elements are formed by ribs stiffening elements formed by ridges stiffening means consisting of ribs stiffening elements made by ribs stiffening means formed by ribs Istiffening elements and consisting of ribs of stiffening elements formed by ribs stiffening elements constituted by the ribs of stiffening elements consisting of ribs elements consisting of ribs stiffening elements consist of ribs stiffening **means constitut**ed by ribs stiffening elements are formed by the ribs stiffening elements comprised by ribs WIPO elements formed by ribs stiffening elements consisting of the ribs INTELLECTUAL PROPERTY ORGANIZATION

Post-editing – exporting







Tips & tricks

VIPO
WORLD
INTELLECTUAL PROPERTY
ORGANIZATION

Graphs – display up to 25 entries




Graphs – copy and paste in your doc





Results – what can be displayed





Results – image display

検索結果の分析



【課題】簡単な機構によって、インクリボンカセットがカラーアリンタに装着されていないときにインクリボンの弛みを防止すると共に、インクリボンカセットをカラーアリンタに装着する際に位置を間違えても誤印字を防止する。【解決手段】このインクリボンカセットは、複数の異なる位置に複数の開口がそれぞれ形成されたカセットゲースと、カセットゲースに回転可能に支持され、回転方向に沿って歯車状のストッパーが設けられたインクリボン供給軸及びインクリボン巻取り軸と、ストッパーに係合してインクリボン供給軸及びインクリボン巻取り軸と、ストッパーに係合してインクリボン供給軸及びインクリボン巻取り軸をロックし、カセットゲースに形成された複数の開口の内からインクリボンを取り中では大きないである。れた少なくとも1つの開口に少なくとも1つのピンが挿入されたときにインクリボン供給軸及びインクリボン巻取り軸のロックを解除する係止部とを含む。

2. WO WO/2011/1/21745 - 06.10.2011 B41J 15/18 PCT/JP2010 CANON KABUSHIKI KAISHA Hideo	- C/C 9 2 \ C	C 0 1 7 W W D K A A C C 0 1 7	WOND MANCESCHE CARE	1 > 2 2 11 > Pend da 26 0 - 1	マンスルン 写教を軸	ALL A S E LIMPRY AND INCIDENCE
	2. WO	印刷システム、 シート処理システ ムおよびシート方	06.10.2011 B41J 15/18	/055791 KABUSHI		1810 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1

ともに第1方向からシートを導入する第1入力部と第2入力部を有し、第1入力部と第2入力部は隣接している。方向転換部によって第1方向から第2方向にシートの進行方向を転換する。ともに印刷されたシートが第2方向に出力される第1出力部と第2出力部を有し、第1出力部と第2出力部は隣接している。方向転換部は第1方向から前記第2方向にシートの進行方向を転換させる。両面印刷においては第1入力部から供給されたシートは第1日の設置で第1面に印刷され方向転換部で進行方向が転換されるとともに表裏が反転され第2日刷設置で第2面に印刷されて第2出力部に出力される。片面印刷においては第1入力部から供給されたシートは第1印刷設置で片面に印刷され方向転換部で進行方向が転換されて第1出力部に出力される。並行して第2入力部から供給されたシートは方向転換部で進行方向が転換され第1日の副設置で片面に印刷されて第2出力部に出力される。

WIPO

WORLD

INTELLECTUAL PROPERTY ORGANIZATION

IPC - description

検索結果の分析

並べ替え 公開日(新しい順) ▼ Google翻訳: オリジナル 公開日 国際特許分類 出願番号 出願人 発明者 **国**/PCT 発明の名称 No. BEIER, Axel WO WO/2011/117217 - OPTICAL 29.09.2011 G09F 9/33 PCT/EP2011 SIEMENS 1. /054293 AKTIENGESELLSCHAFT DISPLAY ELEMENT AND DISPLAY DEVICE

The invention relates to a display element and to a display device in which the display element is mounted. Said display can in particular be a variable message sign. Said sign comprises a tube-like housing (12) in which lenses (22, 25) and apertures (24) can be disposed. The light exiting a light source (19) is emitted via an emitting surface (26), by means of which an illuminated traffic sign results from interacting with further display elements. According to the invention, the light source (19) and the optical elements (22, 24, 25) are disposed at different heights in the horizontally oriented housing (12). The optical axes can thereby extend horizontally, or the optical elements (22, 24, 25) can lie on a main axis which is tilted downward in an radiation direction (not shown). In both cases, sunlight impinging from above at an angle advantageously falls on the LED (19) to a slight degree, by means of which the phenomenon of phantom light can be minimized.

2.	١	WO	WO/2011/115587 -A SYSTEM OF WIRELESS TRANSMISSION	22.09.2011	G08G 1/017	PCT/SI2011 /000014	MARGENTO R&D d.o.o.	CHOWDHURY, Amor
			OF INFORMATION FROM TRAFFIC SIGNS, DIRECTION SIGNS AND INFORMATION PANELS IN ROAD TRAFFIC					

The presented invention belongs to the field of automation of traffic information and signalization on the basis of computer-supported systems, more precisely to the field of traffic signalization systems, information and navigation devices, inbuilt into traffic signalization and automobile electronic equipment, and the field of remote management of traffic signalization. The core of the system of wireless transmission of information from the traffic signs, direction signs and information panels in road traffic according to the invention is the fact that the system enables automatic detection, recognition and driver warning of the approaching traffic signs, direction signs and information panels as well as adaptive navigation and transmission of correction navigation data to an external navigation unit. The system also enables updating or changing the content of the traffic signalization remotely from the processing control centre. The system according to the invention consists of three basic modules. The first is the traffic module, which can be a traffic sign, a direction sign, an information panel or another traffic signalization equipped with a special radiofrequency identification and communication device. The second is the radiofrequency identification and processing unit inbuilt in a car, and the third module is the processing centre.

IPC

	F21S 8/00	Lighting devices intended for fixed installation (F21S 9/00, F21S 10/00 take precedence; using a string or strip of light source.
P	F21S 8/02	 of recess-mounted type, e.g. downlighters (F21S 8/10 takes precedence) [7]
P	F21S 8/04	 intended only for mounting on a ceiling or like overhead structure (F21S 8/02 takes precedence) [7]
P	F21S 8/06	·· by suspension [7]
P	F21S 8/08	· with a standard [7]
🔎 D	F21S 8/10	• specially adapted for vehicles [7]
P	F21S 8/12	· · providing a single shaped beam, e.g. asymmetric beam, e.g. for penetrating fog or for preventing glare [7]
ρ	F21S 9/00	Lighting devices with a built-in power supply; Systems employing lighting devices with a built-in power supply
2	F21S 9/02	• the power supply being a battery or accumulator
2	F21S 9/03	··rechargeable by exposure to light [7]
2	F21S 9/04	• the power supply being a generator
_		
P	F21S 10/00	Lighting devices or systems producing a varying lighting effect [7]
P	F21S 10/02	· changing colours (F21S 10/04 takes precedence) [7]
P	F21S 10/04	• simulating flames [7]
P	F21S 10/06	• flashing, e.g. with rotating reflector or light source [7]
d	F24C 44/00	Non-alastria Kahting davisas as santagas vaina daviaht
	F21S 11/00	Non-electric lighting devices or systems using daylight



Patent Landscapes

PATENTS

Publications Patent Law

RELATED LINKS

WIPO GOLD PCT Resources Patent Classification: IPC Statistics Life Sciences WIPO Standards

E-NEWSLETTERS

Subscription

Compilation of Published Patent Landscape Reports

Patent landscape reports on various topics have been published by international organizations, national intellectual property offices, non-governmental organizations and private sector entities. WIPO has compiled a list of such reports that are freely available or can be obtained upon request, either free of charge or for a fee.

Please note that this compilation is not exhaustive and that WIPO wishes to extend it. For that purpose, if you wish your report to be included or happen to know of other such reports, please contact patent.information@wipo.int

The patent landscape reports of this compilation have been grouped according to the following categories:

- · Public Health/Life Sciences
- Climate Change/Energy
- Food and Agriculture
- . Other Patent Landscape Reports/Related Links

www.wipo.int/patentscope/en/programs/patent_landscapes/pl_existing_reports.html

TITLE	AUTHOR	DATE	LANGUAGE
Analysis of "Junk DNA" Patents	Cambia	2004	English
Determining the Patent Status of Essential Medicines in Developing Countries	MSF/WHO/UNAIDS Secretariat	2004	English
The Patenting of Human DNA: Global Trends in Public and Private Sector Activity	Science and Technology Policy Research (SPRU), University of Sussex	2006	English
Patent Landscape of H5N1 Influenza Virus	PIIPAWHOWIPO	2007	English
Patent Landscape of Adenoviral Vector Vaccines for HIV (Educational series report)	Pierce Law ITTI	2008	English
Stem Cell Patents: a Landscape Analysis	A. Konski/D.Spielthenner	2009	English
Pedidos de Patente de Células a Combustível: Cenário Brasileiro (Combustible Cells Patent Applications: Brazil)	Brazilian National Institute of Industrial Property	2009	Portuguese
CDK Inhibitors Patent Landscape (Abstract available. Complete report fee-based)	Fist/Frinnov	2009	English/French
HIV Therapy Patent Landscape	Fist/Frinnov	2009	English/French
Malaria Patent Landscape (Abstract available. Complete report fee-based)	Fist/Frinnov	2009	English/French /Spanish
Patent Landscape of Adjuvant for HIV Vaccines (Educational series report)	Pierce Law ITTI	2009	English
Patent Landscape of Protein/Peptide Vaccines for HIV (Educational series report)	Pierce Law ITTI	2009	English
Análise Quantitativa e Qualitativa do Patenteamento de Células-tronco no Brasil (Quantitative and Qualitative Analysis of Stem-Cells Brazilians Patents)	Brazilian National Institute of Industrial Property	2010	Portuguese
Monoclonal Antibodies Against Digestive System Cancers (Abstract available. Complete report fee-based)	Fist/Frinnov	2010	English
Nanoparticles for Bioimaging Patent Landscape	Fiat/Evisson	2040	English/Eronah



Come to our stand for a live demonstration

Thank you for your kind attention

WIPO
WORLD
INTELLECTUAL PROPERTY
ORGANIZATION