

ANNEX E/ANNEXE E

CHANGES TO PREVIOUSLY APPROVED AMENDMENTS/
CHANGEMENTS APPORTÉS AUX MODIFICATIONS
PRÉALABLEMENT APPROUVÉES

ANNEX	3E	B 32 B	[Project-Rapporteur : 278/EP]	<SC06044E>
N	37/02	characterised by a sequence of laminating steps, e.g. by adding new layers at consecutive laminating stations	R	
		Remark: Supersedes corresponding entry in IPC/WG/3, A.1		
N	37/24	with at least one layer not being coherent before laminating, e.g. made up from granular material sprinkled onto a substrate (37/15 takes precedence)	R	
		Remark: Supersedes corresponding entry in IPC/WG/3, A.1		
ANNEX	5	B 60 T	[Project-Rapporteur : 355/GB]	<SC06040E>
N	8/176	Brake regulation specially adapted to prevent excessive wheel slip during vehicle deceleration, e.g. ABS (8/1755 takes precedence)	R	
		Remark: Supersedes corresponding entry in IPC/WG/2, A.27)		
	8/1767	<Delete new entry>		R
		Remark: Supersedes corresponding entry in IPC/WG/2, A.27		

ANNEX	6E	C 09 K	[Project-Rapporteur : 362/EP]	<SC06001E>
N	8/512	• • • • •	<i>containing cross-linking agents</i>	R
		Remark:	Supersedes corresponding entry in IPC/WG/5, A.8	
N	8/514	• • • • •	<i>of natural origin, e.g. polysaccharides, cellulose (8/512 takes precedence)</i>	R
		Remark:	Supersedes corresponding entry in IPC/WG/5, A.8	
N	8/518	• • •	<i>Foams</i>	R
		Remark:	Supersedes corresponding entry in IPC/WG/5, A.8	
N	8/58	•	<i>Compositions for enhanced recovery methods for obtaining hydrocarbons, i.e. for improving the mobility of the oil, e.g. displacing fluids</i>	R
		Remark:	Supersedes corresponding entry in IPC/WG/5, A.8	
N	8/592	• •	<i>Compositions used in combination with generated heat, e.g. by steam injection</i>	R
		Remark:	Supersedes corresponding entry in IPC/WG/5, A.8	
N	8/62	• •	<i>Compositions for forming crevices or fractures</i>	R
		Remark:	Supersedes corresponding entry in IPC/WG/4, A.14	
N	8/64	• • •	<i>Oil-based compositions</i>	R
		Remark:	Supersedes corresponding entry in IPC/WG/4, A.14	

ANNEX	8E	E 21 B	[Project-Rapporteur : 362/EP]	<SC06002E>
C	43/22	• • — — — precedence; chemical or bacterial compositions therefor C 09 K 8/58 ; chemical features in — — —	R	
		Remark: Supersedes corresponding entry in IPC/WG/4, A.16		
ANNEX	9E	C 10 L	[Project-Rapporteur : 363/GB]	<SC06003E>
C	10/00	<i>Use of additives to fuels or fires for particular purposes (additives for liquid carbonaceous fuels characterised by their chemical nature 1/10; using binders for briquetting solid fuels 5/10; using additives to improve the combustion of solid fuels 9/10)</i>	R	
		Remark: Supersedes corresponding entry in IPC/WG/5, A.10		
ANNEXE	9F	C 10 L	[Project-Rapporteur : 363/GB] (T:FR) - SC/05/3	<SC06004F> <SC05004E>
N	1/183	• • • • • au moins un groupe hydroxyle étant lié à un atome de carbone aromatique	R	
		Remarque: Remplace l'entrée correspondante dans IPC/WG/4, A.17F		
N	1/189	• • • • • comportant au moins un groupe carboxyle lié à un atome de carbone aromatique	R	
		Remarque: Remplace l'entrée correspondante dans IPC/WG/4, A. 17F		
N	1/223	• • • • • comportant au moins un groupe amino lié à un atome de carbone aromatique	R	
		Remarque: remplace l'entrée correspondante dans IPC/WG/ 4, A.17F		

ANNEX	10E	E 04 F	[Project-Rapporteur : 366/DE]	<SC06042E>
<i>N</i>	<i>13/28</i>	• • • • <i>adjustable</i>		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.11E		
ANNEXE	10F	E 04 F	[Project-Rapporteur : 366/DE]	<SC06043F>
<i>N</i>	<i>13/28</i>	• • • • <i>réglables</i>		R
		Remarque: Remplace l'entrée correspondante dans IPC/WG/5, A.11F		
ANNEX	14	F 04 C	[Project-Rapporteur : 369/EP]	<SC06050E>
<i>N</i>	<i>28/00</i>	<i>Control of, monitoring of, or safety arrangements for, pumps or pumping installations specially adapted for elastic fluids</i>		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.17		
<i>N</i>	<i>28/10</i>	• <i>characterised by changing the positions of the inlet or outlet openings with respect to the working chambers</i>		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.17		
<i>N</i>	<i>28/12</i>	• • <i>using sliding valves</i>		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.17		
<i>N</i>	<i>28/14</i>	• • <i>using rotating valves</i>		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.17		

<i>N</i>	28/16	• • <i>using lift valves</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.17	R
<i>N</i>	28/20	• • <i>by changing the form of the inner or outer contour of the working chamber</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.17	R
<i>N</i>	28/22	• • <i>by changing the eccentricity between cooperating members</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.17	R
<i>N</i>	28/30	<Becomes F 04 C 28/28> Remark: Supersedes corresponding entry in IPC/WG/5, A.17	R
	29/00	— — — or pumping installations specially adapted for elastic fluids, not provided for in groups 18/00 to 28/00 Remark: Supersedes corresponding entry in IPC/WG/5, A.17	R
<i>D</i>	29/08	(transferred to 28/00, 29/12) Remark: Supersedes corresponding entry in IPC/WG/5, A.17	R

ANNEX	15	F 23 B	[Project-Rapporteur : 371/SE]	<SC06052E>
-------	----	--------	-------------------------------	------------

<i>N</i>	24/00	<i>Combustion apparatus characterised by means creating a distinct flow path for flue gases or for non-combusted gases given off by the fuel</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.18	R
----------	-------	--	---

ANNEX	16	H 01 H	[Project-Rapporteur : 379/GB]	<SC06029E>
C	13/02	• <i>Details (specially adapted for rectilinearly movable switches having operating members associated with different sets of contacts, e.g. keyboards, 13/70)</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.19	R	
N	13/7057	• • • • <i>characterised by the arrangement of operating parts in relation to each other, e.g. pre-assembled groups of keys</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.19	R	
N	13/78	• • <i>characterised by the contacts or the contact sites</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.19	R	
N	13/79	• • • <i>characterised by the form of the contacts, e.g. interspersed fingers or helical networks</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.19	R	
N	13/80	• • • <i>characterised by the manner of cooperation of the contacts, e.g. with both contacts movable or with bounceless contacts</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.19	R	
N	13/83	• • <i>characterised by legends, e.g. Braille, liquid crystal displays, light emitting or optical elements</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.19	R	
N	13/84	• • <i>characterised by ergonomic functions, e.g. for miniature keyboards; characterised by operational sensory functions, e.g. sound feedback (legends 13/83)</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.19	R	

ANNEX	21E	H 02 P	[Project-Rapporteur : 410/DE]	<SC06037E>
N	23/00	Arrangements or methods for the control of ac-motors characterised by a control method other than vector control (starting 1/00; stopping or slowing 3/00; of two or more motors 5/00; of synchronous motors with electronic commutators 6/00; of dc-motors 7/00; of stepping motors 8/00)		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.28		
N	23/14	• Estimation or adaptation of motor parameters, e.g. rotor time constant, flux, speed, current or voltage		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.28		
N	25/00	Arrangements or methods for the control of ac-motors characterised by the kind of ac-motor or by structural details (starting 1/00; stopping or slowing 3/00; of two or more motors 5/00; of synchronous motors with electronic commutators 6/00; of dc-motors 7/00; of stepping motors 8/00)		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.28		
N	25/12	• • • with shiftable brushes		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.28		
N	25/14	• • • Universal motors (25/12 takes precedence)		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.28		
N	27/00	Arrangements or methods for the control of ac-motors characterised by the kind of supply voltage (starting 1/00; stopping or slowing 3/00; of two or more motors 5/00; of synchronous motors with electronic commutators 6/00; of dc-motors 7/00; of stepping motors 8/00)		R
		Remark: Supersedes corresponding entry in IPC/WG/5, A.28		

- | | | | |
|---|-------|---|---|
| N | 27/06 | <ul style="list-style-type: none"> • • <i>using dc to ac converters or inverters (27/05 takes precedence)</i> <p>Remark:
Supersedes corresponding entry in IPC/WG/5,
A.28</p> | R |
| N | 27/16 | <ul style="list-style-type: none"> • • <i>using ac to ac converters without intermediate conversion to dc (27/05 takes precedence)</i> <p>Remark:
Supersedes corresponding entry in IPC/WG/5,
A.28</p> | R |
| N | 27/20 | <p><Becomes H 02 P 27/05></p> <p>Remark:
Supersedes corresponding entry in IPC/WG/5,
A.28</p> | R |

ANNEX	22E	A 61 K	[Project-Rapporteur : 412/EP]	<SC06009E>
N	8/02	• <i>characterised by special physical form</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.30		R
N	8/20	• • • <i>Halogens; Compounds thereof</i> Remark: Supersedes corresponding entry in IPC/WG/5, A.29		R

ANNEX	23E	A 61 Q	[Project-Rapporteur : 412/EP]	<SC06008E>
-------	-----	--------	-------------------------------	------------

N	Note(s) after the title			R
---	-------------------------	--	--	---

(1) This subclass covers the use of cosmetics or similar toilet preparations already classified as such in main group [A 61 K 8/00](#), or in subclasses [C 07 C](#), [D](#), [F](#), [G](#), [H](#), [J](#), [K](#), [C 11 D](#) and [C 12 N](#), or in classes [C 01](#) and [C 08](#).

(2) When classifying in this subclass, classification is also made in subclass [A 61 P](#) if the preparation is stated to have therapeutic activity.

Remark:

Supersedes corresponding entry in IPC/WG/5, A.30

N	17/00	Barrier preparations; Preparations brought into direct contact with the skin for affording protection against external influences, e.g. sunlight, X-rays or other harmful rays, corrosive materials, bacteria or insect stings (drugs for treating burns A 61 P 17/02 ; chemical means for combating harmful chemical agents A 62 D 3/00)		R
---	-------	---	--	---

Remark:

Supersedes corresponding entry in IPC/WG/5, A.30

ANNEX	44E	H 01 L	[Project-Rapporteur : 423/DE]	<SC06034E>
-------	-----	--------	-------------------------------	------------

C	51/00	Solid state devices using organic – – – with other materials as the active part; Processes – – – parts thereof (devices consisting of a plurality of components formed in or on a common substrate 27/28 ; thermoelectric devices using organic material 35/00 , 37/00 ; piezo-electric, electrostrictive or magnetostrictive elements using organic material 41/00)		R
---	-------	--	--	---

Remark:

Supersedes corresponding entry in IPC/WG/5, A.39

[Annex F follows/
L'annexe F suit]