From:	"	_ <oserova@rupto.ru></oserova@rupto.ru>
то:	<scit.mail@wipo.int></scit.mail@wipo.int>	
Date:	Fri, Oct 14, 2005 12:	08 PM
Subject:	Figurative Elements c	of Marks

Dear Sirs,

Referring to the Circular C.SCIT 2617-03 of August 24, 2005, please, find attached herewith the completed Questionnaire concerning Formats for Figurative Elements of Marks currently in use by ROSPATENT (the Office of the Russian Federation).

Best regards,

Olga Serova Principal Specialist Rospatent

Additional questionnaire concerning formats for figurative elements of marks currently in use by Industrial Property Offices

Task No. 20: Prepare, for adoption as a WIPO standard, a recommendation for the electronic management of the figurative elements of trademarks.

Please provide the following contact information in order for us to contact the person responsible for the Questionnaire in case of need:

Contact details of the Reporting Office:				
Name of the Reporting Office	RU (ST.3 two-letter country/organization code) ROSPATENT			
Person to contact Name:	Olga SEROVA			
Tel. number:	(7 095) 956-81-09			
E-mail:	Oserova@rupto.ru			

Q U E S T I O N N A I R E

SECTION I

QUESTION 1

Does your Office process electronically the figurative elements of marks?

Fully YES (in case that whole process employs digital image)



Partially YES (in case that some parts of the process employ paper)

Annex to C. SCIT 2617, page 2

If your Office processes electronically the figurative elements of marks (i.e., if you answered "Fully Yes" or "Partially Yes"):

- (a) Which format is your Office currently using?
 - (i) For scanning:

	Black White	Grayscale	Color	Others
Image format	TIFF	TIFF	TIFF	
Image resolution & Depth	200	200&8	200&24	
Minimum and Maximum size of image	min:8/8cm; max:21/29,7cm	min:8/8cm; max:21/29,7cm	min:8/8cm max:21/29,7cm	
Image color management techniques	-	-	-	
Compression technique & Rate	-	-	-	

Note: Please fill in the tables according to the comments as follow:

- **Image format:** (TIFF, JPG, GIF, PNG, CCITT...specify with the version, e.g., TIFF Group 4):
- **Image resolution and Depth:** (in dots per inch for resolution and dpi for depth)
- Minimum and Maximum size of image: (specify physical size of the input image with unit, not the storage size of the resulting image)
- **Image color management techniques:** (i.e., description of techniques applied to ensure reliable color reproduction)
- **Compression technique and Rate:** (specify general or IPO's specific compression technique and rate)

	Black White	Grayscale	Color	Others
Image format	JPG	JPG	JPG	
Image resolution & Depth	200	200&8	200&24	
Minimum and Maximum size of image	min:8/8cm; max:21/29,7cm	min:8/8cm; max:21/29,7cm	min:8/8cm; max:21/29,7cm	
Image color management techniques	-	-	-	
Compression technique & Rate	tif->jpeg,quality 65%	tif->jpeg, quality 65%	tif->jpeg, quality 65%	

(ii) For publishing:

Note: Please refer to the above comments.

(iii) For displaying:

	Black White	Grayscale	Color	Others
Image format	TIFF	JPG	JPG	
Image resolution & Depth	200	200&8	200&24	
Minimum and Maximum size of image	min:8/8cm; max:21/29,7cm	min:8/8cm; max:21/29,7cm	min:8/8cm; max:21/29,7cm	
Image color management techniques	-	-	-	
Compression technique & Rate		tiff->jpg, quality 65%	tiff->jpg, quality 65%	

Note: Please refer to the above comments.

(iii)	For other	purpose	(please	specify):
(111)	I OI Other	purpose	preube	speen j).

	Black White	Grayscale	Color	Others
Image format	TIFF	TIFF	TIFF	for printing documents of protection (Certificates)
Image resolution & Depth	200	200&8	200&24	
Minimum and Maximum size of image	min:8/8cm; max:21/29,7cm	min:8/8cm; max:21/29,7cm	min:8/8cm; max:21/29,7cm	
Image color management techniques	-	-	-	
Compression technique & Rate	-	-	-	

Note: Please refer to the above comments.

(b) What does your Office regard as an original image and how does your Office store it (please describe in detail)?

Insert your reply below (free text, table, etc.):

The original image comes into the Office together with the application for a trademark registration. The presentation of the original image (photo, typographical print, etc.) shall be carried out on thick tough paper 8cm x 8cm in size (dependent of the image type the width size of its photo or print could make up 8 - 10 cm).

If a label is filed for registration as a trademark the label itself could be submitted as an original image. If the format of the label exceeds the dimensions of 21 x 29,7 cm the presentation of the original image should be submitted scaled down.

An original image shall be scanned immediately on receiving and then stored together with the application file. Further on the digital copy of the original image shall be processed.

Does your Office receive electronically trademark images in digital format?

	YES D NO
(a)	If "Yes," please specify your regulations or guidelines for accepting digital images (specifically about size, format, media of an image): Insert your reply below (free text, table, etc.):
(b)	Does your Office accept color images? YES NO
(c)	Does your Office apply different regulations or guidelines depending on the color of the image (e.g., different for black-white image and color image)? YES \square NO \boxtimes
(d)	Please also indicate your practice for each item listed below based on your regulations or guidelines:

	Black White	Grayscale	Color	Others
Image format				
Image resolution & Depth				
Minimum and Maximum size of image				
Image color management techniques				
Compression technique & Rate				

Note: Please refer to the above comments.

QUESTION 3

Who carries out the electronic capture?

Applicant

Your Office

Applicant and your Office

Other (please specify):

Indicate how the images of figurative elements of marks are displayed (e.g., expandable thumbnails, thumbnails only, full screen image):

- Normal: *on default*
- Expandable thumbnails:
- Thumbnails only:
- **Full screen image:**
- Other (please specify): a user (for example, an examiner) may change characteristics: scale up or scale down the image

Note: You may choose more than one if applicable.

QUESTION 5

(a) If your customer files a digital image that does not fully comply with the relevant regulation or guideline, how does your Office handle it (please describe in detail)?

Insert your reply below (free text, table, etc.):

Applicants do not file digital images (please, see p.1(b)).

(b) Please identify if you "Touch Up" scanned images. What procedures and software tools do you have in place for "Touch Up"?

Insert your reply below (free text, table, etc.):

Sofware Logitech Foto Touch Color is used. The following tools are used mainly: Rectangle selection, Freehand selection, Paintbrush, Lighten brush, Eraser, Color Balance, Tone Control, Crop, Deskew, Rotate Left, Rotate Right.

- (c) Please also specify which practice(s) is(are) used to ensure that the quality of mark images is identical to that of original images:
 - Skilled person:

Insert your reply below (free text, table, etc.):

Specialist responsible for scanning needs to be attentive and punctual; his main task is to get a quality digital image. Technician needs to justify the grafic system (scanner – screen – printer).

- Procedures (i.e., notification to applications, etc.):
 Insert your reply below (free text, table, etc.):
- Regulations or guidelines: Insert your reply below (free text, table, etc.):

- Imaging tool (i.e., scanner, software, etc.: Insert your reply below (free text, table, etc.): *HP ScanJet5p, HP ScanJet 7400c; HP PictureScan; Logitech FotoTouch Color.*
- Others (please specify): Insert your reply below (free text, table, etc.):

How many mark images are stored with the above-indicated format(s) in your Office's computer system(s) (please list breakdown by format)?

Insert your reply below (free text, table, etc.): 424000 TIFF 275000 JPG

_

QUESTION 7

Which color space does your Office currently use (i.e., RGB, sRGB, YcrCb, etc.)?

Insert your reply below (free text, table, etc.): *RGB*

QUESTION 8

Does your Office have a color management system for equipment such as scanner, monitor, printer, etc., to ensure the image quality?



If "Yes," please specify your practice:

(i) Calibration (please indicate specification of scanner, monitor, printer, etc.): Insert your reply below (free text, table, etc.):

HP Scanner/Screen Calibration

(ii) Profiling (or characterization):

If applying ICC profile: Insert your reply below (free text, table, etc.):

Others: Insert your reply below (free text, table, etc.):

(iii) Color transformation: Insert your reply below (free text, table, etc.):

Logitech FotoTouch Color: Color Balance, Tone Control

QUESTION 9

Please indicate the list of software and hardware on which your Office depends to process electronically an image (in particular color image), which information could eventually be used to establish a new WIPO standard:

Insert your reply below (free text, table, etc.): Sw:Logitech FotoTouch Color; HP PictureScan;

Hw: HP ScanJet 7400c;

QUESTION 10

Please identify any additional information that your Office has discovered related to the processing of images (i.e., best practices, problems, solutions, experiences, etc.):

Insert your reply below (free text, table, etc.):

SECTION II

QUESTION 1

Please indicate your Office's current and future direction for other types of marks (i.e., sound mark, smell mark, motion mark, etc.):

Insert your reply below (free text, table, etc.):

At present sound and motion marks are registered more frequently. In this Office technical facilities are under investigation to convert such marks into digital form and then process them electronically.

QUESTION 2

Please indicate the number of applications/registrations your Office currently has, grouped by the type of mark:

Insert your reply below (free text, table, etc.):

288800 applications for word marks; 291000 applications for figurative and combined marks; 40 applications for sound marks; 4 application for motion marks.

Please indicate if your Office processes in electronic form any other types of marks besides those mentioned in Question 1 of Section II:

Insert your reply below (free text, table, etc.):

Sound and motion marks are published in digital form both at the official site of the Office and on CDs. In other processes digitized sound and motion marks are not used.

GLOSSARY

Color space:

A color model is an abstract mathematical model describing the way colors can be represented as tuples of numbers, typically as three or four values or *color components* (e.g., RGB and CMYK are color models). However, a color model with no associated mapping function to a reference color space is a more or less arbitrary color system with little connection to the requirements of any given application. For example, Adobe RGB and sRGB are two different color spaces, both based on the RGB model. *(Wikipedia, the free encyclopedia)*

Calibration:

The process of returning a device to known color conditions. Commonly done with devices that change color frequently, such as monitors (phosphors lose brightness over time) and printers (proofers and other digital printing devices can change output when colorant or paper stock is changed). (*Adobe.com*)

Profiling (Characterization):

Characterization is the process of identifying the relationship between a device-dependent color gamut and device-independent color. After a device has been calibrated, characterizing is the next process (sometimes referred to as profiling a device). Any production device that scans, displays, or prints a standard target comprised of many different solids and tints can be characterized. (*Adobe.com*)

ICC profile:

Set of transforms from one colour encoding to another, e.g. from device colour coordinates to profile connection space, prepared in accordance with ICC.1. (*ISO 12231 and ISO 12647-1*)

Color transformation:

A transformation process that begins with color information that is encoded in one color space, or appropriate for one device, and produces corresponding information in a different color space, or for a different device. Color transformations are of particular interest in digital imaging where they are used to transform images from one device space to another, e.g., monitor RGB to printer CMYK). (*Chem industry.com*)

[End of Annex and of questionnaire]