### SECTION B — PERFORMING OPERATIONS; TRANSPORTING

# B21 MECHANICAL METAL-WORKING WITHOUT ESSENTIALLY REMOVING MATERIAL; PUNCHING METAL

#### Note(s) [2015.01]

- 1. This class covers:
  - working of metallic materials;
  - working of non-metallic materials, provided that the methods applied are similar to those used in metal-working and not provided for elsewhere.
- 2. This class does not cover:
  - combinations of operations covered by different subclasses of class B21, which are covered by subclass B23P;
  - combinations of operations covered by any particular subclass of class B21 with operations covered by other classes, e.g. with
    operations involving removal of material, which are also covered by subclass B23P, except that if the operations covered by the
    other classes are subsidiary to the operations properly covered by a single subclass of B21 the combination is classified in that
    subclass.

**B21B ROLLING OF METAL** (auxiliary operations used in connection with metal-working operations covered in B21, see B21C; bending by rolling B21D; manufacture of particular objects, e.g. screws, wheels, rings, barrels, balls, by rolling B21H; pressure welding by means of a rolling mill B23K 20/04)

#### Note(s) [2]

In this subclass, the following terms or expressions are used with the meanings indicated:

- "rolling" means rolling operations in which plastic deformations occur;
- "continuous process" means a process employing a mill train designed to have the workpiece enter one pair of rolls before leaving the preceding pair.

#### **Subclass index**

METAL ROLLING IN GENERAL General methods or apparatus Control or handling Safety, cooling, maintenance Details of rolling mills METAL ROLLING UNDER SPECIAL CONDITIONS AUXILIARY OPERATIONS PERFORMED IN CONNECTION WITH METAL ROLLING ROLLING SPECIAL ALLOYS ROLLING TO PRODUCE PARTICULAR SHAPES Tubes	
rolling methods	17/00-23/00
mandrels, accessories	
Extending closed shapes	5/00
SUBJECT MATTER NOT PROVIDED FOR IN OTHER GROUPS OF THIS SUBCLASS	99/00

#### 1/00 Metal rolling methods or mills for making semifinished products of solid or profiled cross-section

(B21B 17/00-B21B 23/00 take precedence; with respect to composition of material to be rolled B21B 3/00; extending closed shapes of metal bands by simultaneous rolling at two or more zones B21B 5/00; metal-rolling stands as units B21B 13/00; continuous casting into moulds having walls formed by moving rolls B22D 11/06); Sequence of operations in milling trains; Layout of rolling-mill plant, e.g. grouping of stands; Succession of passes or of sectional pass alternations [1, 2006.01]

- 1/02 for rolling heavy work, e.g. ingots, slabs, billets, in which the cross-sectional form is unimportant [1, 2006.01]
- 1/04 • in a continuous process **[1, 2006.01]**
- 1/06 • in a non-continuous process [1, 2006.01]
- for rolling work of special cross-section, e.g. angle steel (rolling metal of indefinite length in repetitive shapes specially designed for the manufacture of particular objects B21H 8/00) [1, 2006.01]
- 1/082 • Piling sections having lateral edges specially adapted for interlocking with each other in order to build a wall [2006.01]
- 1/085 • Rail sections **[2006.01]**

1/088	• • H- or I-sections [2006.01]	13/10	<ul> <li>all axes being arranged in one plane [1, 2006.01]</li> </ul>
1/09	• • L-sections [2006.01]	13/12	<ul> <li>axes being arranged in different</li> </ul>
1/092	• • T-sections [2006.01]		planes <b>[1, 2006.01]</b>
1/095	• • U- or channel sections [2006.01]	13/14	having counter-pressure devices acting on rolls to     inhibit deflection of counter lead (counter)
1/098	• • Z-sections [2006.01]		inhibit deflection of same under load (counter- pressure devices as such B21B 29/00) [1, 2006.01]
1/10	• • in a single two-high or universal rolling	13/16	<ul> <li>with alternatively operative rolls [1, 2006.01]</li> </ul>
1/17	mill [1, 2006.01]	13/18	<ul> <li>for step-by-step or planetary rolling (methods</li> </ul>
1/12	• in a continuous process [1, 2006.01]	15/10	B21B 1/42; making tubes by pilgrim-step rolling
1/14 1/16	<ul><li>• in a non-continuous process [1, 2006.01]</li><li>• for rolling wire or material of like small cross-</li></ul>		B21B 21/00) <b>[1, 2006.01]</b>
1/10	section [1, 2006.01]	13/20	<ul> <li>for planetary rolling [1, 2006.01]</li> </ul>
1/18	<ul> <li>in a continuous process [1, 2006.01]</li> </ul>	13/22	<ul> <li>for rolling metal immediately subsequent to</li> </ul>
1/20	• • in a non-continuous process [1, 2006.01]		continuous casting (methods therefor B21B 1/46;
1/22	<ul> <li>for rolling bands or sheets of indefinite length</li> </ul>		continuous casting B22D 11/00, e.g. into moulds with rolls B22D 11/06) <b>[1, 2006.01]</b>
	(B21B 1/42 takes precedence) [1, 2006.01]		10113 12215 11/00) [1, 2000.01]
1/24	• • in a continuous process [1, 2006.01]	15/00	Arrangements for performing additional metal-
1/26	• • • by hot-rolling [1, 2006.01]		working operations specially combined with or
1/28	• • • by cold-rolling [1, 2006.01]		arranged in, or specially adapted for use in
1/30	• • in a non-continuous process [1, 2006.01]	15/02	connection with, metal-rolling mills [1, 2006.01]
1/32	• • • in reversing mills, e.g. with intermediate	15/02	<ul> <li>in which work is subjected to permanent internal twisting, e.g. for producing reinforcement bars for</li> </ul>
	storage reels for accumulating work [1, 2006.01]		concrete [1, 2006.01]
1/34	• • • by hot-rolling [1, 2006.01]		
1/36	• • • • by cold-rolling [1, 2006.01]	- "	
1/38	<ul> <li>for rolling sheets of limited length, e.g. folded sheets,</li> </ul>	Rolling n	methods or mills specially designed for making or
	superimposed sheets (B21B 1/40 takes precedence;	processii	ig tubes
	folding sheets before, or separating layers after,	17/00	Tube-rolling by rollers of which the axes are
	rolling B21B 47/00) [1, 2, 2006.01]		arranged essentially perpendicular to the axis of the
1/40	<ul> <li>for rolling foils which present special problems, e.g. because of thinness [1, 2006.01]</li> </ul>	45.00	work, e.g. "axial" tube-rolling [1, 2006.01]
1/42	• for step-by-step or planetary rolling (making tubes by	17/02	<ul> <li>with mandrel (B21B 17/08 takes precedence) [1, 2, 2006.01]</li> </ul>
1/42	pilgrim-step rolling B21B 21/00) [1, 2006.01]	17/04	<ul><li>in a continuous process [1, 2006.01]</li></ul>
1/46	• for rolling metal immediately subsequent to	17/04	<ul> <li>in a continuous process [1, 2006.01]</li> <li>in a discontinuous process [1, 2006.01]</li> </ul>
	continuous casting (metal-rolling stands B21B 13/22;	17/08	<ul> <li>with mandrel having one or more</li> </ul>
	continuous casting B22D 11/00, e.g. into moulds with	17700	protrusions [1, 2, 2006.01]
	rolls B22D 11/06) <b>[3, 2006.01]</b>	17/10	• • in a continuous process [1, 2006.01]
3/00	Rolling materials of special alloys so far as the	17/12	• • in a discontinuous process [1, 2006.01]
	composition of the alloy requires or permits special	17/14	<ul> <li>without mandrel [1, 2006.01]</li> </ul>
	rolling methods or sequences (altering special	10/00	Tube welling by wellows awayged outside the yearly
	metallurgical properties of alloys, other than structure	19/00	Tube-rolling by rollers arranged outside the work and having their axes not perpendicular to the axis of
	consolidation or mechanical properties resulting therefrom C21D, C22F) [1, 2006.01]		the work (straightening by rollers B21D) [1, 2006.01]
3/02	• Rolling special iron alloys [1, 2006.01]	19/02	<ul> <li>the axes of the rollers being arranged essentially</li> </ul>
5/02	roming special non-unoys [1, 2000.01]		diagonally to the axis of the work, e.g. "cross" tube-
5/00	Extending closed shapes of metal bands by rolling		rolling <b>[1, 2006.01]</b>
	(manufacture of circular shapes, e.g. wheel rims,	19/04	Rolling basic material of solid, i.e. non-hollow,
	B21H 1/06) <b>[1, 2006.01]</b>	10 /00	structure; Piercing [1, 2006.01]
9/00	Measures for carrying out rolling operations under	19/06	<ul> <li>Rolling hollow basic material (B21B 19/04 takes precedence; separating work from mandrel</li> </ul>
	special conditions, e.g. in vacuum or inert		B21C 45/00) [1, 2006.01]
	atmosphere to prevent oxidation of work; Special	19/08	• • • Enlarging tube diameter [1, 2006.01]
	measures for removing fumes from rolling	19/10	• • • Finishing, e.g. smoothing, sizing [1, 2006.01]
	mills [1, 2006.01]	19/12	<ul> <li>the axes of the rollers being arranged essentially</li> </ul>
11/00	Subsidising the rolling processes by subjecting rollers		parallel to the axis of the work [1, 2006.01]
	or work to vibrations [1, 2006.01]	19/14	Rolling tubes by means of additional rollers
12/00	Motal valling stands i.e. an assembly composed of a	10/16	arranged inside the tubes [1, 2006.01]
13/00	Metal-rolling stands, i.e. an assembly composed of a stand frame, rolls, and accessories (B21B 17/00-	19/16	<ul> <li>Rolling tubes without additional rollers arranged inside the tubes [1, 2006.01]</li> </ul>
	B21B 23/00 take precedence; details, component parts,		morae are table [1, =vvoiv1]
	accessories, auxiliary means, procedures in connection	21/00	Pilgrim-step tube-rolling [1, 2006.01]
	with metal rolling, see the relevant groups) [1, 2006.01]	21/02	<ul> <li>Rollers therefor [1, 2006.01]</li> </ul>
13/02	• with axes of rolls arranged horizontally [1, 2006.01]	21/04	• Pilgrim-step feeding mechanisms (B21B 21/06 takes
13/04	• Three-high arrangement [1, 2006.01]	21 /00	precedence) [1, 2006.01]
13/06 13/08	<ul> <li>with axes of rolls arranged vertically [1, 2006.01]</li> <li>with differently-directed roll axes, e.g. for the so-</li> </ul>	21/06	<ul> <li>Devices for revolving work between the steps [1, 2006.01]</li> </ul>
13/08	• With differentity-directed roll axes, e.g. for the so- called "universal" rolling process [1, 2006.01]		steps [1, 2000.01]

23/00	Tube-rolling not restricted to methods provided for in only one of groups B21B 17/00-B21B 21/00, e.g. combined processes (B21B 25/00 takes	33/00	Safety devices not otherwise provided for (safety devices in general F16P); Breaker blocks; Devices for freeing jammed rolls [1, 2, 2006.01]
	precedence) [1, 2006.01]	33/02	• Preventing fracture of rolls [2, 2006.01]
25/00	Mandrels for metal tube rolling mills, e.g. mandrels of the types used in the methods covered by group B21B 17/00; Accessories or auxiliary means	<b>35/00</b> 35/02	<ul> <li>Drives for metal-rolling mills [1, 2006.01]</li> <li>for continuously-operating mills (B21B 35/10, B21B 35/12 take precedence) [1, 2006.01]</li> </ul>
25/02	<ul><li>therefor [1, 2006.01]</li><li>Guides, supports, or abutments for mandrels, e.g.</li></ul>	35/04	<ul> <li>each stand having its own motor or motors [1, 2006.01]</li> </ul>
25/04	<ul><li>carriages; Adjusting devices for mandrels [1, 2006.01]</li><li>Cooling or lubricating mandrels during</li></ul>	35/06	<ul> <li>for non-continuously-operating mills or for single stands (B21B 35/10, B21B 35/12 take precedence) [1, 2006.01]</li> </ul>
25 /06	operation [1, 2, 2006.01]	35/08	<ul> <li>for reversing rolling mills [1, 2006.01]</li> </ul>
25/06	• Interchanging mandrels [1, 2006.01]	35/10	<ul> <li>Driving arrangements for rolls which have only a low-power drive; Driving arrangements for rolls which receive power from the shaft of another roll [1, 2, 2006.01]</li> </ul>
27/00	<b>Rolls</b> (shape of working surfaces required by special processes B21B 1/00); <b>Lubricating, cooling or heating rolls while in use [1, 2006.01]</b>	35/12	<ul> <li>Toothed-wheel gearings specially adapted for metal- rolling mills; Housings or mountings therefor [1, 2006.01]</li> </ul>
27/02	• Shape or construction of rolls (for rolling metal of indefinite length in repetitive shapes specially designed for the manufacture of particular objects B21H 8/02) [1, 2006.01]	35/14	<ul> <li>Couplings, driving spindles, or spindle carriers specially adapted for or specially arranged in metal- rolling mills (couplings or shafts in general F16) [1, 2006.01]</li> </ul>
27/03	• • Sleeved rolls [5, 2006.01]		
27/05 27/06	<ul><li>• • with deflectable sleeves [5, 2006.01]</li><li>• Lubricating, cooling, or heating rolls [1, 2006.01]</li></ul>	37/00	Control devices or methods specially adapted for metal-rolling mills or the work produced thereby
27/08	<ul> <li>internally [1, 2006.01]</li> </ul>		(methods or devices for measuring specially adapted for
27/10	• • externally [1, 2006.01]	37/16	metal-rolling mills B21B 38/00) [1, 2006.01]  • Control of thickness, width, diameter or other
28/00	Maintaining rolls or rolling equipment in effective condition (lubricating, cooling or heating rolls while in	37710	transverse dimensions (B21B 37/58 takes precedence) [6, 2006.01]
20.402	use B21B 27/06) [2, 2006.01]	37/18	<ul> <li>Automatic gauge control [6, 2006.01]</li> </ul>
28/02	<ul> <li>Maintaining rolls in effective condition, e.g. reconditioning [2, 2006.01]</li> </ul>	37/20	• • • in tandem mills <b>[6, 2006.01]</b>
28/04	• • while in use, e.g. polishing [2, 2006.01]	37/22	Lateral spread control; Width control, e.g. by edge rolling [6, 2006.01]
29/00	Counter-pressure devices acting on rolls to inhibit	37/24	<ul> <li>Automatic variation of thickness according to a predetermined programme [6, 2006.01]</li> </ul>
	deflection of same under load, e.g. backing rolls [1, 2006.01]	37/26	• • for obtaining one strip having successive lengths of different constant
31/00	Rolling stand structures; Mounting, adjusting, or		thickness <b>[6, 2006.01]</b>
31700	interchanging rolls, roll mountings, or stand frames [1, 2006.01]	37/28	<ul> <li>Control of flatness or profile during rolling of strip, sheets or plates [6, 2006.01]</li> </ul>
31/02	• Rolling stand frames; Roll mountings [1, 2006.01]	37/30	• • using roll camber control [6, 2006.01]
31/04	• • with tie rods, e.g. prestressed tie rods [1, 2006.01]	37/32	<ul> <li>• by cooling, heating or lubricating the rolls [6, 2006.01]</li> </ul>
31/06	<ul> <li>Fastening stands or frames to foundation, e.g. to the sole plate (in general F16M) [1, 2006.01]</li> </ul>	37/34	• • • by hydraulic expansion of the rolls [6, 2006.01]
31/07	<ul> <li>Adaptation of roll bearings (bearings in general F16C) [2, 2006.01]</li> </ul>	37/36	• • • by radial displacement of the roll sleeve on a stationary roll beam by means of hydraulic
31/08	<ul> <li>Interchanging rolls, roll mountings, or stand frames [1, 2, 2006.01]</li> </ul>	37/38	supports <b>[6, 2006.01]</b> • • using roll bending (B21B 37/42 takes
31/10	• • by horizontally displacing [1, 2006.01]		precedence) [6, 2006.01]
31/12	• • by vertically displacing [1, 2006.01]	37/40	• using axial shifting of the rolls (B21B 37/42 takes precedence) [6, 2006.01]
31/14	<ul> <li>by pivotally displacing [1, 2006.01]</li> </ul>	37/42	<ul> <li>using a combination of roll bending and axial</li> </ul>
31/16	<ul> <li>Adjusting rolls (control devices B21B 37/00) [1, 2006.01]</li> </ul>	37/44	shifting of the rolls [6, 2006.01]  • using heating, lubricating or water-spray cooling
31/18	<ul> <li>by moving rolls axially [1, 2006.01]</li> </ul>	3//44	of the product <b>[6, 2006.01]</b>
31/20	<ul> <li>by moving rolls perpendicularly to roll axis [1, 2006.01]</li> </ul>	37/46	• Roll speed or drive motor control (B21B 37/52, B21B 37/60 take precedence) [6, 2006.01]
31/22	• • • mechanically [1, 2006.01]	37/48	Tension control; Compression control [6, 2006.01]
31/24	• • • by screws [1, 2006.01]	37/50	• • by looper control [6, 2006.01]
31/26	<ul> <li>• • • Adjusting eccentrically-mounted roll bearings [1, 2006.01]</li> </ul>	37/52	• • by drive motor control <b>[6, 2006.01]</b>
31/28	• • • • by toggle-lever mechanisms [1, 2006.01]	37/54	• • • including coiler drive control, e.g. reversing
31/30	• • • • by wedges or their equivalent [1, 2006.01]	27/50	mills [6, 2006.01]
31/32	• • • by liquid pressure [1, 2006.01]	37/56	• Elongation control <b>[6, 2006.01]</b>

37/58	<ul> <li>Roll-force control; Roll-gap control [6, 2006.01]</li> </ul>	39/24	<ul> <li>by tongs or grippers [1, 2006.01]</li> </ul>
37/60	<ul> <li>by control of a motor which drives an adjusting screw [6, 2006.01]</li> </ul>	39/26	<ul> <li>by members, e.g. grooved, engaging opposite sides of the work and moved relatively to each</li> </ul>
37/62	<ul> <li>• by control of a hydraulic adjusting device [6, 2006.01]</li> </ul>	39/28	<ul><li>other to revolve the work [1, 2006.01]</li><li>by means of guide members shaped to revolve the</li></ul>
37/64	<ul> <li>• Mill spring or roll spring compensation systems,</li> <li>e.g. control of prestressed mill stands [6, 2006.01]</li> </ul>	39/30	<ul><li>work during its passage [1, 2006.01]</li><li>by lodging it in a rotating ring manipulator or ring</li></ul>
37/66	• • Roll eccentricity compensation	39/32	segment manipulator [1, 2006.01]  • Devices specially adapted for turning
37/68	<ul> <li>systems [6, 2006.01]</li> <li>Camber or steering control for strip, sheets or plates,</li> <li>e.g. preventing meandering [6, 2006.01]</li> </ul>	39/34	sheets [1, 2006.01]  • Arrangements or constructional combinations
37/70	<ul> <li>Length control (B21B 37/56 takes precedence) [6, 2006.01]</li> </ul>	33/34	specifically designed to perform functions covered by more than one of groups B21B 39/02, B21B 39/14,
37/72	• Rear end control; Front end control <b>[6, 2006.01]</b>		B21B 39/20 <b>[1, 2006.01]</b>
37/74	• Temperature control, e.g. by cooling or heating the rolls or the product (B21B 37/32, B21B 37/44 take precedence) [6, 2006.01]	41/00	Guiding, conveying, or accumulating easily-flexible work, e.g. wire, sheet metal bands, in loops or curves; Loop lifters [1, 2006.01]
37/76 37/78	<ul><li>Cooling control on the run-out table [6, 2006.01]</li><li>Control of tube rolling [6, 2006.01]</li></ul>	41/02	• Returning work to repeat the pass or passes [1, 2006.01]
38/00	Methods or devices for measuring specially adapted for metal-rolling mills, e.g. position detection,	41/04	<ul> <li>above or underneath the rolling stand or rolls [1, 2006.01]</li> </ul>
	inspection of the product [6, 2006.01]	41/06	• in which the direction of movement of the work is
38/02	• for measuring flatness or profile of strips [6, 2006.01]	41/08	turned through approximately 180° [1, 2006.01] • without overall change in the general direction of
38/04	<ul> <li>for measuring thickness, width, diameter or other transverse dimensions of the product [6, 2006.01]</li> </ul>	417 00	movement of the work [1, 2006.01]
38/06	• for measuring tension or compression [6, 2006.01]	41/10	• • Loop deflectors [1, 2006.01]
38/08	• for measuring roll-force [6, 2006.01]	41/12	Arrangements of interest only with respect to  provision for indicating or controlling
38/10	<ul> <li>for measuring roll-gap, e.g. pass indicators [6, 2006.01]</li> </ul>		provision for indicating or controlling operations [1, 2006.01]
38/12	• for measuring roll camber [6, 2006.01]	43/00	Cooling beds, whether stationary or moving; Means
39/00	Arrangements for moving, supporting, or positioning		specially associated with cooling beds, e.g. for braking work or for transferring it to or from the
	work, or controlling its movement, combined with or		bed (conveying means in general B65G) [1, 2006.01]
	arranged in, or specially adapted for use in	43/02	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10</li> </ul>
	arranged in, or specially adapted for use in connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in		• Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]
	connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with	43/04	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> </ul>
	connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in		• Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]
39/02	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning</li> </ul>	43/04	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08</li> </ul>
39/02 39/04	connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]	43/04 43/06 43/08 43/10	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> </ul>
39/04	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> </ul>	43/04 43/06 43/08	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling</li> </ul>
39/04	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> </ul>	43/04 43/06 43/08 43/10	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e.</li> </ul>
39/04 39/06 39/08	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> </ul>	43/04 43/06 43/08 43/10	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially</li> </ul>
39/04	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> </ul>	43/04 43/06 43/08 43/10 43/12	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted</li> </ul>
39/04 39/06 39/08	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or installation of roller tables in</li> </ul>	43/04 43/06 43/08 43/10 43/12	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of</li> </ul>
39/04 39/06 39/08 39/10	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> </ul>	43/04 43/06 43/08 43/10 43/12	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of scaling-off devices B21C 43/00) [1, 2006.01]</li> </ul>
39/04 39/06 39/08 39/10 39/12	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or installation of roller tables in relation to a roll stand [1, 2006.01]</li> <li>Guiding, positioning or aligning work (B21B 43/12 takes precedence; guides in which work is subjected</li> </ul>	43/04 43/06 43/08 43/10 43/12 <b>45/00</b>	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of</li> </ul>
39/04 39/06 39/08 39/10 39/12	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or installation of roller tables in relation to a roll stand [1, 2006.01]</li> <li>Guiding, positioning or aligning work (B21B 43/12 takes precedence; guides in which work is subjected to permanent internal twisting</li> </ul>	43/04 43/06 43/08 43/10 43/12 <b>45/00</b>	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of scaling-off devices B21C 43/00) [1, 2006.01]</li> <li>for lubricating, cooling, or cleaning [1, 2006.01]</li> <li>for de-scaling [1, 2006.01]</li> <li>of strip material (B21B 45/08 takes</li> </ul>
39/04 39/06 39/08 39/10 39/12	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or installation of roller tables in relation to a roll stand [1, 2006.01]</li> <li>Guiding, positioning or aligning work (B21B 43/12 takes precedence; guides in which work is subjected to permanent internal twisting B21B 15/02) [1, 2006.01]</li> <li>immediately before entering or after leaving the</li> </ul>	43/04 43/06 43/08 43/10 43/12 <b>45/00</b>	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of scaling-off devices B21C 43/00) [1, 2006.01]</li> <li>for lubricating, cooling, or cleaning [1, 2006.01]</li> <li>for de-scaling [1, 2006.01]</li> </ul>
39/04 39/06 39/08 39/10 39/12 39/14	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or a roll stand [1, 2006.01]</li> <li>Guiding, positioning or aligning work (B21B 43/12 takes precedence; guides in which work is subjected to permanent internal twisting B21B 15/02) [1, 2006.01]</li> <li>immediately before entering or after leaving the pass [1, 2006.01]</li> <li>Switches for directing work in metal-rolling mills</li> </ul>	43/04 43/06 43/08 43/10 43/12 <b>45/00</b> 45/02 45/04 45/06	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of scaling-off devices B21C 43/00) [1, 2006.01]</li> <li>for lubricating, cooling, or cleaning [1, 2006.01]</li> <li>for de-scaling [1, 2006.01]</li> <li>of strip material (B21B 45/08 takes precedence) [1, 2006.01]</li> </ul>
39/04 39/06 39/08 39/10 39/12 39/14	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or installation of roller tables in relation to a roll stand [1, 2006.01]</li> <li>Guiding, positioning or aligning work (B21B 43/12 takes precedence; guides in which work is subjected to permanent internal twisting B21B 15/02) [1, 2006.01]</li> <li>immediately before entering or after leaving the pass [1, 2006.01]</li> <li>Switches for directing work in metal-rolling mills or trains [1, 2006.01]</li> <li>Revolving, turning-over, or like manipulation of</li> </ul>	43/04 43/06 43/08 43/10 43/12 <b>45/00</b> 45/02 45/04 45/06 45/08	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of scaling-off devices B21C 43/00) [1, 2006.01]</li> <li>for lubricating, cooling, or cleaning [1, 2006.01]</li> <li>for de-scaling [1, 2006.01]</li> <li>of strip material (B21B 45/08 takes precedence) [1, 2006.01]</li> <li>hydraulically [1, 2006.01]</li> </ul>
39/04 39/06 39/08 39/10 39/12 39/14 39/16 39/18	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or installation of roller tables in relation to a roll stand [1, 2006.01]</li> <li>Guiding, positioning or aligning work (B21B 43/12 takes precedence; guides in which work is subjected to permanent internal twisting B21B 15/02) [1, 2006.01]</li> <li>immediately before entering or after leaving the pass [1, 2006.01]</li> <li>Switches for directing work in metal-rolling mills or trains [1, 2006.01]</li> <li>Revolving, turning-over, or like manipulation of work (guides in which work is subjected to</li> </ul>	43/04 43/06 43/08 43/10 43/12 <b>45/00</b> 45/02 45/04 45/06 45/08	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of scaling-off devices B21C 43/00) [1, 2006.01]</li> <li>for lubricating, cooling, or cleaning [1, 2006.01]</li> <li>for de-scaling [1, 2006.01]</li> <li>of strip material (B21B 45/08 takes precedence) [1, 2006.01]</li> <li>hydraulically [1, 2006.01]</li> <li>Auxiliary arrangements, devices or methods in connection with rolling of multi-layer sheets of metal (soaking pits C21D 9/70) [1, 2, 2006.01]</li> <li>for folding sheets before rolling [1, 2006.01]</li> </ul>
39/04 39/06 39/08 39/10 39/12 39/14 39/16 39/18	<ul> <li>connection with, metal-rolling mills (guiding, conveying, or accumulating easily-flexible work in loops or curves B21B 41/00; specially associated with cooling-beds B21B 43/00; conveying or transporting in general B65G) [1, 2006.01]</li> <li>Feeding or supporting work; Braking or tensioning arrangements [1, 2006.01]</li> <li>Lifting or lowering work for conveying purposes, e.g. tilting tables arranged immediately in front of or behind the pass (turn-over or like manipulating means as such B21B 39/20) [1, 2006.01]</li> <li>Pushing or forcing work into pass [1, 2006.01]</li> <li>Braking or tensioning arrangements [1, 2006.01]</li> <li>Arrangement or installation of feeding rollers in rolling stands [1, 2006.01]</li> <li>Arrangement or installation of roller tables in relation to a roll stand [1, 2006.01]</li> <li>Guiding, positioning or aligning work (B21B 43/12 takes precedence; guides in which work is subjected to permanent internal twisting B21B 15/02) [1, 2006.01]</li> <li>immediately before entering or after leaving the pass [1, 2006.01]</li> <li>Switches for directing work in metal-rolling mills or trains [1, 2006.01]</li> <li>Revolving, turning-over, or like manipulation of</li> </ul>	43/04 43/06 43/08 43/10 43/12 <b>45/00</b> 45/02 45/04 45/06 45/08 <b>47/00</b>	<ul> <li>Cooling beds comprising rakes or bars (B21B 43/10 takes precedence) [1, 2, 2006.01]</li> <li>Cooling beds comprising rolls or worms [1, 2006.01]</li> <li>Cooling beds comprising carriages (B21B 43/08 takes precedence) [1, 2006.01]</li> <li>Cooling beds comprising revolving drums or recycling chains [1, 2006.01]</li> <li>Cooling beds with other work-shifting elements projecting through the bed [1, 2006.01]</li> <li>Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors [1, 2, 2006.01]</li> <li>Devices for surface treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00 takes precedence; technical features of scaling-off devices B21C 43/00) [1, 2006.01]</li> <li>for lubricating, cooling, or cleaning [1, 2006.01]</li> <li>for de-scaling [1, 2006.01]</li> <li>of strip material (B21B 45/08 takes precedence) [1, 2006.01]</li> <li>hydraulically [1, 2006.01]</li> <li>Auxiliary arrangements, devices or methods in connection with rolling of multi-layer sheets of metal (soaking pits C21D 9/70) [1, 2, 2006.01]</li> </ul>

B21C MANUFACTURE OF METAL SHEETS, WIRE, RODS, TUBES, PROFILES OR LIKE SEMI-MANUFACTURED PRODUCTS OTHERWISE THAN BY ROLLING; AUXILIARY OPERATIONS USED IN CONNECTION WITH METAL-WORKING WITHOUT ESSENTIALLY REMOVING MATERIAL

#### **Subclass index**

METAL DDAMING

METAL DRAWING	
General methods	1/00
Auxiliary operations	5/00, 9/00
Equipment	3/00, 19/00
METAL EXTRUDING	
General methods	23/00
Auxiliary operations	29/00, 33/00, 35/00
Auxiliary operations	25/00, 26/00, 27/00
Control	31/00
DETAILS COMMON TO DRAWING AND EXTRUDING OF METAL	
MANUFACTURING NOT OTHERWISE PROVIDED FOR	37/00
AUXILIARY OPERATIONS USED IN CONNECTION WITH METAL-WORKING WITHOUT	
ESSENTIALLY REMOVING MATERIAL	
Reeling	47/00
Other auxiliary operations	45/00, 51/00
Auxiliary equipment	19/00, 49/00
<del></del>	

#### **Metal drawing**

1/00	Manufacture of metal sheets, wire, rods, tubes or like
	semi-manufactured products by drawing [1 2006 01]

- Drawing metal wire or like flexible metallic material by drawing machines or apparatus in which the drawing action is effected by drums [1, 2006.01]
- 1/04 with two or more dies operating in series [1, 2006.01]
- 1/06 • in which the material slips on the drums **[1, 2006.01]**
- 1/08 • in which the material does not slip on the drums [1, 2006.01]
- 1/10 • with accumulation of material between consecutively-arranged dies [1, 2006.01]
- Regulating or controlling speed of drawing drums, e.g. to influence tension; Drives; Stop or relief mechanisms (couplings for drums B21C 1/14; design or construction of electrical equipment, see the relevant classes) [1, 2006.01]
- Drums, e.g. capstans (capstans or winches in general B66D); Connection of grippers thereto;
   Grippers specially adapted for drawing machines or apparatus of the drum type; Couplings specially adapted for these drums [1, 2006.01]
- Metal drawing by machines or apparatus in which the drawing action is effected by means other than drums, e.g. by a longitudinally-moved carriage pulling or pushing the work or stock for making metal sheets, rods or tubes [1, 2006.01]
- 1/18 from stock of limited length (B21C 1/22 takes precedence) [1, 2006.01]
- 1/20 • from stock of essentially unlimited length (B21C 1/22 takes precedence) [1, 2006.01]
- 1/22 specially adapted for making tubular articles (bending sheet metal into tubular form by drawing B21D 5/10) [1, 2006.01]
- 1/24 • by means of mandrels (mandrels B21C 3/16) **[1, 2006.01]**
- 1/26 • Push-bench drawing **[1, 2006.01]**
- 1/27 Carriages; Drives [1, 2006.01]

- 1/28 • Carriages; Connections of grippers thereto; Grippers (for drawing machines of the drum type B21C 1/14) [1, 2006.01]
- 1/30 • Drives, e.g. carriage-traversing mechanisms;
  Driving elements, e.g. drawing chains;
  Controlling the drive [1, 2006.01]
- 1/32 • Feeding or discharging the material or mandrels [1, 2006.01]
- 1/34 Guiding or supporting the material or mandrels [1, 2006.01]

## 3/00 Profiling tools for metal drawing; Combinations of dies and mandrels for metal drawing [1, 2006.01]

- Joes; Selection of material therefor; Cleaning thereof [1, 2006.01]
- 3/04 with non-adjustable section (B21C 3/08 takes precedence) [1, 2006.01]
- 3/06 with adjustable section (B21C 3/08 takes precedence) [1, 2006.01]
- 3/08 with section defined by rollers, balls, or the like [1, 2006.01]
- 3/10 with hydraulic forces acting immediately on work **[1, 2006.01]**
- 3/12 • Die holders; Rotating dies **[1, 2006.01]**
- 3/14 • Die holders combined with devices for guiding the drawing material or combined with devices for cooling, heating, or lubricating [1, 2006.01]
- Mandrels (separating mandrels from work B21C 45/00); Mounting or adjusting same [1, 2006.01]
- Making tools by operations not covered by a single other subclass; Repairing [1, 2006.01]
- 5/00 Pointing or push-pointing drawn work or drawing material [1, 2006.01]
- 9/00 Cooling, heating or lubricating drawing material (B21C 3/14 takes precedence) [1, 2006.01]
- 9/02 Selection of compositions therefor [1, 2006.01]

19/00 Devices for straightening wire or like work combined with or specially adapted for use in connection with drawing or winding machines or apparatus [1, 2006.01]

Metal ext	truding
23/00	Extruding metal; Impact extrusion [1, 2006.01]
23/01	• starting from material of particular form or shape, e.g. mechanically pre-treated (B21C 23/22 takes precedence; heat treatment or combinations thereof with mechanical treatments, <u>see</u> appropriate classes) [1, 2006.01]
23/02	<ul> <li>Making uncoated products [1, 2006.01]</li> </ul>
23/03	by both direct and backward extrusion [1, 2006.01]
23/04	• • by direct extrusion [1, 2006.01]
23/06	• • • Making sheets [1, 2006.01]
23/08	<ul> <li>• • Making wire, rods or tubes [1, 2006.01]</li> </ul>
23/10	• • • • Making finned tubes [1, 2006.01]
23/12	• • • • Extruding bent tubes or rods [1, 2006.01]
23/14	• • • Making other products [1, 2006.01]
23/16	• • • • Making turbo blades or propellers [1, 2006.01]
23/18	• • by impact extrusion [1, 2, 2006.01]
23/20	• • by backward extrusion [1, 2006.01]
23/21	<ul> <li>Presses specially adapted for extruding metal (extrusion presses in general B30B 11/22) [1, 2006.01]</li> </ul>
23/22	<ul> <li>Making metal-coated products; Making products from two or more metals [1, 2006.01]</li> </ul>
23/24	<ul> <li>Covering indefinite lengths of metal or non-metal material with a metal coating [1, 2006.01]</li> </ul>
23/26	<ul> <li>• Applying metal coats to cables, e.g. to insulated electric cables [1, 2006.01]</li> </ul>
23/28	• • • on intermittently-operating extrusion presses [1, 2006.01]
23/30	• • • on continuously-operating extrusion presses [1, 2006.01]
23/32	<ul> <li>Lubrication of metal being extruded or of dies, or the like, e.g. physical state of lubricant, location where lubricant is applied (chemical composition, <u>see</u> appropriate classes) [1, 2006.01]</li> </ul>
25/00	Profiling tools for metal extruding [1, 2006.01]
25/02	• Dies [1, 2006.01]
25/04	• Mandrels [1, 2006.01]
25/06	Press heads, dies, or mandrels for coating work [1, 2006.01]
25/08	<ul> <li>Dies or mandrels with section variable during extruding, e. g for making tapered work; Controlling variation [1, 2006.01]</li> </ul>
25/10	<ul> <li>Making tools by operations not covered by a single other subclass [1, 2006.01]</li> </ul>
26/00	Rams or plungers for metal extruding; Discs therefor [2, 2006.01]
27/00	Containers for metal to be extruded (B21C 29/02 takes precedence) [1, 2006.01]
27/02	<ul> <li>for making coated work [1, 2006.01]</li> </ul>
27/04	• Venting metal-container chamber [1, 2006.01]
29/00	Cooling or heating extruded work or parts of the

31/00 Control devices for metal extruding, e.g. for regulating the pressing speed or temperature of metal (B21C 25/08 takes precedence); Measuring devices, e.g. for temperature of metal, combined with or specially adapted for use in connection with extrusion presses (measuring devices of more general interest within subclass B21C, see group B21C 51/00) [1, 2006.01]

33/00 Feeding extrusion presses with metal to be extruded [1, 2006.01]

33/02 • the metal being in liquid form [1, 2006.01]

35/00 Removing work or waste from extruding presses; Drawing-off extruded work (in connection with the extruding of bent tubes or rods B21C 23/12); Cleaning dies, ducts, containers, or mandrels for metal extruding [1, 2, 2006.01]

35/02 • Removing or drawing-off work [1, 2006.01]

35/03 Straightening the work (metal straightening in general B21D) [1, 2006.01]

35/04 • Cutting-off or removing waste [1, 2006.01]

35/06 Cleaning dies, ducts, containers or mandrels [1, 2, 2006.01]

37/00 Manufacture of metal sheets, rods, wire, tubes, profiles or like semi-manufactured products, not otherwise provided for (by rolling B21B; by working or processing semi-finished sheet metal, profiles, tubes, or wire B21D, B21F; by casting B22; by materialremoving machine tools B23; by welding, e.g. cladding or plating, B23K; by grinding or polishing B24; by electroforming C25D 1/00); Manufacture of tubes of special shape [1, 2, 2006.01]

37/02 • of sheets [1, 2006.01]

37/04 • of rods or wire [1, 2006.01]

37/06 of tubes or metal hoses; Combined procedures for making tubes, e.g. for making multi-wall tubes (bending sheets for making tubes B21D 5/00; seaming by folding B21D 39/02) [1, 2006.01]

37/08 Making tubes with welded or soldered seams (involving only a soldering or welding operation B23K) [1, 2006.01]

37/083 Supply, or operations combined with supply, of strip material [1, 2006.01]

37/087 using rods or strips of soldering material [1, 2006.01]

37/09 of coated strip material [1, 2006.01]

37/10 Making tubes with riveted seams [1, 2006.01]

37/12 Making tubes or metal hoses with helically arranged seams [1, 2006.01]

37/14 Making tubes from doubled flat material [1, 2006.01]

37/15 Making tubes of special shape; Making the fittings [1, 2006.01]

Making tubes with varying diameter in 37/16 longitudinal direction [1, 2006.01]

37/18 • conical tubes [1, 2006.01]

Making helical or similar guides in or on tubes 37/20 without removing material, e.g. by drawing same over mandrels, by pushing same through dies [1, 2006.01]

Making finned or ribbed tubes by fixing strip or 37/22 like material to tubes (making heat exchangers B21D 53/02) [1, 2006.01]

37/24 • annularly-ribbed tubes [1, 2006.01]

29/02

29/04

extrusion press [1, 2006.01]

of containers for metal to be extruded [1, 2006.01]

• of press heads, dies, or mandrels [1, 2006.01]

37/26	• • • helically-ribbed tubes [1, 2006.01]	47/10	• • by means of a moving guide [1, 2006.01]
37/28	<ul> <li>• • Making tube fittings for connecting pipes, e.g.</li> <li>U-pieces [1, 2006.01]</li> </ul>	47/12	• • • the guide moving parallel to the axis of the coil (B21C 47/14 takes precedence) [1, 2006.01]
37/29	<ul> <li>• • • Making branched pieces, e.g. T- pieces [1, 2006.01]</li> </ul>	47/14	• • by means of a rotating guide, e.g. laying the material around a stationary reel or
37/30	Finishing tubes, e.g. sizing,	.=	drum [1, 2006.01]
	burnishing <b>[1, 2006.01]</b>	47/16	• Unwinding or uncoiling [1, 2006.01]
43/00	Devices for cleaning metal products combined with	47/18	• • from reels or drums [1, 2006.01]
	or specially adapted for use with machines or apparatus provided for in this subclass [1, 2006.01]	47/20	<ul> <li>the unreeled material moving transversely to the tangent line of the drum, e.g. axially, radially [1, 2006.01]</li> </ul>
43/02	<ul> <li>combined with or specially adapted for use in connection with drawing or winding machines or apparatus [1, 2006.01]</li> </ul>	47/22	<ul> <li>Unwinding coils without reels or drums [1, 2006.01]</li> </ul>
43/04	<ul> <li>Devices for de-scaling wire or like flexible work [1, 2006.01]</li> </ul>	47/24	<ul> <li>Transferring coils to or from winding apparatus or to or from operative position therein; Preventing uncoiling during transfer [1, 2006.01]</li> </ul>
		47/26	Special arrangements with regard to simultaneous or
Auxiliary	operations used in connection with metal working	4= 400	subsequent treatment of the material [1, 2006.01]
	ssentially removing material	47/28	<ul> <li>Drums or other coil-holders (gripping means B21C 47/32) [1, 2006.01]</li> </ul>
45/00	Separating mandrels from work or <u>vice</u>	47/30	• expansible or contractible [1, 2006.01]
	<u>versa</u> [1, 2006.01]	47/32	<ul> <li>Tongs or gripping means specially adapted for reeling operations [1, 2006.01]</li> </ul>
47/00	Winding-up, coiling or winding-off metal wire, metal band or other flexible metal material characterised by features relevant to metal processing only (coiling	47/34	<ul> <li>Feeding or guiding devices not specially adapted to a particular type of apparatus [1, 2006.01]</li> </ul>
	wire into particular forms B21F 3/00; hot coilers in connection with heat-treatment apparatus C21D 9/68) [1, 2006.01]	49/00	Devices for temporarily accumulating material [1, 2006.01]
47/02	• Winding-up or coiling <b>[1, 2006.01]</b>	51/00	Measuring, gauging, indicating, counting, or
47/04	<ul> <li>on or in reels or drums, without using a moving guide (reels or drums B21C 47/28) [1, 2006.01]</li> </ul>		marking devices specially adapted for use in the production or manipulation of material in
47/06	<ul> <li>• with loaded rollers, bolts, or equivalent means holding the material on the reel or drum [1, 2006.01]</li> </ul>		accordance with subclasses B21B-B21F [1, 2006.01]
47/08	<ul> <li>without making use of a reel or drum, the first turn being formed by a stationary guide [1, 2006.01]</li> </ul>	99/00	Subject matter not provided for in other groups of this subclass [2009.01]

B21D WORKING OR PROCESSING OF SHEET METAL OR METAL TUBES, RODS OR PROFILES WITHOUT ESSENTIALLY REMOVING MATERIAL; PUNCHING METAL (working or processing of wire B21F)

#### Note(s)

- 1. This subclass <u>covers</u> cutting or perforating of sheet metal or other stock material.
- 2. This subclass <u>does not cover</u> the working of metal foils in a manner analogous to the working of paper, which is covered by classes B26, B31.

#### **Subclass index**

#### TREATMENT CHARACTERISED BY FUNCTION SPECIAL TREATMENT FOR THE MANUFACTURE OF SPECIFIED ARTICLES........47/00-53/00

### <u>Straightening</u>; <u>Restoring form</u>; <u>Bending</u>; <u>Corrugating</u>; <u>Flanging</u>

- 1/00 Straightening, restoring form or removing local distortions of sheet metal or specific articles made therefrom (B21D 3/00 takes precedence); Stretching sheet metal combined with rolling [1, 2, 2006.01]
- 1/02 by rollers (B21D 1/06 takes precedence) **[1, 2006.01]**
- Stretching combined with rolling [1, 2, 2006.01]
- 1/06 Removing local distortions [1, 2006.01]
- of hollow bodies made from sheet metal (of substantially open bodies B21D 1/10) [1, 2006.01]
- of specific articles made from sheet metal, e.g. mudguards [1, 2006.01]
- Straightening vehicle body parts or bodies (B21D 1/14 takes precedence) [1, 2006.01]
- 1/14 Straightening frame structures [1, 2006.01]
- 3/00 Straightening or restoring form of metal rods, metal tubes, metal profiles, or specific articles made therefrom, whether or not in combination with sheet metal parts [1, 2006.01]
- 3/02 by rollers **[1, 2006.01]**
- 3/04 arranged on axes skew to the path of the work **[1, 2006.01]**
- 3/05 arranged on axes rectangular to the path of the work [2, 2006.01]
- 3/06 arranged inclined to a revolving flier rolling frame [1, 2006.01]
- 3/08 which move in an orbit without rotating round the work [1, 2006.01]
- 3/10 between rams and anvils or abutments [1, 2006.01]
- by stretching with or without twisting [1, 2006.01]
- 3/14 Recontouring [1, 2006.01]
- of specific articles made from metal rods, tubes, or profiles, e.g. crankshafts, by specially-adapted methods or means [1, 2006.01]
- 5/00 Bending sheet metal along straight lines, e.g. to form simple curves (B21D 11/06-B21D 11/18 take precedence) [1, 2006.01]
- between rams and anvils or abutments [1, 2006.01]
- on press brakes without making use of clamping means [1, 2006.01]
- on brakes making use of clamping means on one side of the work [1, 2006.01]
- by drawing procedure making use of dies or formingrollers, e.g. making profiles [1, 2006.01]
- 5/08 • making use of forming-rollers (B21D 5/12 takes precedence) **[1, 2006.01]**
- 5/10 • for making tubes **[1, 2006.01]**
- 5/12 • making use of forming-rollers **[1, 2006.01]**
- by passing between rollers (B21D 5/06 takes precedence) [1, 2006.01]
- 5/16 Folding; Pleating **[1, 2006.01]**
- **7/00 Bending rods, profiles, or tubes** (B21D 11/02-B21D 11/18 take precedence; using mandrels or the like B21D 9/00) **[1, 2006.01]**
- 7/02 over a stationary forming member; by use of a swinging forming member or abutment [1, 2, 2006.01]

- 7/022 over a stationary forming member only **[2, 2006.01]**
- 7/024 • by a swinging forming member **[1, 2006.01]**
- 7/025 • and pulling or pushing the ends of the work **[1, 2006.01]**
- 7/028 • and altering the profile at the same time, e.g. forming bumpers [1, 2006.01]
- 7/03 Apparatus with means to keep the profile in shape [1, 2006.01]
- 7/04 over a movably-arranged forming member (B21D 7/02 takes precedence) [1, 2006.01]
- in press brakes or between rams and anvils or abutments; Pliers with forming dies [1, 2006.01]
- 7/08 by passing between rollers or through a curved die **[1, 2006.01]**
- 7/10 by abutting members and flexible bending means, e.g. with chains, ropes **[1, 2006.01]**
- 7/12 with programme control **[1, 2006.01]**
- 7/14 combined with measuring of bends or lengths [1, 2006.01]
- 7/16 Auxiliary equipment, e.g. for heating or cooling of bends [1, 2006.01]
- **9/00 Bending tubes using mandrels or the like** (B21D 11/02-B21D 11/18 take precedence) **[1, 2006.01]**
- 9/01 the mandrel being flexible and engaging the entire tube length [1, 2006.01]
- 9/03 and built-up from loose elements, e.g. series of balls [1, 2006.01]
- 9/04 the mandrel being rigid **[2, 2006.01]**
- 9/05 co-operating with forming members [1, 2006.01]
- 9/07 with one or more swinging forming members engaging tube ends only [1, 2006.01]
- 9/08 in press brakes or between rams and anvils or abutments; Pliers with forming dies [1, 2006.01]
- 9/10 by passing between rollers **[1, 2006.01]**
- 9/12 by pushing over a curved mandrel; by pushing through a curved die [1, 2006.01]
- 9/14 Wrinkle-bending, i.e. bending by corrugating [1, 2006.01]
- 9/15 using filling material of indefinite shape, e.g. sand, plastic material [2, 2006.01]
- 9/16 Auxiliary equipment, e.g. machines for filling tubes with sand [1, 2006.01]
- 9/18 • for heating or cooling of bends **[1, 2006.01]**
- 11/00 Bending not restricted to forms of material mentioned in only one of groups B21D 5/00, B21D 7/00, B21D 9/00; Bending not provided for in groups B21D 5/00-B21D 9/00; Twisting [1, 2, 2006.01]
- 11/02 Bending by stretching or pulling over a die [1, 2006.01]
- 11/06 Bending into helical or spiral form; Forming a succession of return bends, e.g. serpentine form [1, 2006.01]
- 11/07 • Making serpentine-shaped articles by bending essentially in one plane [1, 2006.01]
- 11/08 Bending by altering the thickness of part of the crosssection of the work (B21D 11/06 takes precedence) [1, 2006.01]
- Bending specially adapted to produce specific articles, e.g. leaf springs [1, 2006.01]

11/12	<ul> <li>the articles being reinforcements for</li> </ul>	22/18	<ul> <li>using tools guided to produce the required</li> </ul>
	concrete [1, 2006.01]		profile <b>[1, 2006.01]</b>
11/14	• Twisting [1, 2006.01]	22/20	<ul> <li>Deep-drawing (special deep-drawing arrangements</li> </ul>
11/15	<ul> <li>Reinforcing rods for concrete [1, 2006.01]</li> </ul>		in, or in connection with, presses
11/16	<ul> <li>Crankshafts [1, 2006.01]</li> </ul>	00/04	B21D 24/00) [1, 2006.01]
11/18	• Joggling [1, 2006.01]	22/21	• • without fixing the border of the blank [2, 2006.01
11/20	<ul> <li>Bending sheet metal, not otherwise provided for [1, 2006.01]</li> </ul>	22/22	• with devices for holding the edge of the blanks (B21D 22/24-B21D 22/30 take
11/22	<ul> <li>Auxiliary equipment, e.g. positioning devices [1, 2006.01]</li> </ul>	22/24	<ul> <li>precedence) [1, 2006.01]</li> <li>involving two drawing operations having effects in opposite directions with respect to the</li> </ul>
13/00	Corrugating sheet metal, rods or profiles; Bending		blank [1, 2006.01]
15/00	sheet metal, rods or profiles into wave form [1, 2006.01]	22/26	• • for making peculiarly, e.g. irregularly, shaped articles [1, 2006.01]
13/02	• by pressing [1, 2006.01]	22/28	<ul> <li>of cylindrical articles using consecutive</li> </ul>
13/04	• by rolling [1, 2006.01]		dies [1, 2006.01]
13/06	• by drawing [1, 2006.01]	22/30	<ul> <li>to finish articles formed by deep-</li> </ul>
13/08	<ul> <li>by combined methods [1, 2006.01]</li> </ul>		drawing [1, 2006.01]
13/10	• into a peculiar profiling shape [1, 2006.01]	2.400	
	F F G	24/00	Special deep-drawing arrangements in, or in
15/00	Corrugating tubes [1, 2, 2006.01]	24/22	connection with, presses [1, 2006.01]
15/02	<ul> <li>longitudinally [1, 2006.01]</li> </ul>	24/02	• Die-cushions [1, 2006.01]
15/03	<ul> <li>by applying fluid pressure [1, 2006.01]</li> </ul>	24/04	• Blank holders; Mounting means therefor [1, 2006.01
15/04	<ul> <li>transversely, e.g. helically [1, 2006.01]</li> </ul>	24/06	Mechanically spring-loaded blank
15/06	• • annularly [1, 2006.01]		holders [1, 2006.01]
15/10	<ul> <li>by applying fluid pressure [1, 2006.01]</li> </ul>	24/08	Pneumatically or hydraulically loaded blank
15/12	Bending tubes into wave form [1, 2006.01]		holders [1, 2006.01]
10, 12	Senang tuses into wave form [2, 200002]	24/10	Devices controlling or operating blank holders
17/00	Forming single grooves in sheet metal or tubular or		independently, or in conjunction with dies [1, 2006.01]
	hollow articles [1, 2006.01]	24/12	<ul> <li>mechanically [1, 2006.01]</li> </ul>
17/02	<ul> <li>by pressing [1, 2006.01]</li> </ul>	24/12	<ul><li>• pneumatically or hydraulically [1, 2006.01]</li></ul>
17/04	• by rolling <b>[1, 2006.01]</b>	24/14	• Additional equipment in association with the tools,
19/00	Flanging or other edge treatment, e.g. of tubes [1, 2006.01]	25/00	e.g. for shearing, for trimming [1, 2006.01]  Working sheet metal of limited length by stretching,
19/02	<ul> <li>by continuously-acting tools moving along the edge [1, 2006.01]</li> </ul>	25/02	e.g. for straightening [2, 2006.01]  • by pulling over a die [2, 2006.01]
19/04	<ul> <li>shaped as rollers [1, 2006.01]</li> </ul>	25/04	<ul> <li>Clamping arrangements [2, 2006.01]</li> </ul>
19/06	<ul> <li>• • working inwardly [1, 2006.01]</li> </ul>	25/04	Clamping arrangements [2, 2000.01]
19/08	• by single or successive action of pressing tools, e.g. vice jaws [1, 2006.01]	26/00	Shaping without cutting otherwise than by using rigid devices or tools or yieldable or resilient pads,
19/10	• • working inwardly [1, 2006.01]		e.g. shaping by applying fluid pressure or magnetic
19/12	• Edge-curling [1, 2006.01]		forces [1, 2006.01]
19/14	• • Reinforcing edges, e.g. by armouring [1, 2006.01]	26/02	• by applying fluid pressure [1, 2, 2006.01, 2011.01]
19/16	<ul> <li>Reverse flanging of tube ends [1, 2006.01]</li> </ul>	26/021	<ul> <li>Deforming sheet bodies [2011.01]</li> </ul>
21 /00	Combined processes according to methods covered	26/023	• • • including an additional treatment performed by
21/00	by groups B21D 1/00-B21D 19/00 [1, 2006.01]		fluid pressure, e.g. perforating [2011.01]
	by groups bein 1700-bein 15700 [1, 2000.01]	26/025	• • • Means for controlling the clamping or opening of the moulds [2011.01]
Stampin	g; Spinning; Deep-drawing; Working sheet metal of	26/027	• • • Means for controlling fluid parameters, e.g.
	ength by stretching; Punching	26 (020	pressure or temperature [2011.01]
			• • • Closing or sealing means [2011.01]
22/00	Shaping without cutting, by stamping, spinning, or deep-drawing (otherwise than using rigid devices or		• • • Mould construction (B21D 26/025-B21D 26/029 take precedence) [2011.01]
	tools or yieldable or resilient pads	26/033	<ul> <li>Deforming tubular bodies (corrugating tubes by</li> </ul>
	B21D 26/00) <b>[1, 2006.01]</b>		applying fluid pressure B21D 15/03,
22/02	<ul> <li>Stamping using rigid devices or tools [1, 2006.01]</li> </ul>		B21D 15/10) [2011.01]
22/04	• • for dimpling (combined with perforating B21D 28/24) [1, 2006.01]		• • • including an additional treatment performed by fluid pressure, e.g. perforating [2011.01]
22/06	<ul> <li>having relatively-movable die parts [1, 2006.01]</li> </ul>		• • • Forming branched tubes [2011.01]
22/08	<ul> <li>with die parts on rotating carriers [1, 2006.01]</li> </ul>	26/039	Means for controlling the clamping or opening
22/10	<ul> <li>Stamping using yieldable or resilient pads [1, 2006.01]</li> </ul>	26/041	of the moulds [2011.01]  • • • Means for controlling fluid parameters, e.g.
22/12	• using enclosed flexible chambers [1, 2006.01]		pressure or temperature [2011.01]
22/14	• Spinning [1, 2006.01]	26/043	0
22/16	<ul> <li>over shaping mandrels or formers [1, 2006.01]</li> </ul>		pusher <b>[2011.01]</b>

10

26/045	• • • Closing or sealing means [2011.01]	35/00	Combined processes according to methods covered
26/047	<ul> <li>• • Mould construction (B21D 26/037-</li> </ul>		<b>by groups B21D 1/00-B21D 31/00</b> (B21D 21/00 takes
	B21D 26/045 take precedence) <b>[2011.01]</b>		precedence) [1, 2006.01]
26/049	<ul> <li>Deforming bodies having a closed end [2011.01]</li> </ul>	37/00	Tools as parts of machines covered by this subclass
26/051	• • Deforming double-walled bodies [2011.01]		(forms or constructions of tools uniquely adapted for
26/053	_		particular operations, <u>see</u> in the relevant groups for the
	blanks <b>[2011.01]</b>	37/01	<ul><li>operations) [1, 2006.01]</li><li>Selection of materials [2, 2006.01]</li></ul>
26/055	<ul> <li>• Blanks having super-plastic</li> </ul>	37/01	<ul> <li>Die constructions enabling assembly of the die parts</li> </ul>
	properties [2011.01]	37702	in different ways (B21D 37/06 takes
26/057	• • • Tailored blanks [2011.01]		precedence) [1, 2006.01]
26/059	• • Layered blanks [2011.01]	37/04	Movable or exchangeable mountings for
26/06 26/08	<ul><li>by shock waves [1, 2006.01]</li><li>generated by explosives, e.g. chemical</li></ul>	25.00	tools [1, 2006.01]
26/10	explosives [1, 2006.01]	37/06	Pivotally-arranged tools, e.g. disengageable (die sets with dies pivoted to one another  P21D 27(12) 11, 2006 011
20/10	• • generated by evaporation, e.g. of wire, of liquids [1, 2006.01]	27/00	B21D 37/12) <b>[1, 2006.01]</b> • Dies with different parts for several steps in a
26/12	<ul> <li>initiated by spark discharge [1, 2, 2006.01]</li> </ul>	37/08	process [1, 2006.01]
26/14	• applying magnetic forces [1, 2006.01]	37/10	<ul> <li>Die sets; Pillar guides [1, 2006.01]</li> </ul>
20/00		37/12	Particular guiding equipment; Special
28/00	Shaping by press-cutting; Perforating [1, 2006.01]		arrangements for interconnection or cooperation of
28/02	<ul> <li>Punching blanks or articles with or without obtaining scrap; Notching [1, 2006.01]</li> </ul>		dies [1, 2006.01]
28/04	Centering the work; Positioning the	37/14	<ul> <li>Particular arrangements for handling and holding in place complete dies [1, 2006.01]</li> </ul>
	tools [1, 2006.01]	37/16	<ul> <li>Heating or cooling [1, 2006.01]</li> </ul>
28/06	<ul> <li>Making more than one part out of the same blank;</li> </ul>	37/18	• Lubricating [1, 2006.01]
20./00	Scrapless working [1, 2006.01]	37/20	<ul> <li>Making tools by operations not covered a single other</li> </ul>
28/08	• • Zig-zag sequence working [1, 2006.01]		subclass [1, 2006.01]
28/10	<ul> <li>Incompletely punching in such a manner that the parts are still coherent with the work [1, 2006.01]</li> </ul>	39/00	Application of procedures in order to connect objects
28/12	Punching using rotatable carriers [1, 2006.01]	33/00	or parts, e.g. coating with sheet metal otherwise than
28/14	Dies (ejecting or stripping-off devices arranged in		by plating (riveting B21J; uniting components by
	punching tools B21D 45/00) [1, 2006.01]		forging or pressing to form integral members
28/16	• • Shoulder or burr prevention [1, 2006.01]	20/02	B21K 25/00); <b>Tube expanders [1, 2006.01]</b>
28/18	• • Yieldable, e.g. rubber, punching pads [1, 2006.01]	39/02	<ul> <li>of sheet metal by folding, e.g. connecting edges of a sheet to form a cylinder [1, 2006.01]</li> </ul>
28/20	• • Applications of drives [1, 2006.01]	39/03	<ul> <li>of sheet metal otherwise than by folding [2, 2006.01]</li> </ul>
28/22	<ul> <li>Notching the peripheries of circular blanks, e.g. laminations for dynamo-electric</li> </ul>	39/04	• of tubes with tubes; of tubes with rods [1, 2006.01]
	machines [1, 2006.01]	39/06	• of tubes in openings, e.g. rolling-in [1, 2006.01]
28/24	• Perforating, i.e. punching holes [1, 2006.01]	39/08	• Tube expanders [1, 2006.01]
28/26	• • in sheets or flat parts [1, 2006.01]	39/10	<ul> <li>with rollers for expanding only [1, 2006.01]</li> </ul>
28/28	• • in tubes or other hollow bodies [1, 2006.01]	39/12	• • with rollers for expanding and
28/30	• • in annular parts, e.g. rims [1, 2006.01]	39/14	flanging [1, 2006.01]  • • with balls [1, 2006.01]
28/32	• • in other articles of special shape [1, 2006.01]	39/16	<ul> <li>with bans [1, 2006.01]</li> <li>with torque limiting devices [1, 2006.01]</li> </ul>
28/34	<ul> <li>Perforating tools; Die holders [1, 2006.01]</li> <li>using rotatable work or tool holders [1, 2006.01]</li> </ul>	39/18	<ul> <li>Rollers of special shape [1, 2006.01]</li> </ul>
28/36	• • using rotatable work or tool holders [1, 2006.01]	39/20	• • with mandrels, e.g. expandable [2, 2006.01]
		41/00	Application of procedures in order to alter the
31/00	Other methods for working sheet metal, metal tubes	41/00	diameter of tube ends (B21D 39/00 takes
31/00	Other methods for working sheet metal, metal tubes, metal profiles (deforming one surface of tubes helically		precedence) [1, 2006.01]
	by rolling B21H 3/00; upsetting B21J 5/08; embossing	41/02	• Enlarging [1, 2006.01]
	decorations or marks B44B 5/00) [1, 2006.01]	41/04	• Reducing; Closing [1, 2006.01]
31/02	Stabbing or piercing, e.g. for making	43/00	Feeding, positioning or storing devices combined
31/04	sieves [1, 2006.01] • Expanding other than provided for in groups	45/00	with, or arranged in, or specially adapted for use in
31/04	B21D 1/00-B21D 28/00, e.g. for making expanded		connection with, apparatus for working or
	metal (B21D 47/00 takes precedence) [1, 2, 2006.01]		processing sheet metal, metal tubes or metal profiles;
31/06	• Deforming sheet metal, tubes or profiles by		<b>Associations therewith of cutting devices</b> (cutting devices associated with the tool, <u>see</u> the relevant group
	sequential impacts, e.g. hammering, beating, peen		for the tool) [1, 2006.01]
	forming [1, 2006.01]	43/02	Advancing work in relation to the stroke of the die or
33/00	Special measures in connection with working metal		tool [1, 2006.01]
	<b>foils, e.g. gold foils</b> (cutting or perforating of metal foil	43/04	• • by means in mechanical engagement with the
	analogous to paper B26) [1, 2006.01]	43/05	work [1, 2006.01]  • • • specially adapted for multi-stage
		43/03	• • • specially adapted for multi-stage presses [1, 2006.01]
			F [-,]

43/06	• • by positive or negative engaging parts co-	51/18	• vessels, e.g. tubs, vats, tanks, sinks, or the
	operating with corresponding parts of the sheet		like <b>[1, 2006.01]</b>
	or the like to be processed, e.g. carrier bolts or	51/20	• • • barrels [1, 2006.01]
42 /00	grooved section in the carriers [1, 2006.01]	51/22	• • pots, e.g. for cooking [1, 2006.01]
43/08	• • • by rollers [1, 2006.01]	51/24	<ul> <li>high-pressure containers, e.g. boilers,</li> </ul>
43/09	• • • by one or more pairs of rollers for feeding sheet or strip material [2, 2006.01]	E4 /D0	bottles [1, 2006.01]
43/10	• • • by grippers [1, 2006.01]	51/26	<ul> <li>cans or tins; Closing cans or tins in a permanent manner (making outlet arrangements</li> </ul>
43/11	• • • • for feeding sheet or strip		B21D 51/38) <b>[1, 2, 2006.01</b> ]
45/11	material [2, 2006.01]	51/28	<ul> <li>Folding the longitudinal seam [1, 2006.01]</li> </ul>
43/12	• • • by chains or belts [1, 2006.01]	51/30	• • • Folding the circumferential seam [1, 2006.01]
43/13	• • • by linearly moving tables <b>[2, 2006.01]</b>	51/32	• • • • by rolling [1, 2006.01]
43/14	• • • by turning devices, e.g. turn-tables [1, 2006.01]	51/34	• • • • by pressing [1, 2006.01]
43/16	• • by gravity, e.g. chutes [1, 2006.01]	51/36	<ul> <li>collapsible or like thin-walled tubes, e.g. for</li> </ul>
43/18	• • by means in pneumatic or magnetic engagement		toothpaste [1, 2006.01]
	with the work <b>[1, 2006.01]</b>	51/38	<ul> <li>Making inlet or outlet arrangements of cans, tins,</li> </ul>
43/20	• Storage arrangements; Piling or unpiling [1, 2006.01]		baths, bottles or other vessels; Making can ends;
43/22	• • Devices for piling sheets [1, 2006.01]	E1 / 40	Making closures [1, 2006.01]
43/24	• • Devices for removing sheets from a	51/40	<ul> <li>• Making outlet openings, e.g. bung holes [1, 2006.01]</li> </ul>
43/26	stack [1, 2006.01]  • Stops [1, 2006.01]	51/42	• • • • Making or attaching spouts [1, 2006.01]
43/28	Associations of cutting devices	51/44	• • • Making closures, e.g. caps (folded of thin metal
43/20	therewith [1, 2006.01]	517 44	foils in the way of making paper caps
	merenian (2, 200002)		B31D 5/00; making closures in conjunction
45/00	Ejecting or stripping-off devices arranged in		with applying them B67B) [1, 2006.01]
	machines or tools dealt with in this	51/46	Placing sealings or sealing
4F /02	subclass [1, 2006.01]	E1 / 40	material [1, 2006.01]
45/02 45/04	• Ejecting devices [2, 2006.01]	51/48	• • • • Making crown caps [1, 2006.01]
45/04 45/06	<ul><li>interrelated with motion of tool [2, 2006.01]</li><li>Stripping-off devices [2, 2006.01]</li></ul>	51/50	• • • • Making screw caps [1, 2006.01]
45/08	<ul> <li>• interrelated with motion of tool [2, 2006.01]</li> </ul>	51/52 E1/E4	• • boxes, cigarette cases, or the like [1, 2006.01]
45/10	Combined ejecting and stripping-off	51/54	<ul> <li>cartridge cases, e.g. for ammunition, for letter carriers in pneumatic-tube plants [1, 2006.01]</li> </ul>
43/10	devices [2, 2006.01]		currers in pheumatic tabe plants [1, 2000.01]
		53/00	Making other particular articles (making chains or
D			chain parts B21L) [1, 2006.01]
	ng sheet metal or metal tubes, or processing metal	<b>53/00</b> 53/02	<ul><li>chain parts B21L) [1, 2006.01]</li><li>heat exchangers, e.g. radiators, condensers (making</li></ul>
profiles a	ng sheet metal or metal tubes, or processing metal occording to any of groups B21D 1/00-B21D 45/00, in		<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the</li> </ul>
profiles a	ng sheet metal or metal tubes, or processing metal		<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> </ul>
profiles a the manu	ng sheet metal or metal tubes, or processing metal occording to any of groups B21D 1/00-B21D 45/00, in a dacture of finished or semi-finished articles  Making rigid structural elements or units, e.g.	53/02	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the</li> </ul>
profiles a the manu 47/00	ng sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in affacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]	53/02 53/04	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> </ul>
<b>47/00</b> 47/01	ng sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a facture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]	53/02 53/04 53/06	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the</li> </ul>
<b>47/00</b> 47/01 47/02	ng sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a start of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]	53/02 53/04 53/06 53/08 53/10	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> </ul>
<b>47/00</b> 47/01	ng sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a facture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]	53/02 53/04 53/06 53/08 53/10	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> </ul>
<b>47/00</b> 47/01 47/02	ng sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a start of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00	Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> </ul>
47/00 47/01 47/02 47/04	Making rigid structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-	53/02 53/04 53/06 53/08 53/10 53/12 53/14	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00 51/00	mg sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00	mg sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00 51/00	Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00 51/00	mg sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00 51/00	ng sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • oby expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00 51/00	In sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group	53/02 53/04 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>gear wheels [1, 2006.01]</li> </ul>
### ##################################	In sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a statute of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> </ul>
47/00 47/00 47/01 47/02 47/04 49/00 51/00	In sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in affacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/20 53/22 53/24 53/26 53/28 53/30	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>gear wheels [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> </ul>
### ### ##############################	In sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a state of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • oby expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28 53/30 53/32	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>gear wheels [1, 2006.01]</li> <li>wheel covers [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices,</li> </ul>
### ### ##############################	Making hollow objects (from thick-walled or non- uniform tubes B21K 21/00) [1, 2006.01]  Making hollow objects (from thick-walled or non- uniform tubes B21K 21/00) [1, 2006.01]  characterised by the structure of the objects [1, 2006.01]  characterised by the structure of the objects [1, 2006.01]  Making hollow objects (from thick-walled or non- uniform tubes B21K 21/00) [1, 2006.01]  Making hollow objects (from thick-walled or non- uniform tubes B21K 21/00) [1, 2006.01]  characterised by the structure of the objects [1, 2006.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28 53/30 53/32 53/34 53/36	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>gear wheels [1, 2006.01]</li> <li>wheel covers [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices, e.g. for electric installation [1, 2006.01]</li> </ul>
### ### ##############################	Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]  • folded objects [1, 2006.01]  • ball-shaped objects [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28 53/30 53/32 53/34 53/36	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>wheel covers [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices, e.g. for electric installation [1, 2006.01]</li> <li>locksmith's goods, e.g. handles [1, 2006.01]</li> </ul>
### ### ##############################	Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]  • folded objects [1, 2006.01]  • ball-shaped objects [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/20 53/22 53/24 53/26 53/28 53/30 53/32 53/34 53/36 53/38 53/40	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices, e.g. for electric installation [1, 2006.01]</li> <li>hinges, e.g. door hinge plates [1, 2006.01]</li> </ul>
### ### ##############################	In sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]  • folded objects [1, 2006.01]  • ball-shaped objects [1, 2006.01]  • conically or cylindrically shaped objects [1, 2006.01]  • objects with corrugated walls [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28 53/30 53/32 53/30 53/32 53/34 53/36 53/38 53/40 53/42	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>wheel covers [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices, e.g. for electric installation [1, 2006.01]</li> <li>hinges, e.g. door hinge plates [1, 2006.01]</li> <li>keys [1, 2006.01]</li> </ul>
### ### ### ### ### ### ### ### ### ##	In sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]  • folded objects [1, 2006.01]  • ball-shaped objects [1, 2006.01]  • conically or cylindrically shaped objects [1, 2006.01]  • objects with corrugated walls [1, 2006.01]  • Flattening hollow objects for transport or storage;	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28 53/30 53/32 53/30 53/32 53/34 53/36 53/36	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices, e.g. for electric installation [1, 2006.01]</li> <li>hinges, e.g. door hinge plates [1, 2006.01]</li> <li>keys [1, 2006.01]</li> <li>fancy goods, e.g. jewellery products [1, 2006.01]</li> </ul>
## style="background-color: blue;"> ## style="background-color: bl	Ing sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in affacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]  • folded objects [1, 2006.01]  • ball-shaped objects [1, 2006.01]  • conically or cylindrically shaped objects [1, 2006.01]  • objects with corrugated walls [1, 2006.01]  • Flattening hollow objects for transport or storage; Subsequent re-forming [1, 2006.01]	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28 53/30 53/32 53/30 53/32 53/34 53/36 53/38 53/40 53/42	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>nuts or like thread-engaging members [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>wheel covers [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices, e.g. for electric installation [1, 2006.01]</li> <li>locksmith's goods, e.g. handles [1, 2006.01]</li> <li>hinges, e.g. door hinge plates [1, 2006.01]</li> <li>keys [1, 2006.01]</li> <li>fancy goods, e.g. jewellery products [1, 2006.01]</li> <li>haberdashery, e.g. buckles, combs; pronged fasteners,</li> </ul>
### ### ### ### ### ### ### ### #### ####	In sheet metal or metal tubes, or processing metal according to any of groups B21D 1/00-B21D 45/00, in a stacture of finished or semi-finished articles  Making rigid structural elements or units, e.g. honeycomb structures [1, 2006.01]  • beams or pillars [2, 2006.01]  • by expanding [1, 2, 2006.01]  • composite sheet metal profiles [1, 2006.01]  Sheathing or stiffening objects [1, 2006.01]  Making hollow objects (from thick-walled or non-uniform tubes B21K 21/00) [1, 2006.01]  • characterised by the structure of the objects [1, 2006.01]  Note(s) [2009.01]  Making hollow objects characterised both by their structure and by their use is classified only in group B21D 51/16.  • built-up objects, e.g. objects with rigidly-attached bottom or cover [1, 2006.01]  • folded objects [1, 2006.01]  • ball-shaped objects [1, 2006.01]  • conically or cylindrically shaped objects [1, 2006.01]  • objects with corrugated walls [1, 2006.01]  • Flattening hollow objects for transport or storage;	53/02 53/04 53/06 53/08 53/10 53/12 53/14 53/16 53/18 53/20 53/22 53/24 53/26 53/28 53/30 53/32 53/30 53/32 53/34 53/36 53/36	<ul> <li>chain parts B21L) [1, 2006.01]</li> <li>heat exchangers, e.g. radiators, condensers (making finned or ribbed tubes by fixing strip material or the like to tubes B21C 37/22) [1, 2, 2006.01]</li> <li>of sheet metal [1, 2006.01]</li> <li>of metal tubes [1, 2006.01]</li> <li>of both metal tubes and sheet metal [1, 2006.01]</li> <li>parts of bearings; sleeves; valve seats or the like [1, 2006.01]</li> <li>cages for bearings [1, 2006.01]</li> <li>belts, e.g. machine-gun belts [1, 2006.01]</li> <li>rings, e.g. barrel hoops [1, 2006.01]</li> <li>of hollow or C-shaped cross-section, e.g. for curtains, for eyelets [1, 2006.01]</li> <li>washers, e.g. for sealing [1, 2006.01]</li> <li>with means for preventing rotation [1, 2006.01]</li> <li>wheels or the like [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>wheel rims [1, 2006.01]</li> <li>brake drums [1, 2006.01]</li> <li>clips, clamps, or like fastening or attaching devices, e.g. for electric installation [1, 2006.01]</li> <li>hinges, e.g. door hinge plates [1, 2006.01]</li> <li>keys [1, 2006.01]</li> <li>fancy goods, e.g. jewellery products [1, 2006.01]</li> </ul>

53/48 • • buttons, e.g. press-buttons, snap fasteners [1, 2006.01]	• frames for openings, e.g. for windows, doors, handbags [1, 2006.01]
53/50 • metal slide-fastener parts <b>[1, 2006.01]</b> 53/52 • fastener elements; Attaching such elements so	• writing or drawing instruments, e.g. writing pens, erasing pens [1, 2006.01]
far as this procedure is combined with the	53/78 • propeller blades; turbine blades <b>[1, 2006.01]</b>
process for making the elements [1, 2006.01]	53/80 • dustproof covers; safety covers <b>[1, 2006.01]</b>
53/54 • • • slides <b>[1, 2006.01]</b>	• perforated music sheets; pattern sheets, e.g. for
53/56 • • • stops <b>[1, 2006.01]</b>	control purposes, stencils [1, 2006.01]
53/58 • end-pieces for laces or ropes <b>[1, 2006.01]</b>	53/84 • other parts for engines, e.g. connecting-
• cutlery wares; garden tools or the like <b>[1, 2006.01]</b>	rods <b>[1, 2006.01]</b>
53/62 • • spoons; table forks <b>[1, 2006.01]</b>	• other parts for bicycles or motorcycles <b>[1, 2006.01]</b>
53/64 • knives; scissors; cutting blades (B21D 53/72 takes precedence; handle portions	• other parts for vehicles, e.g. cowlings, mudguards [1, 2006.01]
B21D 53/70) <b>[1, 2006.01]</b>	53/90 • • axle-housings <b>[1, 2006.01]</b>
53/66 • • spades; shovels (handle portions B21D 53/70) <b>[1, 2006.01]</b>	53/92 • other parts for aircraft <b>[1, 2006.01]</b>
53/68 • rakes, garden forks, or the like (handle portions B21D 53/70) <b>[1, 2006.01]</b>	
53/70 • • handle portions (B21D 53/72 takes precedence) <b>[1, 2006.01]</b>	55/00 Safety devices protecting the machine or the operator, specially adapted for apparatus or
53/72 • • sickles; scythes <b>[1, 2006.01]</b>	machines dealt with in this subclass [1, 2006.01]

**B21F WORKING OR PROCESSING OF METAL WIRE** (rolling of metal B21B; by drawing, auxiliary operations used in connection with metal-working without essentially removing material B21C; bundling articles B65B 13/00)

#### **Subclass index**

WIRE WORKING CHARACTERISED BY OPERATIONS PERFORMED	
Bending, straightening; coiling; twisting	1/00, 3/00, 7/00
Upsetting, straining	5/00, 9/00
Cutting, splitting, connecting	
Articles jacketed or reinforced with wire	
Coating of wire	19/00
Other treatments	99/00
Feeding wire into apparatus	
WIRE WORKING CHARACTERISED BY THE PARTICULAR ARTICLES PRODUCED	
Barbed wire;network, fencing, wire fabrics	25/00, 27/00-33/00
Springs, rings	
other articles	

Wire woı	king characterised by operations performed	9/00	Straining wire (straining prestressing wires for concrete
1/00 1/02	Bending wire other than coiling; Straightening wire [1, 2006.01]  • Straightening [1, 2006.01]	9/02	<ul> <li>E04G 21/12; connections or attachments adapted for straining F16G 11/00) [1, 2006.01]</li> <li>by tools adapted also for making connections [1, 2006.01]</li> </ul>
1/04 1/06 <b>3/00</b> 3/02	<ul> <li>Undulating [1, 2006.01]</li> <li>Bending wire-eyes [1, 2006.01]</li> <li>Coiling wire into particular forms [1, 2006.01]</li> <li>helically [1, 2006.01]</li> </ul>	11/00	<b>Cutting wire</b> (hand-held metal-shearing or metal-cutting devices B23D 29/00; hand cutting tools with two jaws which come into abutting contact B26B 17/00) <b>[1, 2006.01]</b>
3/027	• • with extended ends formed in a special shape, e.g. for clothes-pegs <b>[1, 2006.01]</b>	13/00	Splitting wire [1, 2006.01]
3/04 3/06 3/08 3/10 3/12	<ul> <li>externally on a mandrel or the like [1, 2006.01]</li> <li>internally on a hollow form [1, 2006.01]</li> <li>to flat spiral [1, 2006.01]</li> <li>to spirals other than flat, e.g. conical [1, 2006.01]</li> <li>of interconnected helical springs [1, 2006.01]</li> </ul>	<b>15/00</b> 15/02	Connecting wire to wire or other metallic material or objects; Connecting parts by means of wire (tools for both straining and connecting B21F 9/00; jacketing or reinforcing B21F 17/00; manufacture of wire network B21F 27/00; in making bands B21F 43/00) [1, 2006.01] • wire with wire [1, 2006.01]
5/00	<b>Upsetting wire</b> (in the manufacture of nails or pins B21G 3/12) <b>[1, 2006.01]</b>	15/04	<ul> <li>without additional connecting elements or material, e.g. by twisting [1, 2006.01]</li> </ul>
7/00	<b>Twisting wire; Twisting wire together</b> (for connections of limited size B21F 15/04) <b>[1, 2006.01]</b>	15/06	• • with additional connecting elements or material [1, 2006.01]

15/08	<ul> <li>making use of soldering or</li> </ul>	33/02	<ul> <li>Mounting of wire network on frames [1, 2006.01]</li> </ul>
	welding <b>[1, 2006.01]</b>	33/04	<ul> <li>Connecting ends of helical springs for</li> </ul>
15/10	<ul> <li>wire with sheet metal [1, 2006.01]</li> </ul>		mattresses [1, 2006.01]
17/00	Jacketing or reinforcing articles with wire (by	35/00	Making springs from wire (by coiling wire B21F 3/00
	winding B65H 54/00, B65H 81/00; by braiding		making resilient rings B21F 37/02) <b>[1, 2006.01]</b>
	D04C) [1, 2006.01]	35/02	<ul> <li>Bending or deforming ends of coil springs to special shape [1, 2006.01]</li> </ul>
19/00	Metallic coating of wire (by extruding B21C 23/24; by	35/04	<ul> <li>Making flat springs, e.g. sinus springs [1, 2006.01]</li> </ul>
	soldering or welding, e.g. cladding or plating, B23K; by	33/04	Making flat springs, e.g. sinus springs [1, 2000.01]
	other non-mechanical means C23; electroplating	37/00	Manufacture of rings from wire (in chain making
	C25D) [1, 2006.01]		B21L; producing bead-rings or bead-cores for tyres
23/00	Feeding wire in wire-working machines or apparatus	27/02	B29D 30/48) [1, 2006.01]
	(applicable also to feeding rods or strips	37/02	• or resilient rings, e.g. key-rings [1, 2006.01]
	B21D 43/00) <b>[1, 2006.01]</b>	37/04	• of washers (B21F 37/02 takes precedence) [1, 2006.01]
Wire wo	rking characterised by the particular articles produced	39/00	Making wheel spokes from wire [1, 2006.01]
25/00	Making barbed wire [1, 2006.01]	41/00	Making umbrella frames or members from
25/00	-		wire [1, 2006.01]
27/00	Making wire network, i.e. wire nets (meshed-ring	43/00	Making bands, e.g. bracelets, or wire (making chains
	network B21F 31/00; in making bands B21F 43/00; using looms D03D) <b>[1, 2006.01]</b>		B21L; using looms D03D) [1, 2006.01]
27/02	<ul> <li>without additional connecting elements or material at</li> </ul>	45 /00	Note that the second of the se
27702	crossings, e.g. connected by knitting [1, 2006.01]	45/00	Wire-working in the manufacture of other particular articles (of pins, needles, nails, hairpins B21G; of
27/04	<ul> <li>Manufacturing on machines with rotating blades</li> </ul>		chains B21L) [1, 2006.01]
	or formers [1, 2006.01]	45/02	• of clothes hangers [1, 2006.01]
27/06	Manufacturing on twister-gear  Analysis of 11, 2006 041	45/04	<ul> <li>of elements, e.g. levers or links, for bottle</li> </ul>
27/08	machines [1, 2006.01]  • with additional connecting elements or material at		stoppers [1, 2006.01]
27700	crossings [1, 2006.01]	45/06	of flexible shafts or hollow conduits, e.g. for Bowder     machanisms [1, 2006 01]
27/10	• • with soldered or welded crossings [1, 2006.01]	45/08	mechanisms [1, 2006.01]  of loom heddles [1, 2006.01]
27/12	Making special types or portions of network by	45/10	<ul> <li>of room fieldies [1, 2006.01]</li> <li>of cards for fabric-napping machines [1, 2006.01]</li> </ul>
	methods or means specially adapted	45/12	<ul> <li>of fishing hooks [1, 2006.01]</li> </ul>
	therefor <b>[1, 2006.01]</b>	45/14	<ul> <li>of end-pieces for laces or ropes [1, 2006.01]</li> </ul>
27/14	• • Specially bending or deforming free wire	45/16	<ul> <li>of devices for fastening or securing</li> </ul>
27/16	ends [1, 2006.01]  • for spring mattresses [1, 2006.01]		purposes [1, 2006.01]
27/18	<ul> <li>of meshed work for filters or sieves [1, 2006.01]</li> </ul>	45/18	• • of slide fastener elements [1, 2006.01]
27/10	<ul> <li>of plaster-carrying network [1, 2006.01]</li> </ul>	45/20	<ul> <li>of spring hooks; of spring safety</li> </ul>
27/22	of network for wire-reinforced glass or the	45 (00	hooks [1, 2006.01]
	like <b>[1, 2006.01]</b>	45/22	• • of paper fasteners or clips (staples B21F 45/24) [1, 2006.01]
20 /00	Mod the forest and delicenses to be also and of the	45/24	<ul> <li>of staples; of belt-fastening elements [1, 2006.01]</li> </ul>
29/00	Making fencing or like material made partly of wire (B21F 25/00, B21F 27/00 take	45/26	• • of buttons [1, 2006.01]
	precedence) [1, 2, 2006.01]	45/28	of "patent-fastener" or press-button
29/02	comprising bars or the like connected by		type [1, 2006.01]
	wires [1, 2006.01]		
31/00	Making meshed-ring network from wire [1, 2006.01]		
33/00	Tools and arrives specially designed for handling	99/00	Subject matter not provided for in other groups of this subclass [2009.01]
33/00	Tools or devices specially designed for handling or processing wire fabrics or the like [1, 2006.01]		this subclass [2009.01]
B21G	MAKING NEEDLES, PINS OR NAILS OF METAL		
1/00	Making needles used for performing operations	1/04	of needles specially adapted for use in machines of
	(forming heads on pin-like needles B21G 3/12; making		tools [1, 2006.01]
	U-shaped hairpins B21G 7/04) [1, 2006.01]	1/06	• of needles with hook or barb, e.g. crochet
	Note(s)	1/08	<ul><li>hooks [1, 2006.01]</li><li>of hollow needles or needles with hollow end, e.g.</li></ul>
	Group B21G 1/12 takes precedence over groups	1/00	hypodermic needles, larding-needles (B21G 1/10
4 /00	B21G 1/02-B21G 1/10.		takes precedence) [1, 2006.01]
1/02	<ul> <li>of needles with eyes, e.g. sewing-needles, sewing- awls [1, 2006.01]</li> </ul>		

1/10	<ul> <li>equipped with locking means for the material to be drawn through, e.g. for repairing tubeless</li> </ul>	3/20 • • from wire of indefinite length (by rolling B21G 3/30) <b>[1, 2006.01]</b>
	tyres [1, 2006.01]	3/22 • • • in pairs arranged head to head <b>[1, 2006.01]</b>
1/12	<ul> <li>Securing, cleaning-off burrs, reconditioning, polishing, grinding [1, 2006.01]</li> </ul>	3/24 • • • by simultaneously forming the head of one nail and the adjacent point of another <b>[1, 2006.01]</b>
3/00	<b>Making pins, nails, or the like</b> (of pins with individual caps B21G 5/00; of U-like shape B21G 7/00; of splitpins B21G 7/08) <b>[1, 2, 2006.01]</b>	3/26 • • by cutting from strip or sheet material <b>[1, 2006.01]</b> 3/28 • • by forging or pressing <b>[1, 2006.01]</b> 3/30 • • by rolling <b>[1, 2006.01]</b>
3/02	<ul> <li>of pins of the kind used in the tailoring trade or the household [1, 2006.01]</li> </ul>	<ul> <li>Feeding material to be worked to nail or pin making machines [1, 2006.01]</li> </ul>
3/04	<ul> <li>with locking or shielding device for the pin point,</li> <li>e.g. safety-pins [1, 2006.01]</li> </ul>	5/00 Making pins or nails with attached caps or with coated heads [1, 2006.01]
3/06	<ul> <li>of nails with shoulders [1, 2006.01]</li> </ul>	5/02 • of drawing-pins or pins of drawing-pin
3/08	<ul> <li>of nails with head and two or more shanks or split shanks [1, 2006.01]</li> </ul>	type [1, 2006.01]
3/10	<ul> <li>of undulated nails or pins [1, 2006.01]</li> </ul>	7/00 Making pins of U-like shape or split-pins (of paper
3/12	<ul> <li>Upsetting; Forming heads [1, 2006.01]</li> </ul>	fasteners or staples B21D 53/46,
3/14	<ul> <li>Reducing diameter of parts otherwise than by</li> </ul>	B21F 45/16) <b>[1, 2006.01]</b>
	rolling <b>[1, 2006.01]</b>	7/02 • of U-like shape <b>[1, 2006.01]</b>
3/16	<ul> <li>Pointing, with or without cutting [1, 2006.01]</li> </ul>	7/04 • • of hairpins <b>[1, 2006.01]</b>
3/18	<ul> <li>by operations not restricted to one of the groups</li> </ul>	7/06 • • • of undulated hairpins <b>[1, 2006.01]</b>
	B21G 3/12-B21G 3/16 (B21G 3/06-B21G 3/10 take precedence) [1, 2006.01]	7/08 • of split-pins, e.g. cotter-pins <b>[1, 2006.01]</b>

## B21H MAKING PARTICULAR METAL OBJECTS BY ROLLING, e.g. SCREWS, WHEELS, RINGS, BARRELS, BALLS (essentially from sheet metal B21D)

### Note(s)

3/12

This subclass <u>covers</u> only rolling operations which are specially adapted for use in the manufacture of particular objects and which are not essentially combined with any different metal-working operation unless the latter is a subsidiary operation performed in the same machine.

1/00	Making articles shaped as bodies of revolution	5/00	Making gear wheels [1, 2006.01]
	(rolling tubes B21B 17/00-B21B 25/00) [1, 2006.01]	5/02	<ul> <li>with cylindrical outline [1, 2006.01]</li> </ul>
1/02	<ul> <li>discs; disc wheels [1, 2006.01]</li> </ul>	5/04	<ul> <li>bevel gears [1, 2006.01]</li> </ul>
1/04	<ul> <li>with rim, e.g. railway wheels [1, 2006.01]</li> </ul>		
1/06	<ul> <li>rings of restricted axial length (extending closed</li> </ul>	7/00	Making articles not provided for in groups
	shapes of metal bands by simultaneous rolling at two		B21H 1/00-B21H 5/00, e.g. agricultural tools, dinner
	or more zones B21B 5/00) [1, 2006.01]		forks, knives, spoons (nails, pins
1/08	<ul> <li>railway wheel rims [1, 2006.01]</li> </ul>	E/00	B21G 3/30) [1, 2006.01]
1/10	<ul> <li>rims for pneumatic tyres [1, 2006.01]</li> </ul>	7/02	• spades; shovels [1, 2006.01]
1/12	<ul> <li>rings for ball or roller bearings [1, 2006.01]</li> </ul>	7/04	• hoes [1, 2006.01]
1/14	• balls, rollers, cone rollers, or like bodies [1, 2006.01]	7/06	<ul> <li>ploughshares; axes [1, 2006.01]</li> </ul>
1/16	• • for bearings [1, 2006.01]	7/08	<ul> <li>forks; rakes [1, 2006.01]</li> </ul>
1/18	• cylinders, e.g. rolled transversely [1, 2006.01]	7/10	<ul> <li>knives; sickles; scythes [1, 2006.01]</li> </ul>
1/20	• rolled longitudinally [1, 2006.01]	7/12	<ul> <li>horse-shoes; articles of like shape, e.g. wear-resisting</li> </ul>
1/22	characterised by use of rolls having circumferentially		attachments for shoes [1, 2006.01]
1722	varying profile [2, 2006.01]	7/14	<ul> <li>knurled articles [1, 2006.01]</li> </ul>
		7/16	<ul> <li>turbine blades; compressor blades; propeller</li> </ul>
3/00	Making helical bodies or bodies having parts of		blades [1, 2006.01]
	<b>helical shape</b> (helical gears B21H 5/00; bending strip or	7/18	<ul> <li>grooved pins; Rolling grooves, e.g. oil grooves, in</li> </ul>
	the like helically B21D 11/06; forming tubes or tube		articles [1, 2006.01]
	walls into helical shape B21D 15/04) <b>[1, 2006.01]</b>	0./00	
3/02	<ul> <li>external screw-threads [1, 2006.01]</li> </ul>	8/00	Rolling metal of indefinite length in repetitive shapes
3/04	<ul> <li>Making by means of profiled rolls [1, 2006.01]</li> </ul>		specially designed for the manufacture of particular objects [1, 2006.01]
3/06	<ul> <li>Making by means of profiled members other than</li> </ul>	8/02	• Rolls of special shape [1, 2006.01]
	rolls, e.g. jaws, moved longitudinally or	0/02	Kons of special shape [1, 2000.01]
	curvilinearly with respect to each	9/00	Feeding arrangements for rolling machines or
5 / 6 6	other [1, 2006.01]	•	apparatus manufacturing articles dealt with in this
3/08	• internal screw-threads [1, 2006.01]		subclass [1, 2006.01]
3/10	<ul> <li>twist-drills; screw-taps [1, 2006.01]</li> </ul>	9/02	<ul> <li>for screw-rolling machines [1, 2006.01]</li> </ul>
2/12	• articles with helicoidal surface [1, 2006,01]		5

• articles with helicoidal surface [1, 2006.01]

**B21J FORGING; HAMMERING; PRESSING METAL; RIVETING; FORGE FURNACES** (rolling of metal B21B; making particular products by forging or pressing B21K; cladding or plating B23K; finishing surfaces by hammering B23P 9/04; compacting surfaces by blasting with particulate material B24C 1/10; general features of presses, presses for consolidating scrap B30B; furnaces in general F27)

#### **Subclass index**

PREPARING METAL STOCK	1/00
FORGING; HAMMERING; PRESSING	
General methods, equipment therefor	5/00
Machines, presses, hammers	7/00-13/00
Lubrication	3/00
Furnaces	17/00
RIVETING	15/00
OTHER BLACKSMITHS' REQUISITES	19/00
-	

1/00	Preparing m	atal stock	Г1	2006	<b>011</b>
1/00	Preparing in	ietai Stock	H.	ZUUD.	UII

- Preliminary treatment of metal stock without particular shaping, e.g. salvaging segregated zones, forging or pressing in the rough (modifying the physical properties by deformation C21D 7/00, C22F 1/00) [1, 2006.01]
- 1/04 Shaping in the rough solely by forging or pressing [1, 2006.01]
- Heating or cooling methods or arrangements specially adapted for performing forging or pressing operations [1, 2006.01]
- 3/00 **Lubricating during forging or pressing** (lubricating in general F16N) [1, 2006.01]
- 5/00 Methods for forging, hammering, or pressing (for working sheet metal or metal tubes, rods, or profiles B21D; for working wire B21F); Special equipment or accessories therefor [1, 2006.01]
- Die forging; Trimming by making use of special dies [1, 2006.01]
- by directly applied fluid pressure or explosive action [1, 2006.01]
- for performing particular operations [1, 2006.01]
- 5/08 • Upsetting [1, 2006.01]
- 5/10 Piercing billets (in combination with extrusion B21C 23/00) [1, 2006.01]
- 5/12 Forming profiles on internal or external surfaces (making screw-thread by forging, pressing, or hammering B21K) [1, 2006.01]
- 7/00 Hammers; Forging machines with hammers or die jaws acting by impact (hand hammers B25D; electrical features section H) [1, 2006.01]
- 7/02 Special design or construction [1, 2006.01]
- 7/04 • Power hammers [1, 2006.01]
- 7/06 • Drop hammers [1, 2006.01]
- 7/08 • with rigidly-guided hammer [1, 2006.01]
- 7/10 with both drive and hammer connected to a fulcrumed lever, e.g. tail hammers [1, 2006.01]
- 7/12 • the lever being a spring, i.e. spring hammers [1, 2006.01]
- 7/14 Forging machines working with several hammers [1, 2006.01]
- 7/16 • in rotary arrangements **[1, 2006.01]**
- 7/18 Forging machines working with die jaws, e.g. pivoted, movable laterally of the forging or pressing direction, e.g. for swaging [1, 2006.01]

- 7/20 Drives for hammers; Transmission means therefor [1, 2006.01]
- 7/22 • for power hammers **[1, 2006.01]**
- 7/24 • operated by steam, air, or other gaseous pressure [1, 2006.01]
- 7/26 • operated by internal combustion **[1, 2006.01]**
- 7/28 • operated by hydraulic or liquid pressure [1, 2006.01]
- 7/30 • operated by electro-magnets [1, 2006.01]
- 7/32 • operated by rotary drive, e.g. electric motor **[1, 2006.01]**
- 7/34 • operating both the hammer and the anvil, so-called counter-tup [1, 2006.01]
- 7/36 • for drop hammers **[1, 2006.01]**
- 7/38 • driven by steam, air, or other gaseous pressure [1, 2006.01]
- 7/40 • driven by hydraulic or liquid pressure [1, 2006.01]
- 7/42 • operated by rotary drive, e.g. electric motors **[1, 2006.01]**
- 7/44 • equipped with belts, ropes, cables, chains **[1, 2006.01]**
- 7/46 Control devices specially adapted to forging hammers, not restricted to one of the preceding subgroups [1, 2006.01]

#### 9/00 Forging presses [1, 2006.01]

- 9/02 Special design or construction [1, 2006.01]
- 9/04 Piercing presses **[1, 2006.01]**
- 9/06 • Swawing presses; Upsetting presses [1, 2006.01]
- 9/08 • equipped with devices for heating the workpiece (electric heating elements H05B) [1, 2006.01]
- 9/10 Drives for forging presses **[1, 2006.01]**
- 9/12 • operated by hydraulic or liquid pressure [1, 2006.01]
- 9/14 • in conjunction with electric power [1, 2006.01]
- 9/16 • in conjunction with steam or gas power **[1, 2006.01]**
- 9/18 operated by making use of gearing mechanisms, e.g. levers, spindles, crankshafts, eccentrics, toggle-levers, rack bars [1, 2006.01]
- 9/20 Control devices specially adapted to forging presses not restricted to one of the preceding subgroups [1, 2006.01]

11/00	Forging hammers combined with forging presses; Forging machines with provision for hammering and	15/26	• • • operated by rotary drive, e.g. by electric motor [1, 2006.01]
	pressing [1, 2006.01]	15/28	<ul> <li>Control devices specially adapted to riveting</li> </ul>
13/00	Details of machines for forging, pressing, or hammering [1, 2006.01]		machines not restricted to one of the preceding subgroups <b>[1, 2006.01]</b>
13/02	<ul> <li>Dies or mountings therefor [1, 2, 2006.01]</li> </ul>	15/30	Particular elements, e.g. supports; Suspension
13/03	<ul> <li>Die mountings [2, 2006.01]</li> </ul>		equipment specially adapted for portable riveters [1, 2006.01]
13/04	• Frames; Guides [1, 2006.01]	15/32	<ul> <li>Devices for inserting or holding rivets in</li> </ul>
13/06	• Hammer tups; Anvils; Anvil blocks [1, 2006.01]		position with or without feeding
13/08	<ul> <li>Accessories for handling work or tools [1, 2006.01]</li> </ul>		arrangements [1, 2006.01]
13/10	• • Manipulators (in general B25J) [1, 2006.01]	15/34	• • • for installing tubular rivets [1, 2006.01]
13/12	• • • Turning means [1, 2006.01]	15/36	• Rivet sets, i.e. tools for forming heads; Mandrels
13/14	• • Ejecting devices [1, 2006.01]	15/38	for expanding parts of hollow rivets <b>[1, 2006.01]</b> • Accessories for use in connection with riveting, e.g.
15/00	Riveting [1, 2006.01]	13/30	pliers for upsetting; Hand tools for
15/02	• Riveting procedures [1, 2006.01]		riveting [1, 2006.01]
15/04	<ul> <li>Riveting hollow rivets mechanically [1, 2006.01]</li> </ul>	15/40	<ul> <li>for forming rivet heads [1, 2006.01]</li> </ul>
15/06	<ul> <li>Riveting hollow rivets by means of hydraulic, liquid, or gas pressure [1, 2006.01]</li> </ul>	15/42	Special clamping devices for workpieces to be riveted together, e.g. operating through the rivet
15/08	Riveting by applying heat to the end parts of the	15/44	holes [1, 2006.01]  • Rivet hole positioners [1, 2006.01]
15/10	rivets to enable heads to be formed [1, 2006.01]	15/44	<ul> <li>Positioners for rivets for making tube</li> </ul>
15/10	<ul> <li>Riveting machines (electric heating elements H05B) [1, 2006.01]</li> </ul>	13/40	joints [1, 2006.01]
15/12	<ul> <li>with tools or tool parts having a movement</li> </ul>	15/48	<ul> <li>Devices for caulking rivets [1, 2006.01]</li> </ul>
	additional to the feed movement, e.g. spin [1, 2006.01]	15/50	<ul> <li>Removing or cutting devices for rivets [1, 2006.01]</li> </ul>
15/14	<ul> <li>specially adapted for riveting specific articles, e.g. brake lining machines [1, 2006.01]</li> </ul>	17/00	<b>Forge furnaces</b> (furnaces for heat treatment C21D 9/00; furnaces in general F27) [1, 2006.01]
15/16	<ul> <li>Drives for riveting machines; Transmission means therefor [1, 2006.01]</li> </ul>	17/02	<ul> <li>electrically heated (electric heating elements</li> </ul>
15/18	• • • operated by air pressure or other gas pressure, e.g. explosion pressure [1, 2006.01]		H05B) <b>[1, 2006.01]</b>
15/20	• • operated by hydraulic or liquid	19/00	Blacksmiths' requisites not otherwise provided for [1, 2006.01]
15/22	<ul><li>pressure [1, 2006.01]</li><li>operated by both hydraulic or liquid pressure</li></ul>	19/02	<ul> <li>Hearths; Air supply arrangements specially adapted therefor [1, 2006.01]</li> </ul>
15/24	and gas pressure [1, 2006.01]  • • • operated by electro-magnets [1, 2006.01]	19/04	• Anvils; Associated items [1, 2006.01]

MAKING FORGED OR PRESSED METAL PRODUCTS, e.g. HORSE-SHOES, RIVETS, BOLTS OR WHEELS (making particular articles by working sheet metal without essentially removing material B21D; processing wire B21F; making pins, needles or nails B21G; making particular articles by rolling B21H; forging machines, pressing machines, hammering machines, in general B21J; making chains B21L; plating B23K)

#### Note(s)

This subclass <u>covers</u> only forging, pressing, or hammering operations which are specially adapted for use in the manufacture of particular objects and which are not essentially combined with any different metal-working operation unless the latter is a subsidiary operation performed in the same machine.

#### **Subclass index**

MAKING MACHINE ELEMENTS OR TOOLS	
MAKING RAILS	7/00, 9/00
MAKING LOCKSMITHS' OR BLACKSMITHS' GOODS	13/00, 15/00
MAKING OTHER ARTICLES	7/00, 11/00, 17/00, 21/00, 23/00
UNITING OF COMPONENTS	25/00
ACCESSORIES, AUXILIARY DEVICES	

#### 5/00 Making tools or tool parts, e.g. pliers [1, 2006.01] Making particular articles by forging, pressing, or hammering; **Equipment therefor** 5/02 drilling-tools or other tools for making or working on holes [1, 2006.01] 1/00 Making machine elements [1, 2006.01] twisting-tools, e.g. drills, reamers [1, 2006.01] 5/04 1/02 • balls, rolls, or rollers, e.g. for bearings [1, 2006.01] 5/06 Dressing, e.g. sharpening rock drills [1, 2006.01] 1/04 • ball-races [1, 2006.01] 5/08 drifting tools [1, 2006.01] 1/05 cages for bearings [2, 2006.01] 5/10 Forming drill-bit shanks [1, 2006.01] axles or shafts [1, 2006.01] 1/06 5/12 other cutting tools (cutlery wares • crankshafts [1, 2006.01] 1/08 B21K 11/00) [1, 2006.01] 1/10 of cylindrical form [1, 2006.01] 5/14 hand hammers [1, 2006.01] 1/12 • of specially-shaped cross-section [1, 2006.01] 5/16 • tools for turning nuts [1, 2006.01] 1/14 • fittings [1, 2006.01] 5/18 handles or parts therefor [1, 2006.01] 1/16 • • parts of pipe or hose couplings [1, 2006.01] 5/20 Making working faces of dies, either recessed or pistons or plungers [1, 2006.01] 1/18 outstanding [1, 2006.01] • valve parts [1, 2006.01] 1/20 7/00 Making railway appurtenances; Making vehicle • • poppet valves, e.g. for internal-combustion 1/22 parts [1, 2006.01] engines [1, 2006.01] 7/02 parts for permanent way (spikes 1/24 • valve bodies; valve seats [1, 2006.01] B21K 1/72) [1, 2006.01] · housings or supporting parts, e.g. axle housings, 1/26 7/04 switch tongues **[1, 2006.01]** engine mountings **[1, 2006.01]** 7/06 sleepers [1, 2006.01] 1/28 • wheels; discs [1, 2006.01] 7/08 base plates for rails, e.g. chairs [1, 2006.01] 1/30 • • with gear-teeth [1, 2006.01] 7/10 rail joints [1, 2006.01] 1/32 discs, e.g. disc wheels [1, 2006.01] 7/12 parts for locomotives or vehicles, e.g. frames, 1/34 • • wheels with spokes [1, 2006.01] underframes [1, 2006.01] 1/36 • • with blades [1, 2006.01] 7/14 brake rigging or brake parts [1, 2, 2006.01] 1/38 • • rims; tyres [1, 2006.01] 1/40 • • hubs [1, 2006.01] 9/00 Reconditioning railroad accessories, e.g. 1/42 • • pulleys, e.g. cable pulleys [1, 2006.01] rails [1, 2006.01] • bolts, studs, or the like (making screw-thread 1/44 B21K 1/56; making U-bolts B21K 1/74) [1, 2006.01] 11/00 Making cutlery wares; Making garden tools or the like [1, 2006.01] 1/46 • • with heads [1, 2006.01] 11/02 · knives [1, 2006.01] 1/48 Machines working with hammers, e.g. beating in a radial direction, for forming 11/04 • spoons; table forks [1, 2006.01] heads [1, 2006.01] 11/06 • scissors [1, 2006.01] Trimming or shearing formed heads, e.g. 1/50 11/08 • sickles; scythes [1, 2006.01] working with dies [1, 2006.01] 11/10 axes; picks [1, 2006.01] 1/52 · · double-ended, e.g. with heads on both ends 11/12 spades; shovels [1, 2006.01] (forming heads B21K 1/46) [1, 2006.01] 11/14 rakes; garden forks [1, 2006.01] 1/54 • • with grooves or notches [1, 2006.01] • screw-threaded elements [1, 2, 2006.01] 1/56 13/00 Making locksmiths' goods, e.g. handles for cases [1, 2006.01] 1/58 • rivets [1, 2006.01] 13/02 • hinges [1, 2006.01] 1/60 • • hollow or semi-hollow rivets [1, 2006.01] special rivets, e.g. with electrical 1/62 15/00 Making blacksmiths' goods [1, 2006.01] contacts [1, 2006.01] 15/02 horse-shoes: accessories therefor [1, 2006.01] • nuts (making screw-thread B21K 1/56) [1, 2006.01] 1/64 15/04 • caulks [1, 2006.01] • • from strip bars [1, 2006.01] 1/66 • metal attachments for footwear, e.g. wear-resisting 15/06 1/68 • • from round or profiled bars [1, 2006.01] plates [1, 2006.01] · · of special shape, e.g. self-locking nuts, wing 1/70 nuts [1, 2006.01] 17/00 Making sport articles, e.g. skates [1, 2006.01] 1/72 · hooks, e.g. crane hooks, railway track spikes (making nails in general B21G) [1, 2006.01] 19/00 Making articles for agricultural 1/74 forked members or members with two or more limbs, machinery [1, 2006.01] e.g. U-bolts, anchors [1, 2006.01] 19/02 plough blades; ploughshares [1, 2006.01] 1/76 elements not mentioned in one of the preceding

IPC (2017.01), Section B 17

21/00

21/02

Making hollow articles not covered by any single one of groups B21K 1/00-B21K 19/00 (essentially from

semi-finished articles for making hollow articles, e.g.

sheet-metal or uniform thin-walled tubes B21D, e.g.

• Producing blanks in the shape of discs or cups as

to be deep-drawn or extruded [1, 2006.01]

B21D 41/00, B21D 51/00) [1, 2006.01]

groups [1, 2006.01]

roots [1, 2006.01]

cylinder heads [1, 2006.01]

3/00

3/02

3/04

Making engine or like machine parts not covered by

blades, e.g. for turbines; Upsetting of blade

B21K 1/00; Making propellers or the like [1, 2006.01]

21/04	Shaping thin-walled hollow articles, e.g. cartridges [1, 2006.01]     Shaping thick walled hollow articles a g	25/00	Uniting components to form integral members, e.g. turbine wheels and shafts, caulks with inserts, with or without shaping of the components (uniting by
21/06	Shaping thick-walled hollow articles, e.g. projectiles [1, 2006.01]  Classical Market State of the control		interference- or press-fitting B23P 11/02, B23P 19/02) [1, 2006.01]
21/08	<ul> <li>Shaping hollow articles with different cross-section in longitudinal direction, e.g. nozzles, spark- plugs [1, 2006.01]</li> </ul>		D231 13/02) [1, 2000.01]
21/10	• • cone-shaped or bell-shaped articles, e.g. insulator	Accessor	ies; Auxiliary devices
21/12	caps <b>[1, 2006.01]</b> • Shaping end portions of hollow articles <b>[1, 2006.01]</b>	27/00	Handling devices, e.g. for feeding, aligning, discharging; Cutting-off means; Arrangement
21/14	<ul> <li>closed or substantially-closed ends, e.g. cartridge bottoms [1, 2006.01]</li> </ul>		thereof [1, 2006.01]
21/16	Remodelling hollow bodies with respect to the shape	27/02 27/04	<ul> <li>Feeding devices for rods, wire, or strips [1, 2006.01]</li> <li>allowing successive working steps [1, 2006.01]</li> </ul>
	of the cross-section (remodelling end portions only B21K 21/12) <b>[1, 2006.01]</b>	27/04	• Cutting-off means; Arrangement thereof [1, 2006.01]
22/00	·	29/00	Arrangements for heating or cooling during
<b>23/00</b> 23/02	<ul><li>Making other articles [1, 2006.01]</li><li>members of endless tracks, e.g. track guides, shoes</li></ul>		processing (for preparing metal stock to be forged or
	(making from sheet-metal B21D) [1, 2006.01]		pressed B21J 1/06; heating equipment in general, <u>see</u> the appropriate subclasses, e.g. H05B) <b>[1, 2006.01]</b>
23/04	• flanged articles (B21K 1/28 takes precedence; flanging tubes B21D) [1, 2006.01]	31/00	Control devices specially adapted for positioning tool
			carriers [1, 2006.01]
B21L	MAKING METAL CHAINS (making chains or chain links	by casting B	22D 25/02; chains in general F16G)
Subclass			
	AL METHODS OF WORKING as made from individual links		1/00 3/00 7/00 9/00
Chain	s with integral links		5/00
METHOI	OS FOR MAKING SPECIAL CHAINS OR PARTS THEREO	3	11/00, 13/00
	OR MANUFACTURE OR REPAIR NG		
1 11 1101111	10		
OTHER I	MANUFACTURE		
OTHER I	MANUFACTURE		
OTHER I	MANUFACTURE		
1/00	Making chains or chain links by bending workpieces	9/00	Making chains or chain links, the links being
	Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other		Making chains or chain links, the links being composed of two or more different parts, e.g. drive
	Making chains or chain links by bending workpieces		Making chains or chain links, the links being
	Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]  • by bending the ends of the workpieces to	<b>9/00</b> 9/02	Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]  • of roller-chain or other plate-link type [1, 2006.01]
<b>1/00</b> 1/02	Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]  • by bending the ends of the workpieces to abut [1, 2006.01]	9/00	Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]  • of roller-chain or other plate-link type [1, 2006.01]  • Punching or bending the different parts of the
1/00	Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]  • by bending the ends of the workpieces to abut [1, 2006.01]  • by bending and interconnecting the ends of the	<b>9/00</b> 9/02 9/04	Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]  • of roller-chain or other plate-link type [1, 2006.01]  • Punching or bending the different parts of the chain links [1, 2006.01]
<b>1/00</b> 1/02	Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]  • by bending the ends of the workpieces to abut [1, 2006.01]	<b>9/00</b> 9/02  9/04  9/06	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> </ul>
<b>1/00</b> 1/02	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain</li> </ul>	<b>9/00</b> 9/02 9/04	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts,</li> </ul>
1/00 1/02 1/04	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or</li> </ul>	9/00 9/02 9/04 9/06 9/08	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> </ul>
1/00 1/02 1/04	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain</li> </ul>	<b>9/00</b> 9/02  9/04  9/06	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special</li> </ul>
1/00 1/02 1/04	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain</li> </ul>	9/00 9/02 9/04 9/06 9/08	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> </ul>
1/00 1/02 1/04 3/00	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle</li> </ul>
1/00 1/02 1/04 3/00	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00 11/02	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> </ul>
1/00 1/02 1/04 3/00 3/02 3/04	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> <li>by making use of forge or pressure welding [1, 2006.01]</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00 11/02	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> <li>the ends being pierced or punched to form eyes [1, 2006.01]</li> </ul>
1/00 1/02 1/04 3/00	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> <li>by making use of forge or pressure welding [1, 2006.01]</li> <li>Making chains or chain links by working the starting material in such a way that integral, i.e. jointless,</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00 11/02	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> <li>the ends being pierced or punched to form</li> </ul>
1/00 1/02 1/04 3/00 3/02 3/04	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> <li>by making use of forge or pressure welding [1, 2006.01]</li> <li>Making chains or chain links by working the starting material in such a way that integral, i.e. jointless, chain links are formed [1, 2006.01]</li> <li>in such a way that interconnected links are</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00 11/02	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> <li>the ends being pierced or punched to form eyes [1, 2006.01]</li> <li>the workpiece being of thin strip metal [1, 2006.01]</li> <li>the ends being interengaged with other parts of the</li> </ul>
1/00 1/02 1/04 3/00 3/02 3/04 5/00	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> <li>by making use of forge or pressure welding [1, 2006.01]</li> <li>Making chains or chain links by working the starting material in such a way that integral, i.e. jointless, chain links are formed [1, 2006.01]</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00 11/02 11/04 11/06	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> <li>the ends being pierced or punched to form eyes [1, 2006.01]</li> <li>the workpiece being of thin strip metal [1, 2006.01]</li> </ul>
1/00 1/02 1/04 3/00 3/02 3/04 5/00	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> <li>by making use of forge or pressure welding [1, 2006.01]</li> <li>by making chains or chain links by working the starting material in such a way that integral, i.e. jointless, chain links are formed [1, 2006.01]</li> <li>in such a way that interconnected links are formed [1, 2006.01]</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00 11/02 11/04 11/06 11/08	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> <li>the ends being pierced or punched to form eyes [1, 2006.01]</li> <li>the workpiece being of thin strip metal [1, 2006.01]</li> <li>the ends being interengaged with other parts of the same link [1, 2006.01]</li> <li>the chain links having opposed correspondingly shaped cylindrical and hook-like parts of which one</li> </ul>
1/00 1/02 1/04 3/00 3/02 3/04 5/00	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> <li>by making use of forge or pressure welding [1, 2006.01]</li> <li>by making chains or chain links by working the starting material in such a way that integral, i.e. jointless, chain links are formed [1, 2006.01]</li> <li>in such a way that interconnected links are formed [1, 2006.01]</li> </ul> Making chains or chain links by cutting single loops or loop-parts from coils, assembling the cut parts	9/00 9/02 9/04 9/06 9/08 11/00 11/02 11/04 11/06 11/08	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> <li>the ends being pierced or punched to form eyes [1, 2006.01]</li> <li>the workpiece being of thin strip metal [1, 2006.01]</li> <li>the ends being interengaged with other parts of the same link [1, 2006.01]</li> <li>the chain links having opposed correspondingly shaped cylindrical and hook-like parts of which one part forms a hinge-like support for the adjacent link</li> </ul>
1/00 1/02 1/04 3/00 3/02 3/04 5/00	<ul> <li>Making chains or chain links by bending workpieces of rod, wire, or strip to form links of oval or other simple shape (B21L 3/00, B21L 7/00 take precedence) [1, 2006.01]</li> <li>by bending the ends of the workpieces to abut [1, 2006.01]</li> <li>by bending and interconnecting the ends of the workpieces with or without separate jointing members [1, 2006.01]</li> <li>Making chains or chain links by bending the chain links or link parts and subsequently welding or soldering the abutting ends (B21L 7/00 takes precedence) [1, 2006.01]</li> <li>Machines or devices for welding chain links [1, 2006.01]</li> <li>by making use of forge or pressure welding [1, 2006.01]</li> <li>by making chains or chain links by working the starting material in such a way that integral, i.e. jointless, chain links are formed [1, 2006.01]</li> <li>in such a way that interconnected links are formed [1, 2006.01]</li> </ul>	9/00 9/02 9/04 9/06 9/08 11/00 11/02 11/04 11/06 11/08	<ul> <li>Making chains or chain links, the links being composed of two or more different parts, e.g. drive chains (B21L 1/04, B21L 7/00, B21L 11/14, B21L 13/00 take precedence) [1, 2006.01]</li> <li>of roller-chain or other plate-link type [1, 2006.01]</li> <li>Punching or bending the different parts of the chain links [1, 2006.01]</li> <li>Sorting, feeding, assembling, riveting, or finishing parts of chains [1, 2006.01]</li> <li>Combining the chain links with auxiliary parts, e.g. welding-on wear-resistant parts [1, 2006.01]</li> <li>Making chains or chain links of special shape [1, 2006.01]</li> <li>each link being formed of a single member of which both ends are bent or shaped to engage the middle portion of the next link [1, 2006.01]</li> <li>the ends being pierced or punched to form eyes [1, 2006.01]</li> <li>the workpiece being of thin strip metal [1, 2006.01]</li> <li>the ends being interengaged with other parts of the same link [1, 2006.01]</li> <li>the chain links having opposed correspondingly shaped cylindrical and hook-like parts of which one</li> </ul>

11/14 · Making chain links with inserted or integrally-15/02 • Twisting already closed links [1, 2006.01] formed studs [1, 2006.01] 19/00 Appurtenances for chain-making not restricted to 13/00 Making terminal or intermediate chain links of any particular process [1, 2006.01] special shape; Making couplings for chains, e.g. 21/00 Tools or implements for repairing chains using swivels, shackles [1, 2006.01] metal-working operations, e.g. for detaching **15/00** Finishing or dressing chains or chain links, e.g. deformed chain links [1, 2006.01] removing burr material, calibrating (B21L 9/06 takes precedence) [1, 2006.01] 99/00 Subject matter not provided for in other groups of

this subclass [2009.01]