SECTION F — MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING

F17 STORING OR DISTRIBUTING GASES OR LIQUIDS

GAS-HOLDERS OF VARIABLE CAPACITY (self-acting gas cut-off devices A47J 27/62, G05D; flame traps A62C 4/00; gas mixers B01F, F16K 11/00, G05D 11/00; construction or assembling of bulk storage containers employing civil-engineering techniques E04H 7/00; gas compressors F04; valves F16K; damping pulsations in valves or pipes F16K, F16L; pipes F16L; stopping devices for gas mains F16L 55/10; vessels adapted for storing compressed, liquefied, or solidified gases F17C; gas distribution systems F17D 1/04; detecting leakage F17D 5/02, G01M; supervising or alarm devices F17D 5/02, G08B; control of combustion in burners F23N; gas flow or pressure regulators G05D)

1/00	Gas-holders of variable capacity (large containers in		
	general B65D 88/00; storing fluids in natural or artificial		
	cavities or chambers in the earth		
	B65G 5/00) [1, 2006.01]		
1/007	 with telescopically movable ring-shaped parts 		
	(E17B 1/10 takes precedence; scaling of rings		

- with telescopically movable ring-shaped parts (F17B 1/10 takes precedence; sealing of rings F17B 1/04) [2, 2006.01]
- 1/013 with movables discs (F17B 1/10 takes precedence; sealing of discs F17B 1/04) **[2, 2006.01]**
- 1/02 Details [1, 2006.01]
- 1/04 • Sealing devices for sliding parts (in general F16J 15/00) **[1, 2006.01]**
- 1/06 • using sealing liquids **[1, 2006.01]**
- 1/08 • using resilient materials for packing, e.g. leather [1, 2006.01]

- 1/10 • Guiding moving parts [1, 2006.01]
- 1/12 • Gas admission or discharge arrangements [1, 2006.01]
- 1/14 Safety devices, e.g. prevention of excess pressure [1, 2006.01]
- 1/16 of wet type **[1, 2006.01]**
- 1/18 • bell-shaped [1, 2006.01]
- 1/20 • telescopic **[1, 2006.01]**
- 1/22 • spirally-guided [1, 2006.01]
- 1/24 of dry type [1, 2006.01]
- with flexible walls, e.g. bellows (connection of valves to inflatable elastic bodies
 B60C 29/00) [1, 2006.01]

F17C VESSELS FOR CONTAINING OR STORING COMPRESSED, LIQUEFIED, OR SOLIDIFIED GASES; FIXED-CAPACITY GAS-HOLDERS; FILLING VESSELS WITH, OR DISCHARGING FROM VESSELS, COMPRESSED, LIQUEFIED, OR SOLIDIFIED GASES (storing fluids in natural or artificial cavities or chambers in the earth B65G 5/00; construction or assembling of bulk storage containers employing civil-engineering techniques E04H 7/00; variable-capacity gas-holders F17B; liquefaction or refrigeration machines, plants, or systems F25)

Subclass index

- 1/00 Pressure vessels, e.g. gas cylinder, gas tank, replaceable cartridge (pressurised apparatus for purposes other than storage, see the relevant subclasses such as A62C, B05B; associated with vehicles, see the appropriate subclass of classes B60-B64; pressure vessels in general F16J 12/00) [1, 2006.01]
- 1/02 involving reinforcing arrangements [1, 4, 2006.01]
- 1/04 • Protecting sheatings **[1, 2006.01]**
- 1/06 • built-up from wound-on bands or filamentary material, e.g. wires [1, 4, 2006.01]
- 1/08 • Integral reinforcements, e.g. ribs [1, 2006.01]
- with provision for protection against corrosion, e.g. due to gaseous acid (inhibiting corrosion of metallic material or incrustation in general C23F) [1, 4, 2006.01]

- 1/12 with provision for thermal insulation (thermal insulation in general F16L 59/00) **[1, 4, 2006.01]**
- 1/14 constructed of aluminium; constructed of nonmagnetic steel [1, 2006.01]
- 1/16 constructed of plastics materials [1, 2006.01]
- 3/00 Vessels not under pressure [1, 2006.01]
- with provision for thermal insulation (thermal insulation in general F16L 59/00) [1, 2006.01]
- 3/04 • by insulating layers (F17C 3/08 takes precedence) [1, 2006.01]
- 3/06 • on the inner surface, i.e. in contact with the stored fluid [1, 4, 2006.01]
- 3/08 • by vacuum spaces, e.g. Dewar flask (for household use A47J 41/02) **[1, 2006.01]**

IPC (2017.01), Section F

3/10	by liquid-circulating or vapour-circulating	7/02	• Discharging liquefied gases [1, 2006.01]
	jackets [1, 2006.01]	7/04	• • with change of state, e.g. vaporisation [3, 2006.01]
3/12	 with provision for protection against corrosion, e.g. due to gaseous acid (protection against corrosion in general C23F) [1, 2006.01] 	9/00	Methods or apparatus for discharging liquefied or solidified gases from vessels not under pressure [1, 2006.01]
5/00	Methods or apparatus for filling pressure vessels	9/02	 with change of state, e.g. vaporisation [1, 2006.01]
	with liquefied, solidified, or compressed gases (adding propellants to aerosol containers	9/04	• • Recovery of thermal energy [3, 2006.01]
	B65B 31/00) [1, 2006.01]	11/00	Use of gas-solvents or gas-sorbents in
	Note(s)		vessels [1, 2006.01]
	This group <u>covers</u> : • the filling of vessels for storage of	13/00	Details of vessels or of the filling or discharging of vessels [1, 2006.01]
	compressed or liquefied gases;the filling of pressurised apparatus insofar as it is not covered by a single other	13/02	 Special adaptations of indicating, measuring, or monitoring equipment (measuring in general G01) [1, 2006.01]
	subclass, e.g. A62C, B05B.	13/04	 Arrangement or mounting of valves (valves per se
5/02	• for filling with liquefied gases [1, 2006.01]		F16K) [1, 2006.01]
5/04	 requiring the use of refrigeration, e.g. filling with helium or hydrogen [1, 2006.01] 	13/06	 Closures, e.g. cap, breakable member (closures for containers in general B65D) [1, 2006.01]
5/06	 for filling with compressed gases [1, 2006.01] 	13/08	 Mounting arrangements for vessels [1, 2006.01]
	26.1	13/10	 Arrangements for preventing freezing [1, 2006.01]
6/00	Methods or apparatus for filling vessels not under pressure with liquefied or solidified gases [3, 2006.01]	13/12	 Arrangements or mounting of devices for preventing or minimising the effect of explosion (flame traps
7/00	Methods or apparatus for discharging liquefied, solidified, or compressed gases from pressure vessels,		A62C 4/00) [1, 2006.01]

PIPE-LINE SYSTEMS; PIPE-LINES (distributing water E03B; pumps or compressors F04; fluid dynamics F15D; valves or the like F16K; pipes, laying pipes, supports, joints, branches, repairing, work on the entire line, accessories F16L; steam traps or the like F16T; fluid-pressure electric cables H01B 9/06)

Note(s)

In this subclass, the following expression is used with the meaning indicated:

systems F24D 17/00) [1, 2, 2006.01]

of another fluid [1, 2, 2006.01]

· · Conveying liquids or viscous products by pressure

not covered by another subclass [1, 2006.01]

• "pipe-line systems" means systems described in flow sheets as well as arrangements of co-operating elements, the elements <u>per se</u> being covered by the relevant subclasses.

1/00 Pipe-line systems (conveying articles or materials through a pipe-line by means of a fluid carrier B65G 51/00, B65G 53/00; dispensing, delivering or transferring liquids B67D; apparatus or devices for transferring liquids from bulk storage containers or reservoirs into vehicles or into portable containers, e.g. for retail sale purposes, B67D 7/00; conveying material which has been excavated by a dredger or soil shifter through a pipe-line E02F 7/10; sewer pipe-line systems E03F 3/00; thermal insulation of pipe-lines F16L 59/00; central heating systems F24D) [1, 2, 2006.01] 1/02 • for gases or vapours [1, 2006.01] 1/05 • Preventing freezing (by heating F16L 53/00) [1, 2006.01] 1/06 • for steam [1, 2006.01]	 1/13 • Conveying liquids or viscous products by gravity [2, 2006.01] 1/14 • Conveying liquids or viscous products by pumping [1, 2, 2006.01] 1/16 • Facilitating the conveyance of liquids or effecting the conveyance of viscous products by modification of their viscosity [1, 2, 2006.01] 1/17 • • by mixing with another liquid [2, 2006.01] 1/18 • • by heating [1, 2, 2006.01] 1/20 • Arrangements or systems of devices for influencing or altering dynamic characteristics of the systems, e.g. for damping pulsations caused by opening or closing of valves (fluid dynamics F15D; damping pulsations in fluids in pipes in general F16L 55/04) [2, 2006.01]
1/065 • • Arrangements for producing propulsion of gases or vapours [2, 2006.01]	3/00 Arrangements for supervising or controlling working operations [1, 2006.01]
1/07 • • • by compression [2, 2006.01] 1/075 • • • by mere expansion from an initial pressure	• for controlling, signalling, or supervising the conveyance of a product [2, 2006.01]
level, e.g. by arrangement of a flow-control valve [2, 2006.01] 1/08 • for liquids or viscous products (water-main or service	 for controlling, signalling, or supervising the conveyance of several different products following one another in the same conduit, e.g. for switching
pipe systems E03B 7/04; domestic hot-water supply	from one receiving tank to another [2, 2006.01]

3/05

the different products not being separated

B01D 3/00) [2, 2006.01]

(separation of contaminants by distillation

1/12

- the different products being separated by "godevils", e.g. spheres (cleaning devices moved along the inside of pipe-lines by a fluid B08B 9/053) [2, 2006.01]
- for taking out the product in the line (investigating or analysing materials by determinating their chemical or physical properties G01N) [2, 2006.01]
- for injecting a composition into the line [2, 2006.01]
- for eliminating water (separation of liquids B01D, e.g. B01D 17/00; separation of gases or vapours B01D 53/00) [2, 2006.01]
- for eliminating particles in suspension (from liquids by sedimentation B01D 21/00; separation by filtration or otherwise B01D 24/00-B01D 51/00; centrifugal apparatus B04) [2, 2006.01]

- for measuring the quantity of conveyed product (measuring volume or volume flow, in general G01F) [2, 2006.01]
- 5/00 Protection or supervision of installations
 (arrangements for protecting foundations E02D 31/00;
 protecting pipes from damage or internal or external
 wear F16L 57/00, against corrosion or scale
 F16L 58/00; investigation of the fluid-tightness of
 structures G01M 3/00) [2, 2006.01]
- 5/02 Preventing, monitoring, or locating loss [2, 2006.01]
- 5/04 by means of a signalling fluid enclosed in a double wall [2, 2006.01]
- 5/06 • using electric or acoustic means **[2, 2006.01]**
- Protection of installations or persons from the effects of high voltage induced in the pipe-line (emergency protective circuit arrangements H02H) [2, 2006.01]

IPC (2017.01), Section F 3