

SECTION B — PERFORMING OPERATIONS; TRANSPORTING

B01 PHYSICAL OR CHEMICAL PROCESSES OR APPARATUS IN GENERAL

B01B BOILING; BOILING APPARATUS

- 1/00 **Boiling; Boiling apparatus for physical or chemical purposes [1, 2, 2006.01]** 1/06 • Preventing bumping [1, 2006.01]
 1/02 • Preventing foaming [1, 2006.01] 1/08 • Boiling apparatus provided with reflux condenser [1, 2006.01]
 1/04 • • by chemical means [1, 2006.01]

B01D SEPARATION (separating solids from solids by wet methods B03B, B03D, by pneumatic jigs or tables B03B, by other dry methods B07; magnetic or electrostatic separation of solid materials from solid materials or fluids, separation by high-voltage electric fields B03C; centrifuges B04B; vortex apparatus B04C; presses per se for squeezing-out liquid from liquid-containing material B30B 9/02) [5]

Note(s) [5]

- This subclass covers :
 - evaporation, distillation, crystallisation, filtration, dust precipitation, gas cleaning, absorption, adsorption;
 - similar processes which are not concerned with, or limited to, separation, except in the case of absorption or adsorption.
- In this subclass, the terms or expressions are used with the meaning indicated:
 - "filtration" and analogous terms include straining solids from fluids. Filtration is a process that normally uses a filter medium;
 - "filter medium" is a porous material or porous arrangement of material used to filter solids from fluids;
 - "filtering element" is a section of filter medium in addition to parts to which the medium is demountably or permanently fixed, including other sections of medium, end caps, peripheral frames or edge strips, but excluding housings;
 - "filter housing" is the fluid-constraining impervious vessel, whether open or closed, which contains, or is adapted to contain, one or more filtering elements or filter media;
 - "filter chamber" is the space within a housing, where filtering elements or filter media are located. Partitions may divide a single housing into a plurality of chambers;
 - "filtering apparatus" consists of filtering elements combined with housings, cleaning arrangements, motor or the like parts, which are characteristic of the particular type of apparatus. Ancillary devices such as pumps or valves are considered part of a filtering apparatus when inside the apparatus. Ancillary devices performing similar or different unit operation such as comminutors, mixers or non-filtering separators, whether or not inside the apparatus, are not considered part of a filtering apparatus. The term does not extend to apparatus, e.g. washing machines, of which the filter forms only a part.
- For apparatus used in drying or evaporation, class F26 takes precedence over this subclass.
- Group B01D 59/00 takes precedence over the other groups of this subclass and over other subclasses in class B01.

Subclass index

EVAPORATION; DISTILLATION; SUBLIMATION.....	1/00, 3/00, 5/00, 7/00
COLD TRAPS, COLD BAFFLES.....	8/00
CRYSTALLISATION.....	9/00
SOLVENT EXTRACTION.....	11/00
TREATING LIQUIDS: DISPLACEMENT, ADSORPTION, SEPARATION, DEGASIFICATION, CHROMATOGRAPHY.....	12/00, 15/00, 17/00, 19/00
TREATING GASES OR VAPOURS: SEPARATION, RECOVERING, CHEMICAL OR BIOLOGICAL PURIFICATION OF WASTE GASES.....	53/00
SEPARATION OF SUSPENDED PARTICLES FROM LIQUIDS	
By sedimentation.....	21/00
By filtration	
processes.....	37/00
gravity filters; filters formed from filtering elements, pressure or suction filters.....	24/00, 25/00, 29/00
cartridge filters.....	27/00
filters with mobile filtering elements.....	33/00
filtering devices.....	35/00
filter circuits or combinations.....	36/00
By other processes.....	43/00

B01D

SEPARATION OF DISPERSED PARTICLES FROM GASES OR VAPOURS

Pretreatment of the gas or vapour.....	51/00
By gravity, inertia, centrifugal force; by filtration; by a combination of devices.....	45/00, 46/00, 50/00
By other methods.....	47/00, 49/00
FILTERING MATERIALS.....	39/00, 41/00
SEPARATION OF ISOTOPES.....	59/00
ABSORPTION, ADSORPTION, CHROMATOGRAPHY; OTHER SEPARATING METHODS.....	15/00, 15/08, 53/02, 53/14, 57/00
SEPARATION USING SEMI-PERMEABLE MEMBRANES; DIALYSIS, OSMOSIS, ULTRAFILTRATION.....	61/00-71/00

1/00	Evaporating (drying solid materials or objects by evaporating liquids therefrom F26B) [1, 2006.01]	3/32	• • Other features of fractionating columns [1, 2006.01]
1/02	• Evaporators with heating coils [1, 2006.01]	3/34	• with one or more auxiliary substances [1, 2006.01]
1/04	• Evaporators with horizontal tubes [1, 2006.01]	3/36	• • Azeotropic distillation [1, 2006.01]
1/06	• Evaporators with vertical tubes [1, 2006.01]	3/38	• • Steam distillation [1, 2006.01]
1/08	• • with short tubes (B01D 1/12 takes precedence) [1, 2006.01]	3/40	• • Extractive distillation [1, 2006.01]
1/10	• • with long tubes, e.g. Kestner evaporators (B01D 1/12 takes precedence) [1, 2006.01]	3/42	• Regulation; Control [1, 2006.01]
1/12	• • and forced circulation [1, 2006.01]	5/00	Condensation of vapours; Recovering volatile solvents by condensation (B01D 8/00 takes precedence; condensers F28B) [1, 3, 2006.01]
1/14	• with heated gases or vapours in contact with the liquid [1, 2006.01]	7/00	Sublimation (B01D 8/00 takes precedence; freeze-drying F26) [1, 2006.01]
1/16	• by spraying (B01D 1/22 takes precedence) [1, 2006.01]	7/02	• Crystallisation directly from the vapour phase (into single crystals C30B 23/00) [2, 2006.01]
1/18	• • to obtain dry solids (B01D 1/24 takes precedence) [1, 2006.01]	8/00	Cold traps; Cold baffles [3, 2006.01]
1/20	• • Sprayers [1, 2006.01]	9/00	Crystallisation (crystallisation directly from the vapour phase B01D 7/02; making single crystals C30B) [1, 2006.01]
1/22	• by bringing a thin layer of the liquid into contact with a heated surface [1, 2006.01]	9/02	• from solutions [1, 2006.01]
1/24	• • to obtain dry solids [1, 2006.01]	9/04	• • concentrating solutions by removing frozen solvent therefrom [1, 2006.01]
1/26	• Multiple-effect evaporating [1, 2006.01]	11/00	Solvent extraction [1, 2006.01]
1/28	• with vapour compression [1, 2006.01]	11/02	• of solids [1, 2006.01]
1/30	• Accessories for evaporators [1, 2006.01]	11/04	• of solutions which are liquid [1, 2006.01]
3/00	Distillation or related exchange processes in which liquids are contacted with gaseous media, e.g. stripping [1, 2, 2006.01]	12/00	Displacing liquid, e.g. from wet solids or from dispersions of liquids or from solids in liquids, by means of another liquid [1, 2006.01]
3/02	• in boilers or stills [1, 2, 2006.01]	15/00	Separating processes involving the treatment of liquids with solid sorbents; Apparatus therefor [1, 4, 2006.01]
3/04	• pipe stills [1, 2006.01]	15/02	• with moving adsorbents [1, 2006.01]
3/06	• Flash distillation [1, 2, 2006.01]	15/04	• with ion-exchange materials as adsorbents (B01D 15/36 takes precedence) [1, 2006.01]
3/08	• in rotating vessels; Atomisation on rotating discs (B01D 3/10 takes precedence) [1, 2006.01]	15/08	• Selective adsorption, e.g. chromatography [1, 2006.01]
3/10	• Vacuum distillation (B01D 3/12 takes precedence) [1, 2, 2006.01]	Note(s) [2006.01]	In order that group B01D 15/08 may provide a basis for a complete search with respect to chromatography in general, all subject matter of general interest is classified in this group even if it is classified primarily in the application-oriented groups, for example dairy products A23C 9/148, treatment of blood e.g. A61M 1/36, optically active organic compounds C07B 57/00 or peptides C07K 1/16.
3/12	• Molecular distillation [1, 2, 2006.01]	15/10	• • characterised by constructional or operational features [2006.01]
3/14	• Fractional distillation [1, 2006.01]	15/12	• • • relating to the preparation of the feed [2006.01]
3/16	• • Fractionating columns in which vapour bubbles through liquid [1, 2006.01]	15/14	• • • relating to the introduction of the feed to the apparatus [2006.01]
3/18	• • • with horizontal bubble plates [1, 2006.01]		
3/20	• • • • Bubble caps; Risers for vapour; Discharge pipes for liquid [1, 2006.01]		
3/22	• • • with horizontal sieve plates or grids; Construction of sieve plates or grids [1, 2006.01]		
3/24	• • • with sloping plates or elements mounted stepwise [1, 2006.01]		
3/26	• • Fractionating columns in which vapour and liquid flow pass each other, or in which the fluid is sprayed into the vapour, or in which a two-phase mixture is passed in one direction [1, 2006.01]		
3/28	• • • Fractionating columns with surface contact and vertical guides, e.g. film action [1, 2006.01]		
3/30	• • Fractionating columns with movable parts or in which centrifugal movement is caused [1, 2006.01]		

- 15/16 • • • relating to the conditioning of the fluid carrier [2006.01]
- 15/18 • • • relating to flow patterns [2006.01]
- 15/20 • • • relating to the conditioning of the sorbent material [2006.01]
- 15/22 • • • relating to the construction of the column [2006.01]
- 15/24 • • • relating to the treatment of the fractions to be distributed [2006.01]
- 15/26 • • characterised by the separation mechanism [2006.01]
- 15/30 • • • Partition chromatography [2006.01]
- 15/32 • • • Bonded phase chromatography, e.g. with normal bonded phase, reversed phase or hydrophobic interaction [2006.01]
- 15/34 • • • Size-selective separation, e.g. size-exclusion chromatography; Gel filtration; Permeation [2006.01]
- 15/36 • • • involving ionic interaction, e.g. ion-exchange, ion-pair, ion-suppression or ion-exclusion [2006.01]
- 15/38 • • • involving specific interaction not covered by one or more of groups B01D 15/30-B01D 15/36, e.g. affinity, ligand exchange or chiral chromatography [2006.01]
- 15/40 • • • using supercritical fluid as mobile phase or eluent [2006.01]
- 15/42 • • characterised by the development mode, e.g. by displacement or by elution [2006.01]
- 17/00 Separation of liquids, not provided for elsewhere, e.g. by thermal diffusion [1, 2006.01]**
- 17/02 • Separation of non-miscible liquids [1, 2006.01]
- 17/022 • • by contact with a preferentially wettable solid [4, 2006.01]
- 17/025 • • by gravity, in a settling tank [4, 2006.01]
- 17/028 • • • provided with a set of baffles [4, 2006.01]
- 17/032 • • • provided with special equipment for removing at least one of the separated liquids [4, 2006.01]
- 17/035 • • by using gas-bubbles or moving solids introduced into the mixture [4, 2006.01]
- 17/038 • • by centrifugal force (centrifuges B04B; cyclones B04C) [4, 2006.01]
- 17/04 • • Breaking emulsions [1, 2006.01]
- 17/05 • • • by chemical treatment [4, 2006.01]
- 17/06 • Separation of liquids from each other by electricity [1, 2006.01]
- 17/09 • by thermal diffusion [4, 2006.01]
- 17/12 • Auxiliary equipment particularly adapted for use with liquid-separating apparatus, e.g. control circuits [4, 2006.01]
- 19/00 Degasification of liquids [1, 2006.01]**
- 19/02 • Foam dispersion or prevention [1, 2006.01]
- 19/04 • • by addition of chemical substances [1, 2006.01]
- 21/00 Separation of suspended solid particles from liquids by sedimentation (differential sedimentation B03D 3/00) [1, 2006.01]**
- 21/01 • using flocculating agents [1, 2, 2006.01]
- 21/02 • Settling tanks [1, 4, 2006.01]
- 21/04 • • with moving scrapers [1, 2006.01]
- 21/06 • • • with rotating scrapers [1, 2006.01]
- 21/08 • • provided with flocculating compartments [1, 2006.01]
- 21/18 • Construction of the scrapers or the driving mechanisms for settling tanks [1, 2006.01]
- 21/20 • • Driving mechanisms [1, 2006.01]
- 21/22 • • Safety mechanisms [1, 2006.01]
- 21/24 • Feed or discharge mechanisms for settling tanks [1, 2006.01]
- 21/26 • Separation of sediment aided by centrifugal force [1, 2006.01]
- 21/28 • Mechanical auxiliary equipment for acceleration of sedimentation, e.g. by vibrators or the like [4, 2006.01]
- 21/30 • Control equipment [4, 2006.01]
- 21/32 • • Density control of clear liquid or sediment, e.g. optical control [4, 2006.01]
- 21/34 • • Controlling the feed distribution; Controlling the liquid level [4, 2006.01]
- Filtration; Filtering material, regeneration thereof [2]**
- 24/00 Filters comprising loose filtering material, i.e. filtering material without any binder between the individual particles or fibres thereof (B01D 27/02 takes precedence) [5, 2006.01]**
- 24/02 • with the filter bed stationary during the filtration [5, 2006.01]
- 24/04 • • the filtering material being clamped between pervious fixed walls (B01D 24/10, B01D 24/20 take precedence) [5, 2006.01]
- 24/06 • • • the pervious walls comprising a series of louvres or slots [5, 2006.01]
- 24/08 • • • the filtering material being supported by at least two pervious coaxial walls [5, 2006.01]
- 24/10 • • the filtering material being held in a closed container [5, 2006.01]
- 24/12 • • • Downward filtration, the filtering material being supported by pervious surfaces (B01D 24/18 takes precedence) [5, 2006.01]
- 24/14 • • • Downward filtration, the container having distribution or collection headers or pervious conduits (B01D 24/18 takes precedence) [5, 2006.01]
- 24/16 • • • Upward filtration (B01D 24/18 takes precedence) [5, 2006.01]
- 24/18 • • • Combined upward and downward filtration [5, 2006.01]
- 24/20 • • the filtering material being provided in an open container [5, 2006.01]
- 24/22 • • • Downward filtration, the filter material being supported by pervious surfaces [5, 2006.01]
- 24/24 • • • Downward filtration, the container having distribution or collection headers or pervious conduits [5, 2006.01]
- 24/26 • • • Upward filtration [5, 2006.01]
- 24/28 • with the filter bed moving during the filtration (with the filter bed fluidised B01D 24/36) [5, 2006.01]
- 24/30 • • Translation [5, 2006.01]
- 24/32 • • Rotation [5, 2006.01]
- 24/34 • with the filtering material and its pervious support moving (tipping buckets, trays or like sections B01D 33/327) [5, 2006.01]
- 24/36 • with the filter bed fluidised during the filtration (with the filter bed being stationary B01D 24/02) [5, 2006.01]
- 24/38 • Feed or discharge devices [5, 2006.01]
- 24/40 • • for feeding [5, 2006.01]
- 24/42 • • for discharging filtrate [5, 2006.01]
- 24/44 • • for discharging filter cake, e.g. chutes [5, 2006.01]

B01D

- 24/46 • Regenerating the filtering material in the filter (B01D 24/44 takes precedence) [5, 2006.01]
- 24/48 • integrally combined with devices for controlling the filtration [5, 2006.01]
- 25/00 Filters formed by clamping together several filtering elements or parts of such elements** (disc filters B01D 29/39) [1, 5, 2006.01]
- 25/02 • in which the elements are pre-formed independent filtering units, e.g. modular systems [1, 2006.01]
- 25/12 • Filter presses, i.e. of the plate or plate and frame type [1, 2006.01]
- 25/127 • • with one or more movable filter bands arranged to be clamped between the press plates or between a plate and a frame during filtration, e.g. zigzag endless filter bands (B01D 25/172, B01D 25/176, B01D 25/19 take precedence) [5, 2006.01]
- 25/133 • • • with compression of the filter cake, e.g. by inflatable membranes [5, 2006.01]
- 25/164 • • Chamber-plate presses, i.e. the sides of the filtering elements being clamped between two successive filtering plates (B01D 25/127, B01D 25/172, B01D 25/176, B01D 25/19 take precedence) [5, 2006.01]
- 25/168 • • • with compression of the filter cake, e.g. by inflatable membranes [5, 2006.01]
- 25/172 • • Plate spreading means (removal of filter cakes B01D 25/32) [5, 2006.01]
- 25/176 • • attaching the filter element to the filter press plates, e.g. around the central feed hole in the plates [5, 2006.01]
- 25/19 • • Clamping means for closing the filter press, e.g. hydraulic jacks [5, 2006.01]
- 25/21 • • Plate and frame presses (B01D 25/172, B01D 25/176, B01D 25/19 take precedence) [5, 2006.01]
- 25/22 • Cell-type filters [1, 2006.01]
- 25/24 • • Cell-type roll filters [1, 2006.01]
- 25/26 • • Cell-type stack filters [1, 2006.01]
- 25/28 • Leaching or washing filter cakes in the filter [1, 2006.01]
- 25/30 • Feeding devices [1, 2006.01]
- 25/32 • Removal of filter cakes [1, 2006.01]
- 25/34 • • by moving the filter elements [1, 2006.01]
- 25/36 • • • by centrifugal force [1, 2006.01]
- 25/38 • • by moving parts, e.g. scrapers, contacting stationary filter elements [1, 2006.01]
- 27/00 Cartridge filters of the throw-away type** [1, 5, 2006.01]
- 27/02 • with cartridges made from a mass of loose material [1, 2006.01]
- 27/04 • with cartridges made of a piece of unitary material, e.g. filter paper [1, 2006.01]
- 27/06 • • with corrugated, folded or wound material [1, 2006.01]
- 27/07 • • • having a coaxial stream through the filtering element [5, 2006.01]
- 27/08 • Construction of the casing [1, 2006.01]
- 27/10 • Safety devices, e.g. by-passes [1, 2006.01]
- 27/14 • having more than one filtering element [5, 2006.01]
- 29/00 Filters with filtering elements stationary during filtration, e.g. pressure or suction filters, not covered by groups B01D 24/00-B01D 27/00; Filtering elements therefor** [1, 2006.01]
- 29/01 • with flat filtering elements (B01D 29/39 takes precedence) [5, 2006.01]
- 29/03 • • self-supporting [5, 2006.01]
- 29/05 • • supported [5, 2006.01]
- 29/07 • • • with corrugated, folded or wound filtering sheets [5, 2006.01]
- 29/075 • • located in a closed housing and comprising scrapers or agitators on the cake side of the filtering elements, e.g. Nutsche- or Rosenmund-type filters for performing multiple step operations such as chemical reactions, filtering and cake treatment [5, 2006.01]
- Note(s) [5]**
If the subject matter classified in this group also contains relevant information covered by other subgroups of group B01D 29/00, it is also classified in the other appropriate subgroups of group B01D 29/00.
- 29/085 • Funnel filters; Holders therefor [5, 2006.01]
- Note(s) [5]**
If the subject matter classified in this group also contains relevant information covered by other subgroups of group B01D 29/00, it is also classified in the other appropriate subgroups of group B01D 29/00.
- 29/09 • with filtering bands, e.g. movable between filtering operations [5, 2006.01]
- 29/11 • with bag, cage, hose, tube, sleeve or like filtering elements [5, 2006.01]
- 29/13 • • Supported filter elements [5, 2006.01]
- 29/15 • • • arranged for inward flow filtration [5, 2006.01]
- 29/17 • • • open-ended [5, 2006.01]
- 29/19 • • • on solid frames with surface grooves or the like [5, 2006.01]
- 29/21 • • • with corrugated, folded or wound sheets [5, 2006.01]
- 29/23 • • • arranged for outward flow filtration [5, 2006.01]
- 29/25 • • • open-ended [5, 2006.01]
- 29/27 • • • Filter bags [5, 2006.01]
- 29/31 • • Self-supporting filtering elements [5, 2006.01]
- 29/33 • • • arranged for inward flow filtration [5, 2006.01]
- 29/35 • • • arranged for outward flow filtration [5, 2006.01]
- 29/37 • • • open-ended [5, 2006.01]
- 29/39 • with hollow discs side by side on, or around, one or more tubes, e.g. of the leaf type [5, 2006.01]
- 29/41 • • mounted transversely on the tube [5, 2006.01]
- 29/43 • • mounted otherwise than transversely on the tube [5, 2006.01]
- 29/44 • Edge filtering elements, i.e. using contiguous impervious surfaces [4, 2006.01]
- 29/46 • • of flat, stacked bodies [4, 2006.01]
- 29/48 • • of spirally or helically wound bodies [4, 2006.01]
- 29/50 • with multiple filtering elements, characterised by their mutual disposition (B01D 29/39 takes precedence) [5, 2006.01]
- 29/52 • • in parallel connection [5, 2006.01]
- 29/54 • • • arranged concentrically or coaxially [5, 2006.01]
- 29/56 • • in series connection [5, 2006.01]
- 29/58 • • • arranged concentrically or coaxially [5, 2006.01]
- 29/60 • integrally combined with devices for controlling the filtration [5, 2006.01]

- 29/62 • Regenerating the filter material in the filter (devices for taking out of action one or more units of multi-unit filters, e.g. for regeneration, B01D 35/12) [5, 2006.01]
- 29/64 • • by scrapers, brushes or the like, acting on the cake side of the filtering element [5, 2006.01]
- 29/66 • • by flushing, e.g. counter-current air-bumps [5, 2006.01]
- 29/68 • • with backwash arms, shoes or nozzles [5, 2006.01]
- 29/70 • • by forces created by movement of the filter element [5, 2006.01]
- 29/72 • • • involving vibrations [5, 2006.01]
- 29/74 • • • involving centrifugal force [5, 2006.01]
- 29/76 • Handling the filter cake in the filter for purposes other than for regenerating (B01D 29/94 takes precedence) [5, 2006.01]
- 29/78 • • for washing [5, 2006.01]
- 29/80 • • for drying [5, 2006.01]
- 29/82 • • • by compression [5, 2006.01]
- 29/84 • • • by gases or by heating [5, 2006.01]
- 29/86 • • Retarding cake deposition on the filter during the filtration period, e.g. using stirrers [5, 2006.01]
- 29/88 • having feed or discharge devices [5, 2006.01]
- 29/90 • • for feeding [5, 2006.01]
- 29/92 • • for discharging filtrate [5, 2006.01]
- 29/94 • • for discharging the filter cake, e.g. chutes [5, 2006.01]
- 29/96 • in which the filtering elements are moved between filtering operations; Particular measures for removing or replacing the filtering elements; Transport systems for filters (B01D 29/09, B01D 29/70 take precedence) [5, 2006.01]
- 33/00 Filters with filtering elements which move during the filtering operation** (filters comprising loose filtering material moving or fluidised during filtration B01D 24/28-B01D 24/36; centrifuges B04B) [1, 5, 2006.01]
- 33/01 • with translationally moving filtering elements, e.g. pistons (B01D 33/04-B01D 33/327 take precedence) [5, 2006.01]
- 33/03 • • with vibrating filter elements [5, 2006.01]
- 33/04 • with filtering bands or the like supported on cylinders which are impervious for filtering [1, 5, 2006.01]
- 33/044 • with filtering bands or the like supported on cylinders which are pervious for filtering [5, 2006.01]
- 33/048 • • with endless filtering bands [5, 2006.01]
- 33/052 • • • combined with a compression device (B01D 33/64 takes precedence) [5, 2006.01]
- 33/056 • Construction of filtering bands or supporting belts, e.g. devices for centering, mounting or sealing the filtering bands or the supporting belts [5, 2006.01]
- 33/06 • with rotary cylindrical filtering surfaces, e.g. hollow drums (B01D 33/044 takes precedence) [1, 2006.01]
- 33/067 • • Construction of the filtering drums, e.g. mounting or sealing arrangements [5, 2006.01]
- 33/073 • • arranged for inward flow filtration [5, 2006.01]
- 33/09 • • • with surface cells independently connected to pressure distributors [5, 2006.01]
- 33/11 • • arranged for outward flow filtration [5, 2006.01]
- 33/13 • • • with surface cells independently connected to pressure distributors [5, 2006.01]
- 33/15 • with rotary plane filtering surfaces [5, 2006.01]
- 33/17 • • with rotary filtering tables (tables divided into separately tiltable buckets, trays or like sections B01D 33/327) [5, 2006.01]
- 33/19 • • • the table surface being divided in successively tilted sectors or cells, e.g. for discharging the filter cake [5, 2006.01]
- 33/21 • • with hollow filtering discs transversely mounted on a hollow rotary shaft [5, 2006.01]
- 33/23 • • • Construction of discs or component sectors thereof [5, 2006.01]
- 33/25 • • with hollow frames axially mounted on a hollow rotary shaft [5, 2006.01]
- 33/27 • with rotary filtering surfaces, which are neither cylindrical nor planar, e.g. helical surfaces [5, 2006.01]
- 33/29 • the movement of the filter elements being a combination of movements (B01D 33/19 takes precedence) [5, 2006.01]
- 33/31 • • Planetary movement [5, 2006.01]
- 33/327 • • Tipping buckets, trays or like sections [5, 2006.01]
- 33/333 • with individual filtering elements moving along a closed path (tipping buckets, trays or like sections B01D 33/327) [5, 2006.01]
- 33/35 • with multiple filtering elements characterised by their mutual disposition (B01D 33/21 takes precedence) [5, 2006.01]
- 33/37 • • in parallel connection [5, 2006.01]
- 33/39 • • • concentrically or coaxially [5, 2006.01]
- 33/41 • • in series connection [5, 2006.01]
- 33/42 • • • concentrically or coaxially [5, 2006.01]
- 33/44 • Regenerating the filter material in the filter (devices for taking out of action one or more units of multi-unit filters, e.g. for regeneration, B01D 35/12) [5, 2006.01]
- 33/46 • • by scrapers, brushes or the like acting on the cake-side of the filtering element [5, 2006.01]
- 33/48 • • by flushing, e.g. counter-current air-bumps [5, 2006.01]
- 33/50 • • • with backwash arms, shoes or nozzles [5, 2006.01]
- 33/52 • • by forces created by movement of the filter element [5, 2006.01]
- 33/54 • • • involving vibrations [5, 2006.01]
- 33/56 • • • involving centrifugal force [5, 2006.01]
- 33/58 • Handling the filter cake in the filter for purposes other than for regenerating (B01D 33/76 takes precedence) [5, 2006.01]
- 33/60 • • for washing [5, 2006.01]
- 33/62 • • for drying [5, 2006.01]
- 33/64 • • • by compression [5, 2006.01]
- 33/66 • • • by gases or by heating [5, 2006.01]
- 33/68 • • Retarding cake deposition on the filter during the filtration period, e.g. using stirrers [5, 2006.01]
- 33/70 • having feed or discharge devices (B01D 33/82 takes precedence) [5, 2006.01]
- 33/72 • • for feeding [5, 2006.01]
- 33/74 • • for discharging filtrate [5, 2006.01]
- 33/76 • • for discharging the filter cake, e.g. chutes [5, 2006.01]
- 33/80 • Accessories [5, 2006.01]
- 33/82 • • Means for pressure distribution [5, 2006.01]
- 35/00 Filtering devices having features not specifically covered by groups B01D 24/00-B01D 33/00, or for applications not specifically covered by groups B01D 24/00-B01D 33/00; Auxiliary devices for filtration; Filter housing constructions** [1, 2006.01]
- 35/01 • Devices for the removal of gas, e.g. air purge systems [5, 2006.01]

B01D

- 35/02 • Filters adapted for location in special places, e.g. pipe-lines, pumps, stop-cocks (B01D 35/05 takes precedence) [1, 2006.01]
- 35/027 • • rigidly mounted in or on tanks or reservoirs (B01D 35/04 takes precedence) [5, 2006.01]
- 35/04 • • Plug, tap, or cock filters [1, 2006.01]
- 35/05 • Floating filters [5, 2006.01]
- 35/06 • Filters making use of electricity or magnetism (ultrafiltration, microfiltration B01D 61/14; electrodialysis, electro-osmosis B01D 61/42; combinations of filters and magnetic separators B03C 1/30) [1, 5, 2006.01]
- 35/10 • Brush filters [1, 2006.01]
- 35/12 • Devices for taking out of action one or more units of multi-unit filters, e.g. for regeneration [1, 2006.01]
- 35/14 • Safety devices specially adapted for filtration; Devices for indicating clogging (incorporated in a throw-away filter B01D 27/10) [1, 2006.01]
- 35/143 • • Filter condition indicators [5, 2006.01]
- 35/147 • • Bypass or safety valves [5, 2006.01]
- 35/15 • • Bidirectional working filters [5, 2006.01]
- 35/153 • • Anti-leakage or anti-return valves [5, 2006.01]
- 35/157 • • Flow control valves; Damping or calibrated passages [5, 2006.01]
- 35/16 • Cleaning-out devices [1, 2006.01]
- 35/18 • Heating or cooling the filters [1, 2006.01]
- 35/20 • Vibrating the filters (regenerating filter material by vibrations in filters with stationary filtering elements B01D 29/72; discharging the filter cake by vibrations in filters with moving filtering elements B01D 33/54, B01D 33/76) [1, 5, 2006.01]
- 35/22 • Directing the mixture to be filtered on to the filters in a manner to clean the filters [1, 2006.01]
- 35/24 • Providing loose granular material to scratch the filters clean [1, 2006.01]
- 35/26 • Filters with built-in pumps [1, 2006.01]
- 35/28 • Strainers not provided for elsewhere [1, 2006.01]
- 35/30 • Filter housing constructions [4, 2006.01]
- 35/31 • • including arrangements for environmental protection, e.g. pressure resisting features [5, 2006.01]
- 35/32 • • • against radiation [5, 2006.01]
- 35/34 • • open-topped (B01D 35/31 takes precedence) [5, 2006.01]
- 36/00 Filter circuits or combinations of filters with other separating devices** (devices for the removal of gas, e.g. air purge systems B01D 35/01; magnetic or electrostatic separators combined with filters B03C) [4, 5, 2006.01]
- 36/02 • Combinations of filters of different kinds (B01D 29/50, B01D 33/35 take precedence) [4, 5, 2006.01]
- 36/04 • Combinations of filters with settling tanks [4, 2006.01]
- 37/00 Processes of filtration** (processes specially adapted for filtering gases B01D 46/00) [1, 2006.01]
- 37/02 • Precoating the filtering elements or material; Addition of filter aids to the liquid being filtered [1, 2006.01]
- 37/03 • using flocculating agents [5, 2006.01]
- 37/04 • Controlling the filtration [1, 2006.01]
- 39/00 Filtering material for liquid or gaseous fluids** [1, 2006.01]
- 39/02 • Loose filtering material, e.g. loose fibres [1, 2006.01]
- 39/04 • • Organic material, e.g. cellulose, cotton [1, 2006.01]
- 39/06 • • Inorganic material, e.g. asbestos fibres, glass beads or fibres [1, 2006.01]
- 39/08 • Filter cloth, i.e. woven, knitted or interlaced material (metallic B01D 39/10) [1, 2006.01]
- 39/10 • Filter screens essentially made of metal [1, 2006.01]
- 39/12 • • of wire gauze; of knitted wire; of expanded metal [1, 2006.01]
- 39/14 • Other self-supporting filtering material [1, 2006.01]
- 39/16 • • of organic material, e.g. synthetic fibres [1, 2006.01]
- 39/18 • • • the material being cellulose or derivatives thereof [1, 2006.01]
- 39/20 • • of inorganic material, e.g. asbestos paper or metallic filtering material of non-woven wires [1, 2006.01]
- 41/00 Regeneration of the filtering material or filter elements outside the filter for liquid or gaseous fluids** [1, 2006.01]
- 41/02 • of loose filtering material [1, 2006.01]
- 41/04 • of rigid self-supporting filtering material [1, 2006.01]
- 43/00 Separating particles from liquids, or liquids from solids, otherwise than by sedimentation or filtration** (flotation processes B03D 1/00; drying solid materials or objects F26B) [1, 2006.01]
- Separating dispersed particles from gases or vapours**
- 45/00 Separating dispersed particles from gases or vapours by gravity, inertia, or centrifugal forces** [1, 2006.01]
- 45/02 • by utilising gravity [1, 2006.01]
- 45/04 • by utilising inertia (B01D 45/12 takes precedence) [1, 2006.01]
- 45/06 • • by reversal of direction of flow [1, 2006.01]
- 45/08 • • by impingement against baffle separators [1, 2006.01]
- 45/10 • • • which are wetted [1, 2006.01]
- 45/12 • by centrifugal forces (centrifuges B04B; cyclones B04C) [1, 2006.01]
- 45/14 • • generated by rotating vanes, discs, drums or brushes [1, 2006.01]
- 45/16 • • generated by the winding course of the gas stream [1, 2006.01]
- 45/18 • Cleaning-out devices [1, 2006.01]
- 46/00 Filters or filtering processes specially modified for separating dispersed particles from gases or vapours** (filtering elements B01D 24/00-B01D 35/00; filtering material B01D 39/00; their regeneration outside the filters B01D 41/00) [1, 2006.01]
- 46/02 • Particle separators, e.g. dust precipitators, having hollow filters made of flexible material [1, 2006.01]
- 46/04 • • Cleaning filters [1, 2006.01]
- 46/06 • • with means keeping the working surfaces flat [1, 2006.01]
- 46/08 • • • the working surfaces forming a star shape [1, 2006.01]
- 46/10 • Particle separators, e.g. dust precipitators, using filter plates, sheets, or pads having plane surfaces [1, 2006.01]
- 46/12 • • in multiple arrangements [1, 2006.01]
- 46/14 • • arranged in a star shape [1, 2006.01]

- 46/16 • • arranged on non-filtering conveyors [1, 2006.01]
- 46/18 • Particle separators, e.g. dust precipitators, using filtering belts [1, 2006.01]
- 46/20 • • the belts combined with drums [1, 2006.01]
- 46/22 • • the belts travelling during filtering [1, 2006.01]
- 46/24 • Particle separators, e.g. dust precipitators, using rigid hollow filter bodies [1, 2006.01]
- 46/26 • • rotatable [1, 2006.01]
- 46/28 • Particle separators, e.g. dust precipitators, using filter brushes [1, 2006.01]
- 46/30 • Particle separators, e.g. dust precipitators, using loose filtering material [1, 2006.01]
- 46/32 • • the material moving during filtering [1, 2006.01]
- 46/34 • • • not horizontally, e.g. using shoots [1, 2006.01]
- 46/36 • • • as a substantially horizontal layer, e.g. on rotary tables, drums or conveyor belts [1, 2006.01]
- 46/38 • • • as fluidised bed [1, 2006.01]
- 46/40 • Particle separators, e.g. dust precipitators, using edge filters, i.e. using contiguous impervious surfaces [1, 2006.01]
- 46/42 • Auxiliary equipment or operation thereof [1, 2006.01]
- 46/44 • • controlling filtration [1, 2006.01]
- 46/46 • • • automatic [1, 2006.01]
- 46/48 • • Removing dust other than cleaning filters [1, 2006.01]
- 46/50 • • Means for discharging electrostatic potential [1, 2006.01]
- 46/52 • Particle separators, e.g. dust precipitators, using filters embodying folded material [1, 2006.01]
- 46/54 • Particle separators, e.g. dust precipitators, using ultra-fine filter sheets or diaphragms [1, 2006.01]
- 47/00 Separating dispersed particles from gases, air or vapours by liquid as separating agent** (B01D 45/10 takes precedence; fractionating columns or parts thereof B01D 3/16) [1, 2006.01]
- 47/02 • by passing the gas or air or vapour over or through a liquid bath [1, 2006.01]
- 47/04 • by passing the gas or air or vapour through foam [1, 2006.01]
- 47/05 • by condensation of the separating agent [3, 2006.01]
- 47/06 • Spray cleaning [1, 2006.01]
- 47/08 • • with rotary nozzles [1, 2006.01]
- 47/10 • Venturi scrubbers [1, 2006.01]
- 47/12 • Washers with plural different washing sections (B01D 47/14 takes precedence) [1, 3, 2006.01]
- 47/14 • Packed scrubbers [1, 3, 2006.01]
- 47/16 • Apparatus having rotary means, other than rotatable nozzles, for atomising the cleaning liquid [1, 2006.01]
- 47/18 • • with horizontally-arranged shafts [1, 2006.01]
- 49/00 Separating dispersed particles from gases, air or vapours by other methods** [1, 2006.01]
- 49/02 • by thermal repulsion [1, 2006.01]
- 50/00 Combinations of devices for separating particles from gases or vapours** [1, 2006.01]
- 51/00 Auxiliary pretreatment of gases or vapours to be cleaned from dispersed particles** [1, 6, 2006.01]
- 51/02 • Amassing the particles, e.g. by flocculation [1, 2006.01]
- 51/04 • • by seeding, e.g. by adding particles [1, 2006.01]
- 51/06 • • by varying the pressure of the gas or vapour [1, 2006.01]
- 51/08 • • • by sound or ultrasonics [1, 2006.01]
- 51/10 • Conditioning the gas to be cleaned [1, 2006.01]
-
- 53/00 Separation of gases or vapours; Recovering vapours of volatile solvents from gases; Chemical or biological purification of waste gases, e.g. engine exhaust gases, smoke, fumes, flue gases or aerosols** (recovery of volatile solvents by condensation B01D 5/00; sublimation B01D 7/00; cold traps, cold baffles B01D 8/00; separation of difficult-to-condense gases or air by liquefaction F25J 3/00) [1, 3, 5, 2006.01]
- Note(s)**
- Group B01D 53/34 takes precedence over groups B01D 53/02-B01D 53/32.
- 53/02 • by adsorption, e.g. preparative gas chromatography [1, 2006.01]
- 53/04 • • with stationary adsorbents [1, 2006.01]
- 53/047 • • • Pressure swing adsorption [6, 2006.01]
- 53/053 • • • with storage or buffer vessel [6, 2006.01]
- 53/06 • • with moving adsorbents [1, 2006.01]
- 53/08 • • • according to the "moving bed" method [1, 2006.01]
- 53/10 • • • with dispersed adsorbents [1, 2006.01]
- 53/12 • • • according to the "fluidised technique" [1, 2006.01]
- 53/14 • by absorption [1, 2006.01]
- 53/18 • • Absorbing units; Liquid distributors therefor (B01D 3/16, B01D 3/26, B01D 3/30 take precedence) [1, 2006.01]
- 53/22 • by diffusion [1, 2006.01]
- 53/24 • by centrifugal force (centrifuges B04B; cyclones B04C) [1, 2006.01]
- 53/26 • Drying gases or vapours [1, 2006.01]
- 53/28 • • Selection of materials for use as drying agents [1, 2006.01]
- 53/30 • Controlling by gas-analysis apparatus [1, 2006.01]
- 53/32 • by electrical effects other than those provided for in group B01D 61/00 [1, 5, 2006.01]
- 53/34 • Chemical or biological purification of waste gases [1, 3, 6, 2006.01]
- 53/38 • • Removing components of undefined structure [6, 2006.01]
- 53/40 • • • Acidic components (B01D 53/44 takes precedence) [6, 2006.01]
- 53/42 • • • Basic components (B01D 53/44 takes precedence) [6, 2006.01]
- 53/44 • • • Organic components [6, 2006.01]
- 53/46 • • Removing components of defined structure [6, 2006.01]
- 53/48 • • • Sulfur compounds [6, 2006.01]
- 53/50 • • • • Sulfur oxides (B01D 53/60 takes precedence) [6, 2006.01]
- 53/52 • • • • Hydrogen sulfide [6, 2006.01]
- 53/54 • • • • Nitrogen compounds [6, 2006.01]
- 53/56 • • • • Nitrogen oxides (B01D 53/60 takes precedence) [6, 2006.01]
- 53/58 • • • • Ammonia [6, 2006.01]
- 53/60 • • • Simultaneously removing sulfur oxides and nitrogen oxides [6, 2006.01]
- 53/62 • • • Carbon oxides [6, 2006.01]
- 53/64 • • • Heavy metals or compounds thereof, e.g. mercury [6, 2006.01]
- 53/66 • • • Ozone [6, 2006.01]

B01D

- 53/68 • • • Halogens or halogen compounds [6, 2006.01]
- 53/70 • • • • Organic halogen compounds [6, 2006.01]
- 53/72 • • • Organic compounds not provided for in groups B01D 53/48-B01D 53/70, e.g. hydrocarbons [6, 2006.01]
- 53/73 • • After-treatment of removed components [6, 2006.01]
- 53/74 • • General processes for purification of waste gases; Apparatus or devices specially adapted therefor (B01D 53/92 takes precedence) [6, 2006.01]
- 53/75 • • • Multi-step processes [6, 2006.01]
- 53/76 • • • Gas phase processes, e.g. by using aerosols [6, 2006.01]
- 53/77 • • • Liquid phase processes [6, 2006.01]
- 53/78 • • • • with gas-liquid contact [6, 2006.01]
- 53/79 • • • • Injecting reactants [6, 2006.01]
- 53/80 • • • Semi-solid phase processes, i.e. by using slurries [6, 2006.01]
- 53/81 • • • Solid phase processes [6, 2006.01]
- 53/82 • • • • with stationary reactants [6, 2006.01]
- 53/83 • • • • with moving reactants [6, 2006.01]
- 53/84 • • • Biological processes [6, 2006.01]
- 53/85 • • • • with gas-solid contact [6, 2006.01]
- 53/86 • • • Catalytic processes [6, 2006.01]
- 53/88 • • • • Handling or mounting catalysts [6, 2006.01]
- 53/90 • • • • Injecting reactants [6, 2006.01]
- 53/92 • • of engine exhaust gases (exhaust apparatus having means for purifying or otherwise treating exhaust gases F01N 3/00) [6, 2006.01]
- 53/94 • • • by catalytic processes [6, 2006.01]
- 53/96 • • Regeneration, reactivation or recycling of reactants [6, 2006.01]

- 57/00 **Separation, other than separation of solids, not fully covered by a single other group or subclass, e.g. B03C [1, 2006.01]**
- 57/02 • by electrophoresis [3, 5, 2006.01]

- 59/00 **Separation of different isotopes of the same chemical element [1, 2006.01]**
- 59/02 • Separation by phase transition [1, 2006.01]
- 59/04 • • by distillation [1, 2006.01]
- 59/06 • • by fractional melting; by zone melting [1, 2006.01]
- 59/08 • • by fractional crystallisation, by precipitation, by zone freezing [1, 2006.01]
- 59/10 • Separation by diffusion [1, 2006.01]
- 59/12 • • by diffusion through barriers [1, 2006.01]
- 59/14 • • • Construction of the barrier [1, 2006.01]
- 59/16 • • by thermal diffusion [1, 2006.01]
- 59/18 • • by separation jets [1, 2006.01]
- 59/20 • Separation by centrifuging [1, 2006.01]
- 59/22 • Separation by extracting [1, 2006.01]
- 59/24 • • by solvent extraction [1, 2006.01]
- 59/26 • • by sorption, i.e. absorption, adsorption, persorption [1, 2006.01]
- 59/28 • Separation by chemical exchange [1, 2006.01]
- 59/30 • • by ion exchange [1, 2006.01]
- 59/32 • • by exchange between fluids [1, 2006.01]
- 59/33 • • • involving dual temperature exchange [2, 2006.01]
- 59/34 • Separation by photochemical methods [1, 2006.01]
- 59/36 • Separation by biological methods [1, 2006.01]
- 59/38 • Separation by electrochemical methods [1, 2006.01]
- 59/40 • • by electrolysis [1, 2006.01]

- 59/42 • • by electromigration; by electrophoresis [1, 2006.01]
- 59/44 • Separation by mass spectrography (particle spectrometers or separator tubes H01J 49/00) [1, 2006.01]
- 59/46 • • using only electrostatic fields [1, 2006.01]
- 59/48 • • using electrostatic and magnetic fields [1, 2006.01]
- 59/50 • Separation involving two or more processes covered by different groups selected from groups B01D 59/02, B01D 59/10, B01D 59/20, B01D 59/22, B01D 59/28, B01D 59/34, B01D 59/36, B01D 59/38, B01D 59/44 [1, 2006.01]

Processes of separation using semi-permeable membranes, e.g. dialysis, osmosis or ultrafiltration; Apparatus specially adapted therefor; Semi-permeable membranes or their production [5]

Note(s) [5]

In groups B01D 61/00-B01D 71/00, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.

- 61/00 **Processes of separation using semi-permeable membranes, e.g. dialysis, osmosis or ultrafiltration; Apparatus, accessories or auxiliary operations specially adapted therefor** (separation of gases or vapours by diffusion B01D 53/22) [5, 2006.01]
- 61/02 • Reverse osmosis; Hyperfiltration [5, 2006.01]
- 61/04 • • Feed pretreatment [5, 2006.01]
- 61/06 • • Energy recovery [5, 2006.01]
- 61/08 • • Apparatus therefor [5, 2006.01]
- 61/10 • • Accessories; Auxiliary operations [5, 2006.01]
- 61/12 • • Controlling or regulating [5, 2006.01]
- 61/14 • Ultrafiltration; Microfiltration [5, 2006.01]
- 61/16 • • Feed pretreatment [5, 2006.01]
- 61/18 • • Apparatus therefor [5, 2006.01]
- 61/20 • • Accessories; Auxiliary operations [5, 2006.01]
- 61/22 • • Controlling or regulating [5, 2006.01]
- 61/24 • Dialysis [5, 2006.01]
- 61/26 • • Dialysate solution flow, e.g. preparation, regeneration [5, 2006.01]
- 61/28 • • Apparatus therefor [5, 2006.01]
- 61/30 • • Accessories; Auxiliary operation [5, 2006.01]
- 61/32 • • Controlling or regulating [5, 2006.01]
- 61/34 • • • Measuring ultrafiltrate during dialysis [5, 2006.01]
- 61/36 • Pervaporation; Membrane distillation; Liquid permeation [5, 2006.01]
- 61/38 • Liquid-membrane separation [5, 2006.01]
- 61/40 • • using emulsion-type membranes [5, 2006.01]
- 61/42 • Electro-dialysis; Electro-osmosis [5, 2006.01]
- 61/44 • • Ion-selective electro-dialysis [5, 2006.01]
- 61/46 • • • Apparatus therefor [5, 2006.01]
- 61/48 • • • • having one or more compartments filled with ion-exchange material [5, 2006.01]
- 61/50 • • • • Stacks of the plate-and-frame type [5, 2006.01]
- 61/52 • • • Accessories; Auxiliary operation [5, 2006.01]
- 61/54 • • • Controlling or regulating [5, 2006.01]
- 61/56 • • Electro-osmotic dewatering [5, 2006.01]
- 61/58 • Multistep processes [5, 2006.01]

- 63/00 **Apparatus in general for separation processes using semi-permeable membranes [5, 2006.01]**

- 63/02 • Hollow fibre modules [5, 2006.01]
- 63/04 • • comprising multiple hollow fibre assemblies [5, 2006.01]
- 63/06 • Tubular membrane modules [5, 2006.01]
- 63/08 • Flat membrane modules [5, 2006.01]
- 63/10 • Spiral-wound membrane modules [5, 2006.01]
- 63/12 • • comprising multiple spiral-wound assemblies [5, 2006.01]
- 63/14 • Pleat-type membrane modules [5, 2006.01]
- 63/16 • Rotary, reciprocated or vibrated modules [5, 2006.01]
- 65/00 Accessories or auxiliary operations, in general, for separation processes or apparatus using semi-permeable membranes [5, 2006.01]**
- 65/02 • Membrane cleaning or sterilisation [5, 2006.01]
- 65/04 • • with movable bodies, e.g. foam balls [5, 2006.01]
- 65/06 • • with special washing compositions [5, 2006.01]
- 65/08 • Prevention of membrane fouling or of concentration polarisation [5, 2006.01]
- 65/10 • Testing of membranes or membrane apparatus; Detecting or repairing leaks [5, 2006.01]
- 67/00 Processes specially adapted for manufacturing semi-permeable membranes for separation processes or apparatus [5, 2006.01]**
- 69/00 Semi-permeable membranes for separation processes or apparatus characterised by their form, structure or properties; Manufacturing processes specially adapted therefor [5, 2006.01]**
- Note(s) [5]**
1. In this group, the following term is used with the meaning indicated:
- "properties" covers those of a mechanical, physical or chemical nature.
2. Manufacturing processes, if considered of interest, are also classified in group B01D 67/00.
- 69/02 • characterised by their properties [5, 2006.01]
- 69/04 • Tubular membranes [5, 2006.01]
- 69/06 • Flat membranes [5, 2006.01]
- 69/08 • Hollow fibre membranes (manufacture of hollow fibres D01D 5/24, D01F 1/08) [5, 2006.01]
- 69/10 • Supported membranes; Membrane supports [5, 2006.01]
- 69/12 • Composite membranes; Ultra-thin membranes [5, 2006.01]
- 69/14 • Dynamic membranes [5, 2006.01]
- 71/00 Semi-permeable membranes for separation processes or apparatus characterised by the material; Manufacturing processes specially adapted therefor [5, 2006.01]**
- Note(s) [5]**
1. In this group, if the material is a composition it is classified according to the constituent present in highest proportion. This constituent is classified according to the last place rule, *see* Note before group B01D 61/00. If there is more than one constituent present in equal highest proportions, then each of these constituents is classified according to the last place rule.
2. Manufacturing processes, if considered of interest, are also classified in group B01D 67/00.
- 71/02 • Inorganic material [5, 2006.01]
- 71/04 • • Glass [5, 2006.01]
- 71/06 • Organic material [5, 2006.01]
- 71/08 • • Polysaccharides [5, 2006.01]
- 71/10 • • • Cellulose; Modified cellulose [5, 2006.01]
- 71/12 • • • Cellulose derivatives [5, 2006.01]
- 71/14 • • • • Esters of organic acids [5, 2006.01]
- 71/16 • • • • • Cellulose acetate [5, 2006.01]
- 71/18 • • • • • Mixed esters, e.g. cellulose acetate-butyrate [5, 2006.01]
- 71/20 • • • • Esters of inorganic acids, e.g. cellulose nitrate [5, 2006.01]
- 71/22 • • • • Cellulose ethers [5, 2006.01]
- 71/24 • • Rubbers [5, 2006.01]
- Note(s) [5]**
- In this group the following term is used with the meaning indicated:
- "rubber" covers:
 - a. natural or conjugated diene rubber;
 - b. rubber in general (for specific rubber, *see* the group provided for such macromolecular compound).
- 71/26 • • Polyalkenes [5, 2006.01]
- 71/28 • • Polymers of vinyl aromatic compounds [5, 2006.01]
- 71/30 • • Polyalkenyl halides [5, 2006.01]
- 71/32 • • • containing fluorine atoms [5, 2006.01]
- 71/34 • • • • Polyvinylidene fluoride [5, 2006.01]
- 71/36 • • • • Polytetrafluoroethene [5, 2006.01]
- 71/38 • • Polyalkenylalcohols; Polyalkenylesters; Polyalkenylethers; Polyalkenylaldehydes; Polyalkenylketones; Polyalkenylacetates; Polyalkenylketals [5, 2006.01]
- 71/40 • • Polymers of unsaturated acids or derivatives thereof, e.g. salts, amides, imides, nitriles, anhydrides, esters [5, 2006.01]
- 71/42 • • • Polymers of nitriles, e.g. polyacrylonitrile [5, 2006.01]
- 71/44 • • Polymers obtained by reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of groups B01D 71/26-B01D 71/42 [5, 2006.01]
- 71/46 • • Epoxy resins [5, 2006.01]
- 71/48 • • Polyesters [5, 2006.01]
- 71/50 • • Polycarbonates [5, 2006.01]
- 71/52 • • Polyethers [5, 2006.01]
- 71/54 • • Polyureas; Polyurethanes [5, 2006.01]
- 71/56 • • Polyamides, e.g. polyester-amides [5, 2006.01]
- 71/58 • • Other polymers having nitrogen in the main chain, with or without oxygen or carbon only [5, 2006.01]
- 71/60 • • • Polyamines [5, 2006.01]
- 71/62 • • • Polycondensates having nitrogen-containing heterocyclic rings in the main chain [5, 2006.01]
- 71/64 • • • • Polyimides; Polyamide-imides; Polyester-imides; Polyamide acids or similar polyimide precursors [5, 2006.01]
- 71/66 • • Polymers having sulfur in the main chain, with or without nitrogen, oxygen or carbon only [5, 2006.01]
- 71/68 • • • Polysulfones; Polyethersulfones [5, 2006.01]
- 71/70 • • Polymers having silicon in the main chain, with or without sulfur, nitrogen, oxygen or carbon only [5, 2006.01]

B01D

- | | | | |
|-------|--|-------|--|
| 71/72 | <ul style="list-style-type: none">• • Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of groups B01D 71/46-B01D 71/70 [5, 2006.01] | 71/76 | <ul style="list-style-type: none">• • Macromolecular material not specifically provided for in a single one of groups B01D 71/08-B01D 71/74 (rubbers in general B01D 71/24) [5, 2006.01] |
| 71/74 | <ul style="list-style-type: none">• • Natural macromolecular material or derivatives thereof (B01D 71/08, B01D 71/24 take precedence) [5, 2006.01] | 71/78 | <ul style="list-style-type: none">• • • Graft polymers [5, 2006.01] |
| | | 71/80 | <ul style="list-style-type: none">• • • Block polymers [5, 2006.01] |
| | | 71/82 | <ul style="list-style-type: none">• • • characterised by the presence of specified groups, e.g. introduced by chemical after-treatment [5, 2006.01] |

B01F MIXING, e.g. DISSOLVING, EMULSIFYING, DISPERSING (mixing paints B44D 3/06)

Note(s) [2]

In this subclass, the following term or expression is used with the meaning indicated:

- "mixing" covers stirring of a single material.

Subclass index

DISSOLVING.....	1/00
MIXING, DISPERSING, EMULSIFYING	
Processes.....	3/00
Apparatus	
flow mixers.....	5/00
with rotary action.....	7/00, 9/00
other mixers.....	11/00, 13/00
accessories.....	15/00
EMULSIFYING OR DISPERSING AGENTS.....	17/00

-
- | | | | |
|------|--|------|---|
| 1/00 | Dissolving (separating by dissolving B01D; dissolving to effect cooling F25D 5/00) [1, 2, 2006.01] | 5/12 | <ul style="list-style-type: none">• Pump mixers [1, 2006.01] |
| 3/00 | Mixing, e.g. dispersing, emulsifying, according to the phases to be mixed [1, 2006.01] | 5/14 | <ul style="list-style-type: none">• • of the gear type [1, 2006.01] |
| 3/02 | <ul style="list-style-type: none">• gases with gases or vapours [1, 2006.01] | 5/16 | <ul style="list-style-type: none">• • Turbo-mixers [1, 2006.01] |
| 3/04 | <ul style="list-style-type: none">• gases or vapours with liquids (mixing non-alcoholic beverages with gases A23L 2/54) [1, 2006.01] | 5/18 | <ul style="list-style-type: none">• Spray-mixers [1, 2006.01] |
| 3/06 | <ul style="list-style-type: none">• gases or vapours with solids [1, 2006.01] | 5/20 | <ul style="list-style-type: none">• • with nozzles [1, 2006.01] |
| 3/08 | <ul style="list-style-type: none">• liquids with liquids; Emulsifying [1, 2006.01] | 5/22 | <ul style="list-style-type: none">• • with rotary discs [1, 2006.01] |
| 3/10 | <ul style="list-style-type: none">• • Mixing very viscous liquids [1, 2006.01] | 5/24 | <ul style="list-style-type: none">• Falling particle mixers with repeated action [1, 2006.01] |
| 3/12 | <ul style="list-style-type: none">• liquids with solids (displacing one liquid by another in dispersions of solids in liquids B01D 12/00) [1, 2006.01] | 5/26 | <ul style="list-style-type: none">• Falling particle mixers with moving means, e.g. stirrers for increasing the mixing [1, 2006.01] |
| 3/14 | <ul style="list-style-type: none">• • Mixing very viscous liquids with solids [1, 2006.01] | 7/00 | Mixers with rotary stirring devices in fixed receptacles; Kneaders (B01F 13/04 takes precedence) [1, 2006.01] |
| 3/18 | <ul style="list-style-type: none">• solid with solids [1, 2006.01] | 7/02 | <ul style="list-style-type: none">• with stirrers rotating about a horizontal or inclined axis [1, 2006.01] |
| 3/20 | <ul style="list-style-type: none">• Pretreatment of the materials to be mixed [1, 2006.01] | 7/04 | <ul style="list-style-type: none">• • with paddles or arms [1, 2006.01] |
| 3/22 | <ul style="list-style-type: none">• Aftertreatment of the mixture [1, 2006.01] | 7/06 | <ul style="list-style-type: none">• • with propellers [1, 2006.01] |
| | | 7/08 | <ul style="list-style-type: none">• • with helices [1, 2006.01] |
| | | 7/10 | <ul style="list-style-type: none">• • with rotary discs [1, 2006.01] |
| | | 7/12 | <ul style="list-style-type: none">• • with cylinders [1, 2006.01] |
| | | 7/14 | <ul style="list-style-type: none">• • with stirrers having planetary motion [1, 2006.01] |
| | | 7/16 | <ul style="list-style-type: none">• with stirrers rotating about a vertical axis [1, 2006.01] |
| | | 7/18 | <ul style="list-style-type: none">• • with paddles or arms [1, 2006.01] |
| | | 7/20 | <ul style="list-style-type: none">• • • with fixed axis [1, 2006.01] |
| | | 7/22 | <ul style="list-style-type: none">• • with propellers [1, 2006.01] |
| | | 7/24 | <ul style="list-style-type: none">• • with helices [1, 2006.01] |
| | | 7/26 | <ul style="list-style-type: none">• • with rotary discs [1, 2006.01] |
| | | 7/28 | <ul style="list-style-type: none">• • with cylinders [1, 2006.01] |
| | | 7/30 | <ul style="list-style-type: none">• • with stirrers having planetary motion [1, 2006.01] |
| | | 7/32 | <ul style="list-style-type: none">• • with openwork frames or cages [1, 2006.01] |

Mixers

- | | |
|------|---|
| 5/00 | Flow mixers (sprayers, atomisers B05B); Mixers for falling materials, e.g. solid particles (B01F 13/04 takes precedence; centrifugal mixers B04) [1, 2006.01] |
| 5/02 | <ul style="list-style-type: none">• Jet mixers [1, 2006.01] |
| 5/04 | <ul style="list-style-type: none">• Injector mixers [1, 2006.01] |
| 5/06 | <ul style="list-style-type: none">• Mixers in which the components are pressed together through slits, orifices, or screens (turbo-mixers B01F 5/16; colloid-mills B02C; mixing valves F16K 11/00) [1, 2006.01] |
| 5/08 | <ul style="list-style-type: none">• • Homogenising or emulsifying nozzles [1, 2006.01] |
| 5/10 | <ul style="list-style-type: none">• Circulation mixers [1, 2006.01] |

- 9/00 Mixers with rotating receptacles** (B01F 13/04 takes precedence) [1, 2006.01]
- 9/02 • rotating about a horizontal or inclined axis, e.g. drum mixers [1, 2006.01]
- 9/04 • • without bars [1, 2006.01]
- 9/06 • • with fixed bars [1, 2006.01]
- 9/08 • • with rotating stirring devices [1, 2006.01]
- 9/10 • rotating about a vertical axis [1, 2006.01]
- 9/12 • • with paddles or arms [1, 2006.01]
- 9/14 • • with propellers [1, 2006.01]
- 9/16 • • with helices [1, 2006.01]
- 9/18 • • with rotary discs [1, 2006.01]
- 9/20 • • with cylinders [1, 2006.01]
- 9/22 • with stirrers having planetary motion [1, 2006.01]
- 11/00 Mixers with shaking, oscillating, or vibrating mechanisms** (B01F 13/04 takes precedence) [1, 2006.01]
- 11/02 • Mixing by means of ultrasonic vibrations [1, 2006.01]
- 11/04 • with pendulum stirrers [1, 2006.01]
- 13/00 Other mixers; Mixing plant, including combinations of dissimilar mixers** [1, 2006.01]
- 13/02 • Mixers with gas agitation, e.g. with air supply tubes [1, 2006.01]
- 13/04 • Mixers combined with safety devices [1, 2006.01]
- 13/06 • Mixers adapted for working at sub- or super-atmospheric pressure [1, 2006.01]
- 13/08 • Magnetic mixers [1, 2006.01]
- 13/10 • Mixing plant, including combinations of dissimilar mixers [1, 2006.01]
- 15/00 Accessories for mixers** [1, 2006.01]
- 15/02 • Feed or discharge mechanisms [1, 2006.01]
- 15/04 • Forming a predetermined ratio of the substances to be mixed (controlling ratio of two or more flows of fluid or fluent material G05D 11/02) [1, 2006.01]
- 15/06 • Heating or cooling systems [1, 2006.01]
-
- 17/00 Use of substances as emulsifying, wetting, dispersing, or foam-producing agents** (flotation agents B03D 1/001; used for particular applications, *see* the relevant classes, e.g. use of substances as detergents C11D) [1, 3, 5, 2006.01]
- 17/02 • Alkyl sulfonates or sulfuric acid ester salts derived from monohydric alcohols [1, 2006.01]
- 17/04 • Sulfonates or sulfuric acid ester salts derived from polyhydric alcohols or amino alcohols or derivatives thereof (sulfated or sulfonated fatty oils B01F 17/08) [1, 2006.01]
- 17/06 • Esters of higher fatty acids with hydroxyalkylated sulfonic acids or salts thereof [1, 2006.01]
- 17/08 • Sulfation or sulfonation products of fats, oils, waxes, or higher fatty acids or esters thereof with monovalent alcohols [1, 2006.01]
- 17/10 • Derivatives of low-molecular-weight sulfocarboxylic acids or sulfopolycarboxylic acids [1, 2006.01]
- 17/12 • Sulfonates of aromatic or alkylated aromatic compounds [1, 2006.01]
- 17/14 • Derivatives of phosphoric acid [1, 2006.01]
- 17/16 • Amines or polyamines [1, 2006.01]
- 17/18 • Quaternary ammonium compounds [1, 2006.01]
- 17/20 • Phosphonium and sulfonium compounds [1, 2006.01]
- 17/22 • Amides or hydrazides [1, 2006.01]
- 17/24 • • Amides of higher fatty acids with aminoalkylated sulfonic acids [1, 2006.01]
- 17/26 • Sulfonamides [1, 2006.01]
- 17/28 • Aminocarboxylic acids (protein hydrolysates B01F 17/30) [1, 2006.01]
- 17/30 • Proteins; Protein hydrolysates [1, 2006.01]
- 17/32 • Heterocyclic compounds [1, 2006.01]
- 17/34 • Higher-molecular-weight carboxylic acid esters (B01F 17/06 takes precedence) [1, 2006.01]
- 17/36 • • Esters of polycarboxylic acids [1, 2006.01]
- 17/38 • Alcohols, e.g. oxidation products of paraffins [1, 2006.01]
- 17/40 • Phenols [1, 2006.01]
- 17/42 • Ethers, e.g. polyglycol ethers of alcohols or phenols [1, 2006.01]
- 17/44 • • Ether carboxylic acids [1, 2006.01]
- 17/46 • • Ethers of aminoalcohols [1, 2006.01]
- 17/48 • • Cellulose ethers [1, 2006.01]
- 17/50 • Derivatives of lignin [1, 2006.01]
- 17/52 • Natural or synthetic resins or their salts [1, 2006.01]
- 17/54 • Silicon compounds [1, 2006.01]
- 17/56 • Glucosides; Mucilage; Saponines [1, 2006.01]

B01J CHEMICAL OR PHYSICAL PROCESSES, e.g. CATALYSIS OR COLLOID CHEMISTRY; THEIR RELEVANT APPARATUS [2]

Note(s) [2, 3, 6]

- In this subclass, the following terms or expressions are used with the meanings indicated:
 - "solid particles" includes such particles whether catalysts, reactants or inert in solid, semi-solid or pasty state;
 - "fluidised particles" means finely divided solid particles lifted and agitated by a stream of fluid;
 - "fluidised-bed technique" means fluid-solid contacting technique in which finely divided particles are lifted and agitated by a rising stream of fluid, said stream having such a speed as to form a lower dense phase (the "bed") and an upper dilute fluidised phase of "fluidised particles";
 - "processes conducted in the presence of solid particles" does not include processes wherein the only solid particles present are formed during the reaction.
- In this subclass, tradenames that are often found in scientific and patent literature have been used in order to define precisely the scope of the groups.

Subclass index

CHEMICAL, PHYSICAL, OR PHYSICO-CHEMICAL PROCESSES OR APPARATUS.....3/00, 4/00, 6/00, 7/00, 8/00, 19/00

B01J

CHEMICAL PROCESSES INVOLVING A GAS.....8/00, 10/00, 12/00, 15/00
 CHEMICAL PROCESSES INVOLVING A LIQUID.....8/00, 10/00, 14/00, 16/00
 CATALYSTS
 containing elements or inorganic compounds.....21/00, 23/00, 27/00
 Raney type.....25/00
 Molecular sieves.....29/00
 containing hydrides, coordination complexes or organic compounds.....31/00
 Catalyst carriers in general.....32/00
 Preparation.....33/00-37/00
 Regeneration or reactivation of catalysts, in general.....38/00
 SORBENT, FILTER AID COMPOSITIONS.....20/00
 ION EXCHANGE PROCESSES.....39/00-49/00
 COLLOID CHEMISTRY.....13/00
 GRANULATION.....2/00

<p>2/00 Processes or devices for granulating materials, in general; Rendering particulate materials free flowing in general, e.g. making them hydrophobic [1, 4, 2006.01]</p> <p>2/02 • by dividing the liquid material into drops, e.g. by spraying, and solidifying the drops [1, 2006.01]</p> <p>2/04 • • in a gaseous medium [1, 2006.01]</p> <p>2/06 • • in a liquid medium [1, 2006.01]</p> <p>2/08 • • • Gelation of a colloidal solution [1, 2006.01]</p> <p>2/10 • in stationary drums or troughs, provided with kneading or mixing appliances [1, 2006.01]</p> <p>2/12 • in rotating drums [1, 2006.01]</p> <p>2/14 • in rotating dishes or pans [1, 2006.01]</p> <p>2/16 • by suspending the powder material in a gas, e.g. in fluidised beds or as a falling curtain [1, 2006.01]</p> <p>2/18 • using a vibrating apparatus [1, 2006.01]</p> <p>2/20 • by expressing the material, e.g. through sieves and fragmenting the extruded length [1, 2006.01]</p> <p>2/22 • by pressing in moulds or between rollers [1, 2006.01]</p> <p>2/24 • Obtaining flakes by scraping a solid layer from a surface [1, 2006.01]</p> <p>2/26 • on endless conveyor belts [1, 2006.01]</p> <p>2/28 • using special binding agents [1, 2006.01]</p> <p>2/30 • using agents to prevent the granules sticking together; Rendering particulate materials free flowing in general, e.g. making them hydrophobic [1, 4, 2006.01]</p> <p>3/00 Processes of utilising sub-atmospheric or super-atmospheric pressure to effect chemical or physical change of matter; Apparatus therefor (pressure vessels for containing or storing compressed, liquefied or solidified gases F17C) [1, 2, 2006.01]</p> <p>3/02 • Feed or outlet devices therefor [1, 2006.01]</p> <p>3/03 • Pressure vessels, or vacuum vessels, having closure members or seals specially adapted therefor [3, 2006.01]</p> <p>3/04 • Pressure vessels, e.g. autoclaves [2, 2006.01]</p> <p>3/06 • Processes using ultra-high pressure, e.g. for the formation of diamonds; Apparatus therefor, e.g. moulds or dies (B01J 3/04 takes precedence) [2, 2006.01]</p> <p>3/08 • • Application of shock waves for chemical reactions or for modifying the crystal structure of substances [3, 2006.01]</p> <p>4/00 Feed devices; Feed or outlet control devices (feed or outlet devices for pressure vessels B01J 3/02) [1, 2006.01]</p> <p>4/02 • for feeding measured quantities of reagents [1, 2006.01]</p>	<p>4/04 • using osmotic pressure [4, 2006.01]</p> <p>6/00 Calcining; Fusing [1, 2006.01]</p> <p>7/00 Apparatus for generating gases (production of inert gas mixtures B01J 19/14; for generating specific gases, see the relevant subclasses, e.g. C01B, C10J) [1, 2006.01]</p> <p>7/02 • by wet methods [1, 2006.01]</p> <p>8/00 Chemical or physical processes in general, conducted in the presence of fluids and solid particles; Apparatus for such processes [2, 2006.01]</p> <p>8/02 • with stationary particles, e.g. in fixed beds [2, 2006.01]</p> <p>8/04 • • the fluid passing successively through two or more beds [2, 2006.01]</p> <p>8/06 • • in tube reactors; the solid particles being arranged in tubes [2, 2006.01]</p> <p>8/08 • with moving particles (with fluidised particles B01J 8/18) [2, 2006.01]</p> <p>8/10 • • moved by stirrers or by rotary drums or rotary receptacles [2, 2006.01]</p> <p>8/12 • • moved by gravity in a downward flow [2, 2006.01]</p> <p>8/14 • • moving in free vortex flow apparatus [2, 2006.01]</p> <p>8/16 • with particles being subjected to vibrations or pulsations (B01J 8/40 takes precedence) [2, 2006.01]</p> <p>8/18 • with fluidised particles [2, 2006.01]</p> <p>8/20 • • with liquid as a fluidising medium [2, 2006.01]</p> <p>8/22 • • • gas being introduced into the liquid [2, 2006.01]</p> <p>8/24 • • according to "fluidised-bed" technique (B01J 8/20 takes precedence) [2, 2006.01]</p> <p>8/26 • • • with two or more fluidised beds, e.g. reactor and regeneration installations [2, 2006.01]</p> <p>8/28 • • • • the one above the other [2, 2006.01]</p> <p>8/30 • • • • the edge of a lower bed projecting beyond the edge of the superjacent bed [2, 2006.01]</p> <p>8/32 • • • with introduction into the fluidised bed of more than one kind of moving particles [2, 2006.01]</p> <p>8/34 • • • with stationary packing material in the fluidised bed, e.g. bricks, wire rings, baffles [2, 2006.01]</p> <p>8/36 • • • with fluidised bed through which there is an essentially horizontal flow of particles [2, 2006.01]</p> <p>8/38 • • • with fluidised bed containing a rotatable device or being subject to rotation [2, 2006.01]</p> <p>8/40 • • • with fluidised bed subjected to vibrations or pulsations [2, 2006.01]</p>
--	---

- 8/42 • • • with fluidised bed subjected to electric current or to radiations [2, 2006.01]
- 8/44 • • • Fluidisation grids [2, 2006.01]
- 8/46 • • • for treatment of endless filamentary, band or sheet material [2, 2006.01]
- 10/00 Chemical processes in general for reacting liquid with gaseous media other than in the presence of solid particles; Apparatus specially adapted therefor** (B01J 19/08 takes precedence; separation, e.g. distillation, also combined with chemical reactions B01D) [3, 2006.01]
- 10/02 • of the thin-film type [3, 2006.01]
- 12/00 Chemical processes in general for reacting gaseous media with gaseous media; Apparatus specially adapted therefor** (B01J 3/08, B01J 8/00, B01J 19/08 take precedence) [3, 2006.01]
- 12/02 • for obtaining at least one reaction product which, at normal temperature, is in the solid state [3, 2006.01]
- 13/00 Colloid chemistry, e.g. the production of colloidal materials or their solutions, not otherwise provided for; Making microcapsules or microballoons** [1, 2006.01]
- 13/02 • Making microcapsules or microballoons [1, 2006.01]
- 13/04 • • by physical processes, e.g. drying, spraying [5, 2006.01]
- 13/06 • • by phase separation [5, 2006.01]
- 13/08 • • • Simple coacervation, i.e. addition of highly hydrophilic material [5, 2006.01]
- 13/10 • • • Complex coacervation, i.e. interaction of oppositely charged particles [5, 2006.01]
- 13/12 • • • removing solvent from the wall-forming material solution [5, 2006.01]
- 13/14 • • • Polymerisation, crosslinking [5, 2006.01]
- 13/16 • • • • Interfacial polymerisation [5, 2006.01]
- 13/18 • • • • *In situ* polymerisation with all reactants being present in the same phase [5, 2006.01]
- 13/20 • • After-treatment of capsule walls, e.g. hardening [5, 2006.01]
- 13/22 • • • Coating [5, 2006.01]
- 14/00 Chemical processes in general for reacting liquids with liquids; Apparatus specially adapted therefor** (B01J 8/00, B01J 19/08 take precedence) [3, 2006.01]
- 15/00 Chemical processes in general for reacting gaseous media with non-particulate solids, e.g. sheet material; Apparatus specially adapted therefor** (B01J 19/08 takes precedence) [3, 2006.01]
- 16/00 Chemical processes in general for reacting liquids with non-particulate solids, e.g. sheet material; Apparatus specially adapted therefor** (B01J 19/08 takes precedence) [3, 2006.01]
- 19/00 Chemical, physical or physico-chemical processes in general; Their relevant apparatus** [3, 2006.01]
- 19/02 • Apparatus characterised by being constructed of material selected for its chemically-resistant properties [3, 2006.01]
- 19/06 • Solidifying liquids (making microcapsules B01J 13/02) [3, 2006.01]
- 19/08 • Processes employing the direct application of electric or wave energy, or particle radiation; Apparatus therefor (application of shock waves B01J 3/08) [3, 2006.01]
- 19/10 • • employing sonic or ultrasonic vibrations [3, 2006.01]
- 19/12 • • employing electromagnetic waves [3, 2006.01]
- 19/14 • Production of inert gas mixtures; Use of inert gases in general [3, 2006.01]
- 19/16 • Preventing evaporation or oxidation of non-metallic liquids by applying a floating layer, e.g. of microballoons [3, 2006.01]
- 19/18 • Stationary reactors having moving elements inside (B01J 19/08, B01J 19/26 take precedence) [3, 2006.01]
- 19/20 • • in the form of helices, e.g. screw reactors [3, 2006.01]
- 19/22 • • in the form of endless belts [3, 2006.01]
- 19/24 • Stationary reactors without moving elements inside (B01J 19/08, B01J 19/26 take precedence; with stationary particles B01J 8/02) [3, 2006.01]
- 19/26 • Nozzle-type reactors, i.e. the distribution of the initial reactants within the reactor is effected by their introduction or injection through nozzles [3, 2006.01]
- 19/28 • Moving reactors, e.g. rotary drums (B01J 19/08 takes precedence) [3, 2006.01]
- 19/30 • Loose or shaped packing elements, e.g. Raschig rings or Berl saddles, for pouring into the apparatus for mass or heat transfer [5, 2006.01]
- 19/32 • Packing elements in the form of grids or built-up elements for forming a unit or module inside the apparatus for mass or heat transfer [5, 2006.01]
- Solid sorbent compositions; Filter aid compositions; Sorbents for chromatography; Catalysts** [3]
- Note(s)** [2, 5]
- In groups B01J 20/00-B01J 31/00, metal salts having an anion composed of metal and oxygen only, e.g. molybdates, are considered as chemically bound mixtures of the component metal oxides.
 - Attention is drawn to the definitions of groups of chemical elements following the title of section C.
 - In group B01J 20/00 and in each set of groups B01J 21/00-B01J 31/00 and B01J 32/00-B01J 38/00, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.
 - Pure compounds or elements, or their recovery from solid sorbent compositions, filter aid compositions, or catalysts, are classified in the appropriate subclass for chemical compounds or elements. However, when it is explicitly stated that the pure compound or element, in a particular form, is especially useful as a solid sorbent, filter aid, or catalyst, it is further classified in group B01J 20/00 or B01J 35/00.
- 20/00 Solid sorbent compositions or filter aid compositions; Sorbents for chromatography; Processes for preparing, regenerating or reactivating thereof** [3, 2006.01]
- 20/02 • comprising inorganic material [3, 2006.01]
- 20/04 • • comprising compounds of alkali metals, alkaline earth metals or magnesium [3, 2006.01]
- 20/06 • • comprising oxides or hydroxides of metals not provided for in group B01J 20/04 [3, 2006.01]
- 20/08 • • • comprising aluminium oxide or hydroxide; comprising bauxite [3, 2006.01]
- 20/10 • • comprising silica or silicate [3, 2006.01]

B01J

- 20/12 • • • Naturally occurring clays or bleaching earth [3, 2006.01]
- 20/14 • • • Diatomaceous earth [3, 2006.01]
- 20/16 • • • Alumino-silicates (B01J 20/12 takes precedence) [3, 2006.01]
- 20/18 • • • • Synthetic zeolitic molecular sieves [3, 2006.01]
- 20/20 • • comprising free carbon; comprising carbon obtained by carbonising processes [3, 2006.01]
- 20/22 • comprising organic material [3, 2006.01]
- 20/24 • • Naturally occurring macromolecular compounds, e.g. humic acids or their derivatives [3, 2006.01]
- 20/26 • • Synthetic macromolecular compounds [3, 2006.01]
- 20/28 • characterised by their form or physical properties [3, 2006.01]
- 20/281 • Sorbents specially adapted for preparative, analytical or investigative chromatography [2006.01]
- 20/282 • • Porous sorbents (ion exchange B01J 39/00-B01J 41/00) [2006.01]
- 20/283 • • • based on silica [2006.01]
- 20/284 • • • based on alumina [2006.01]
- 20/285 • • • based on polymers [2006.01]
- 20/286 • • Phases chemically bonded to a substrate, e.g. to silica or to polymers [2006.01]
- 20/287 • • • Non-polar phases; Reversed phases [2006.01]
- 20/288 • • • Polar phases [2006.01]
- 20/289 • • • bonded via a spacer [2006.01]
- 20/29 • • Chiral phases [2006.01]
- 20/291 • • Gel sorbents [2006.01]
- 20/292 • • Liquid sorbents [2006.01]
- 20/30 • Processes for preparing, regenerating or reactivating [3, 2006.01]
- 20/32 • • Impregnating or coating [3, 2006.01]
- 20/34 • • Regenerating or reactivating [3, 2006.01]
- Note(s) [2, 4, 5]**
- In groups B01J 21/00-B01J 38/00, the following term is used with the meaning indicated:
 - "catalyst" covers also a carrier forming part of the catalyst.
 - Classification of the:
 - carriers;
 - forms or physical properties;
 - preparation or activation;
 - regeneration or reactivation
 of catalysts according to more than one of main groups B01J 21/00-B01J 31/00 is made in the following general groups:
 - B01J 32/00 for such carriers;
 - B01J 35/00 for such forms or physical properties;
 - B01J 37/00 for such preparation or activation;
 - B01J 38/00 for such regeneration or reactivation.
- 21/00 Catalysts comprising the elements, oxides or hydroxides of magnesium, boron, aluminium, carbon, silicon, titanium, zirconium or hafnium [2, 2006.01]**
- 21/02 • Boron or aluminium; Oxides or hydroxides thereof [2, 2006.01]
- 21/04 • • Alumina [2, 2006.01]
- 21/06 • Silicon, titanium, zirconium or hafnium; Oxides or hydroxides thereof [2, 2006.01]
- 21/08 • • Silica [2, 2006.01]
- 21/10 • Magnesium; Oxides or hydroxides thereof [2, 2006.01]
- 21/12 • Silica and alumina [2, 2006.01]
- 21/14 • Silica and magnesia [2, 2006.01]
- 21/16 • Clays or other mineral silicates [2, 2006.01]
- 21/18 • Carbon [2, 2006.01]
- 21/20 • Regeneration or reactivation [2, 2006.01]
- 23/00 Catalysts comprising metals or metal oxides or hydroxides, not provided for in group B01J 21/00 (B01J 21/16 takes precedence) [2, 2006.01]**
- 23/02 • of the alkali- or alkaline earth metals or beryllium [2, 2006.01]
- 23/04 • • Alkali metals [2, 2006.01]
- 23/06 • of zinc, cadmium or mercury [2, 2006.01]
- 23/08 • of gallium, indium or thallium [2, 2006.01]
- 23/10 • of rare earths [2, 2006.01]
- 23/12 • of actinides [2, 2006.01]
- 23/14 • of germanium, tin or lead [2, 2006.01]
- 23/16 • of arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [2, 2006.01]
- 23/18 • • Arsenic, antimony or bismuth [2, 2006.01]
- 23/20 • • Vanadium, niobium or tantalum [2, 2006.01]
- 23/22 • • • Vanadium [2, 2006.01]
- 23/24 • • Chromium, molybdenum or tungsten [2, 2006.01]
- 23/26 • • • Chromium [2, 2006.01]
- 23/28 • • • Molybdenum [2, 2006.01]
- 23/30 • • • Tungsten [2, 2006.01]
- 23/31 • • • combined with bismuth [3, 2006.01]
- 23/32 • • Manganese, technetium or rhenium [2, 2006.01]
- 23/34 • • • Manganese [2, 2006.01]
- 23/36 • • • Rhenium [2, 2006.01]
- 23/38 • of noble metals [2, 2006.01]
- 23/40 • • of the platinum group metals [2, 2006.01]
- 23/42 • • • Platinum [2, 2006.01]
- 23/44 • • • Palladium [2, 2006.01]
- 23/46 • • • Ruthenium, rhodium, osmium or iridium [2, 2006.01]
- 23/48 • • Silver or gold [2, 2006.01]
- 23/50 • • • Silver [2, 2006.01]
- 23/52 • • • Gold [2, 2006.01]
- 23/54 • • combined with metals, oxides or hydroxides provided for in groups B01J 23/02-B01J 23/36 [2, 2006.01]
- 23/56 • • • Platinum group metals [2, 2006.01]
- 23/58 • • • • with alkali- or alkaline earth metals or beryllium [2, 6, 2006.01]
- 23/60 • • • • with zinc, cadmium or mercury [2, 2006.01]
- 23/62 • • • • with gallium, indium, thallium, germanium, tin or lead [2, 2006.01]
- 23/63 • • • • with rare earths or actinides [6, 2006.01]
- 23/64 • • • • with arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [2, 2006.01]
- 23/644 • • • • • Arsenic, antimony or bismuth [6, 2006.01]
- 23/648 • • • • • Vanadium, niobium or tantalum [6, 2006.01]
- 23/652 • • • • • Chromium, molybdenum or tungsten [6, 2006.01]
- 23/656 • • • • • Manganese, technetium or rhenium [6, 2006.01]

- 23/66 • • • Silver or gold [2, 2006.01]
- 23/68 • • • • with arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [2, 2006.01]
- 23/70 • of the iron group metals or copper [2, 2006.01]
- 23/72 • • Copper [2, 2006.01]
- 23/74 • • Iron group metals [2, 2006.01]
- 23/745 • • • Iron [6, 2006.01]
- 23/75 • • • Cobalt [6, 2006.01]
- 23/755 • • • Nickel [6, 2006.01]
- 23/76 • • combined with metals, oxides or hydroxides provided for in groups B01J 23/02-B01J 23/36 [2, 2006.01]
- 23/78 • • • with alkali- or alkaline earth metals or beryllium [2, 6, 2006.01]
- 23/80 • • • with zinc, cadmium or mercury [2, 2006.01]
- 23/825 • • • with gallium, indium or thallium [6, 2006.01]
- 23/83 • • • with rare earths or actinides [6, 2006.01]
- 23/835 • • • with germanium, tin or lead [6, 2006.01]
- 23/84 • • • with arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [2, 2006.01]
- 23/843 • • • • Arsenic, antimony or bismuth [6, 2006.01]
- 23/847 • • • • Vanadium, niobium or tantalum [6, 2006.01]
- 23/85 • • • • Chromium, molybdenum, or tungsten [3, 2006.01]
- 23/86 • • • • Chromium [2, 3, 2006.01]
- 23/88 • • • • Molybdenum [2, 3, 2006.01]
- 23/881 • • • • • and iron [6, 2006.01]
- 23/882 • • • • • and cobalt [6, 2006.01]
- 23/883 • • • • • and nickel [6, 2006.01]
- 23/885 • • • • • and copper [6, 2006.01]
- 23/887 • • • • • containing in addition other metals, oxides or hydroxides provided for in groups B01J 23/02-B01J 23/36 [6, 2006.01]
- 23/888 • • • • • Tungsten [6, 2006.01]
- 23/889 • • • • • Manganese, technetium or rhenium [6, 2006.01]
- 23/89 • • combined with noble metals [3, 2006.01]
- 23/90 • Regeneration or reactivation [2, 2006.01]
- 23/92 • • of catalysts comprising metals, oxides or hydroxides provided for in groups B01J 23/02-B01J 23/36 [2, 2006.01]
- 23/94 • • of catalysts comprising metals, oxides or hydroxides of the iron group metals or copper [2, 2006.01]
- 23/96 • • of catalysts comprising metals, oxides or hydroxides of the noble metals [2, 2006.01]
- 25/00 Catalysts of the Raney type [2, 2006.01]**
- 25/02 • Raney nickel [2, 2006.01]
- 25/04 • Regeneration or reactivation [2, 2006.01]
- 27/00 Catalysts comprising the elements or compounds of halogens, sulfur, selenium, tellurium, phosphorus or nitrogen; Catalysts comprising carbon compounds [4, 2006.01]**
- Note(s) [2, 5]**
- Metal catalysts or metal oxide catalysts activated or conditioned by halogens, sulfur or phosphorus, or compounds thereof are classified in the appropriate groups for metal catalysts or metal oxide catalysts.
- 27/02 • Sulfur, selenium or tellurium; Compounds thereof [4, 2006.01]
- 27/04 • • Sulfides [2, 2006.01]
- 27/043 • • • with iron group metals or platinum group metals [4, 2006.01]
- 27/045 • • • • Platinum group metals [4, 2006.01]
- 27/047 • • • with chromium, molybdenum, tungsten or polonium [4, 2006.01]
- 27/049 • • • • with iron group metals or platinum group metals [4, 2006.01]
- 27/051 • • • • Molybdenum [4, 2006.01]
- 27/053 • • Sulfates [4, 2006.01]
- 27/055 • • • with alkali metals, copper, gold or silver [4, 2006.01]
- 27/057 • • Selenium or tellurium; Compounds thereof [4, 2006.01]
- 27/06 • Halogens; Compounds thereof [4, 2006.01]
- 27/08 • • Halides [2, 2006.01]
- 27/10 • • • Chlorides [2, 2006.01]
- 27/12 • • • Fluorides [2, 2006.01]
- 27/122 • • • of copper [4, 2006.01]
- 27/125 • • with scandium, yttrium, aluminium, gallium, indium or thallium [4, 2006.01]
- 27/128 • • with iron group metals or platinum group metals [4, 2006.01]
- 27/13 • • • Platinum group metals [4, 2006.01]
- 27/132 • • with chromium, molybdenum, tungsten or polonium [4, 2006.01]
- 27/135 • • with titanium, zirconium, hafnium, germanium, tin or lead [4, 2006.01]
- 27/138 • • with alkaline earth metals, magnesium, beryllium, zinc, cadmium or mercury [4, 2006.01]
- 27/14 • Phosphorus; Compounds thereof [4, 2006.01]
- 27/16 • • containing oxygen [2, 2006.01]
- 27/18 • • • with metals [2, 2006.01]
- 27/182 • • with silicon [4, 2006.01]
- 27/185 • • with iron group metals or platinum group metals [4, 2006.01]
- 27/186 • • with arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [5, 2006.01]
- 27/187 • • • with manganese, technetium or rhenium [5, 2006.01]
- 27/188 • • • with chromium, molybdenum, tungsten or polonium [4, 5, 2006.01]
- 27/19 • • • • Molybdenum [4, 5, 2006.01]
- 27/192 • • • • • with bismuth [4, 5, 2006.01]
- 27/195 • • • with vanadium, niobium or tantalum [4, 5, 2006.01]
- 27/198 • • • • Vanadium [4, 5, 2006.01]
- 27/199 • • • • • with chromium, molybdenum, tungsten or polonium [5, 2006.01]
- 27/20 • Carbon compounds [2, 2006.01]
- 27/22 • • Carbides [2, 2006.01]
- 27/224 • • • Silicon carbide [4, 2006.01]
- 27/228 • • • • with phosphorus, arsenic, antimony or bismuth [4, 2006.01]
- 27/232 • • Carbonates [4, 2006.01]
- 27/236 • • • Hydroxy carbonates [4, 2006.01]
- 27/24 • Nitrogen compounds [2, 2006.01]
- 27/25 • • Nitrates [4, 2006.01]
- 27/26 • • Cyanides [2, 2006.01]
- 27/28 • Regeneration or reactivation [2, 2006.01]

- 27/30 • • of catalysts comprising compounds of sulfur, selenium or tellurium [2, 2006.01]
- 27/32 • • of catalysts comprising compounds of halogens [2, 2006.01]
- 29/00 Catalysts comprising molecular sieves [2, 2006.01]**
- Note(s) [6]**
- In this group, the following term is used with the meaning indicated:
- "zeolites" means:
 - i. crystalline aluminosilicates with base-exchange and molecular sieve properties, having three dimensional, microporous lattice framework structure of tetrahedral oxide units;
 - ii. compounds isomorphous to those of the former category, wherein the aluminium or silicon atoms in the framework are partly or wholly replaced by atoms of other elements, e.g. by gallium, germanium, phosphorus or boron.
- 29/03 • not having base-exchange properties [6, 2006.01]
- 29/035 • • Crystalline silica polymorphs, e.g. silicalites [6, 2006.01]
- 29/04 • having base-exchange properties, e.g. crystalline zeolites, pillared clays [2, 6, 2006.01]
- 29/06 • • Crystalline aluminosilicate zeolites; Isomorphous compounds thereof [2, 2006.01]
- 29/064 • • • containing iron group metals, noble metals or copper [6, 2006.01]
- 29/068 • • • • Noble metals [6, 2006.01]
- 29/072 • • • • Iron group metals or copper [6, 2006.01]
- 29/076 • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [6, 2006.01]
- 29/08 • • • of the faujasite type, e.g. type X or Y [2, 2006.01]
- 29/10 • • • • containing iron group metals, noble metals or copper [2, 2006.01]
- 29/12 • • • • • Noble metals [2, 2006.01]
- 29/14 • • • • • Iron group metals or copper [2, 2006.01]
- 29/16 • • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [2, 2006.01]
- 29/18 • • • of the mordenite type [2, 2006.01]
- 29/20 • • • • containing iron group metals, noble metals or copper [2, 2006.01]
- 29/22 • • • • • Noble metals [2, 2006.01]
- 29/24 • • • • • Iron group metals or copper [2, 2006.01]
- 29/26 • • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [2, 2006.01]
- 29/40 • • • of the pentasil type, e.g. types ZSM-5, ZSM-8 or ZSM-11 [6, 2006.01]
- 29/42 • • • • containing iron group metals, noble metals or copper [6, 2006.01]
- 29/44 • • • • • Noble metals [6, 2006.01]
- 29/46 • • • • • Iron group metals or copper [6, 2006.01]
- 29/48 • • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [6, 2006.01]
- 29/50 • • • of the erionite or offretite type, e.g. zeolite T [6, 2006.01]
- 29/52 • • • • containing iron group metals, noble metals or copper [6, 2006.01]
- 29/54 • • • • • Noble metals [6, 2006.01]
- 29/56 • • • • • Iron group metals or copper [6, 2006.01]
- 29/58 • • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [6, 2006.01]
- 29/60 • • • of the type L [6, 2006.01]
- 29/61 • • • • containing iron group metals, noble metals or copper [6, 2006.01]
- 29/62 • • • • • Noble metals [6, 2006.01]
- 29/63 • • • • • Iron group metals or copper [6, 2006.01]
- 29/64 • • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [6, 2006.01]
- 29/65 • • • of the ferrierite type, e.g. types ZSM-21, ZSM-35 or ZSM-38 [6, 2006.01]
- 29/66 • • • • containing iron group metals, noble metals or copper [6, 2006.01]
- 29/67 • • • • • Noble metals [6, 2006.01]
- 29/68 • • • • • Iron group metals or copper [6, 2006.01]
- 29/69 • • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [6, 2006.01]
- 29/70 • • • of types characterised by their specific structure not provided for in groups B01J 29/08-B01J 29/65 [6, 2006.01]
- 29/72 • • • • containing iron group metals, noble metals or copper [6, 2006.01]
- 29/74 • • • • • Noble metals [6, 2006.01]
- 29/76 • • • • • Iron group metals or copper [6, 2006.01]
- 29/78 • • • • containing arsenic, antimony, bismuth, vanadium, niobium, tantalum, polonium, chromium, molybdenum, tungsten, manganese, technetium or rhenium [6, 2006.01]
- 29/80 • • • Mixtures of different zeolites [6, 2006.01]
- 29/82 • Phosphates [6, 2006.01]
- 29/83 • • Aluminophosphates (APO compounds) [6, 2006.01]
- 29/84 • • Aluminophosphates containing other elements, e.g. metals, boron [6, 2006.01]
- 29/85 • • • Silicoaluminophosphates (SAPO compounds) [6, 2006.01]
- 29/86 • Borosilicates; Aluminoborosilicates [6, 2006.01]
- 29/87 • Gallosilicates; Aluminogallosilicates; Galloborosilicates [6, 2006.01]
- 29/88 • Ferrosilicates; Ferroaluminosilicates [6, 2006.01]
- 29/89 • Silicates, aluminosilicates or borosilicates of titanium, zirconium or hafnium [6, 2006.01]
- 29/90 • Regeneration or reactivation [6, 2006.01]

- 31/00 Catalysts comprising hydrides, coordination complexes or organic compounds** (catalyst compositions used only in polymerisation reactions C08) [2, 2006.01]
- Note(s) [2]**
- In this group, the presence of water is disregarded for classification purposes.
- 31/02 • containing organic compounds or metal hydrides [2, 2006.01]
- 31/04 • • containing carboxylic acids or their salts [2, 2006.01]
- 31/06 • • containing polymers [2, 2006.01]
- 31/08 • • • Ion-exchange resins [2, 2006.01]
- 31/10 • • • • sulfonated [2, 2006.01]
- 31/12 • • containing organo-metallic compounds or metal hydrides [2, 2006.01]
- 31/14 • • • of aluminium or boron [2, 2006.01]
- 31/16 • containing coordination complexes [2, 2006.01]
- 31/18 • • containing nitrogen, phosphorus, arsenic or antimony [2, 2006.01]
- 31/20 • • Carbonyls [2, 2006.01]
- 31/22 • • Organic complexes [2, 2006.01]
- 31/24 • • Phosphines [2, 2006.01]
- 31/26 • containing in addition, inorganic metal compounds not provided for in groups B01J 31/02-B01J 31/24 [2, 2006.01]
- 31/28 • • of the platinum group metals, iron group metals or copper [2, 2006.01]
- 31/30 • • • Halides [2, 2006.01]
- 31/32 • • of manganese, technetium or rhenium [2, 2006.01]
- 31/34 • • of chromium, molybdenum or tungsten [2, 2006.01]
- 31/36 • • of vanadium, niobium or tantalum [2, 2006.01]
- 31/38 • • of titanium, zirconium or hafnium [2, 2006.01]
- 31/40 • Regeneration or reactivation [2, 2006.01]
- Note(s) [6, 2006.01]**
- When classifying in groups B01J 32/00-B01J 38/00, any part of a catalyst that is not identified by this classification, and which itself is determined to be novel and non-obvious, must also be classified in groups B01J 21/00-B01J 31/00. Such a part of a catalyst can be either a single substance or a composition in itself.
 - Any part of a catalyst which is not identified by the classification according to Note (1) above, and which is considered to represent information of interest for search, may also be classified. This can, for example, be the case when it is considered of interest to enable searching of catalysts using a combination of classification symbols. Such non-obligatory classification should be given as "additional information".
- 32/00 Catalyst carriers in general** [4, 2006.01]
- 33/00 Protection of catalysts, e.g. by coating** [2, 2006.01]
- 35/00 Catalysts, in general, characterised by their form or physical properties** [2, 2006.01]
- 35/02 • Solids [2, 2006.01]
- 35/04 • • Foraminous structures, sieves, grids, honeycombs [2, 2006.01]
- 35/06 • • Fabrics or filaments [2, 2006.01]
- 35/08 • • Spheres [2, 2006.01]
- 35/10 • • characterised by their surface properties or porosity [2, 2006.01]
- 35/12 • Liquids or melts [2, 2006.01]
- 37/00 Processes, in general, for preparing catalysts; Processes, in general, for activation of catalysts** [4, 2006.01]
- 37/02 • Impregnation, coating or precipitation (protecting by coating B01J 33/00) [2, 2006.01]
- 37/025 • • using a distinct intermediate layer, e.g. substrate-support-active layer [6, 2006.01]
- 37/03 • • Precipitation; Co-precipitation [4, 2006.01]
- 37/04 • Mixing [2, 2006.01]
- 37/06 • Washing [2, 2006.01]
- 37/08 • Heat treatment [2, 2006.01]
- 37/10 • • in the presence of water, e.g. steam [2, 2006.01]
- 37/12 • Oxidising [2, 2006.01]
- 37/14 • • with gases containing free oxygen [2, 2006.01]
- 37/16 • Reducing [2, 2006.01]
- 37/18 • • with gases containing free hydrogen [2, 2006.01]
- 37/20 • Sulfiding [2, 2006.01]
- 37/22 • Halogenating [2, 2006.01]
- 37/24 • • Chlorinating [2, 2006.01]
- 37/26 • • Fluorinating [2, 2006.01]
- 37/28 • Phosphorising [2, 2006.01]
- 37/30 • Ion-exchange [2, 2006.01]
- 37/32 • Freeze drying, i.e. lyophilisation [2, 2006.01]
- 37/34 • Irradiation by, or application of, electric, magnetic or wave energy, e.g. ultrasonic waves [2, 2006.01]
- 37/36 • Biochemical methods [2, 2006.01]
- 38/00 Regeneration or reactivation of catalysts, in general** [4, 2006.01]
- 38/02 • Heat treatment [4, 2006.01]
- 38/04 • Gas or vapour treating; Treating by using liquids vaporisable upon contacting spent catalyst [4, 2006.01]
- 38/06 • • using steam [4, 2006.01]
- 38/08 • • using ammonia or derivatives thereof [4, 2006.01]
- 38/10 • • using elemental hydrogen [4, 2006.01]
- 38/12 • • Treating with free oxygen-containing gas [4, 2006.01]
- 38/14 • • • with control of oxygen content in oxidation gas [4, 2006.01]
- 38/16 • • • Oxidation gas comprising essentially steam and oxygen [4, 2006.01]
- 38/18 • • • with subsequent reactive gas treating [4, 2006.01]
- 38/20 • • • Plural distinct oxidation stages [4, 2006.01]
- 38/22 • • • Moving bed, e.g. vertically or horizontally moving bulk [4, 2006.01]
- 38/24 • • • • having mainly transverse, i.e. lateral, flow of oxygen-containing gas and material [4, 2006.01]
- 38/26 • • • • having mainly counter-current flow of oxygen-containing gas and material [4, 2006.01]
- 38/28 • • • • having mainly concurrent flow of oxygen-containing gas and material [4, 2006.01]
- 38/30 • • • in gaseous suspension, e.g. fluidised bed [4, 2006.01]
- 38/32 • • • • Indirectly heating or cooling material within regeneration zone or prior to entry into regeneration zone [4, 2006.01]
- 38/34 • • • • with plural distinct serial combustion stages [4, 2006.01]

B01J

- 38/36 • • • • and with substantially complete oxidation of carbon monoxide to carbon dioxide within regeneration zone [4, 2006.01]
- 38/38 • • • and adding heat by solid heat carrier [4, 2006.01]
- 38/40 • • • and forming useful by-products [4, 2006.01]
- 38/42 • • using halogen-containing material [4, 2006.01]
- 38/44 • • • and adding simultaneously or subsequently free oxygen; using oxyhalogen compound [4, 2006.01]
- 38/46 • • • fluorine-containing [4, 2006.01]
- 38/48 • Liquid treating or treating in liquid phase, e.g. dissolved or suspended [4, 2006.01]
- 38/50 • • using organic liquids [4, 2006.01]
- 38/52 • • • oxygen-containing [4, 2006.01]
- 38/54 • • • halogen-containing [4, 2006.01]
- 38/56 • • • Hydrocarbons [4, 2006.01]
- 38/58 • • • and gas addition thereto [4, 2006.01]
- 38/60 • • using acids [4, 2006.01]
- 38/62 • • • organic [4, 2006.01]
- 38/64 • • using alkaline material; using salts [4, 2006.01]
- 38/66 • • • using ammonia or derivatives thereof [4, 2006.01]
- 38/68 • • including substantial dissolution or chemical precipitation of a catalyst component in the ultimate reconstitution of the catalyst [4, 2006.01]
- 38/70 • • Wet oxidation of material submerged in liquid [4, 2006.01]
- 38/72 • including segregation of diverse particles [4, 2006.01]
- 38/74 • utilising ion-exchange [4, 2006.01]
- 39/16 • • Organic material [3, 2006.01, 2017.01]
- 39/17 • • • containing also inorganic materials, e.g. inert material coated with an ion-exchange resin [2017.01]
- 39/18 • • • Macromolecular compounds (B01J 39/17 takes precedence) [3, 2006.01, 2017.01]
- 39/19 • • • • obtained otherwise than by reactions only involving unsaturated carbon-to-carbon bonds [2017.01]
- 39/20 • • • • obtained by reactions only involving unsaturated carbon-to-carbon bonds [3, 2006.01]
- 39/22 • • • • Cellulose or wood; Derivatives thereof [3, 2006.01]
- 39/24 • • Carbon, coal or tar [3, 2006.01, 2017.01]
- 39/26 • Cation exchangers for chromatographic processes [2006.01]
- 41/00 **Anion exchange; Use of material as anion exchangers; Treatment of material for improving the anion exchange properties** (ion-exchange chromatography processes B01D 15/36) [3, 2006.01]
- 41/02 • Processes using inorganic exchangers [3, 2006.01]
- 41/04 • Processes using organic exchangers [3, 2006.01, 2017.01]
- 41/05 • • in the strongly basic form [2017.01]
- 41/07 • • in the weakly basic form [2017.01]
- 41/08 • Use of material as anion exchangers; Treatment of material for improving the anion exchange properties [3, 2006.01, 2017.01]
- 41/09 • • Organic material [2017.01]
- 41/10 • • Inorganic material [3, 2006.01]
- 41/12 • • Macromolecular compounds [3, 2006.01, 2017.01]
- 41/13 • • • obtained otherwise than by reactions only involving unsaturated carbon-to-carbon bonds [2017.01]
- 41/14 • • • obtained by reactions only involving unsaturated carbon-to-carbon bonds [3, 2006.01]
- 41/16 • • • Cellulose or wood; Derivatives thereof [3, 2006.01]
- 41/18 • • Carbon, coal or tar [3, 2006.01, 2017.01]
- 41/20 • Anion exchangers for chromatographic processes [2006.01]
- 43/00 **Amphoteric ion-exchange, i.e. using ion-exchangers having cationic and anionic groups; Use of material as amphoteric ion-exchangers; Treatment of material for improving their amphoteric ion-exchange properties** (ion-exchange chromatography processes B01D 15/36) [3, 2006.01]
- 45/00 **Ion-exchange in which a complex or a chelate is formed; Use of material as complex or chelate forming ion-exchangers; Treatment of material for improving the complex or chelate forming ion-exchange properties** (ion-exchange chromatography processes B01D 15/36) [3, 2006.01]
- 47/00 **Ion-exchange processes in general; Apparatus therefor** (ion-exchange chromatography processes or apparatus B01D 15/08) [3, 2006.01, 2017.01]
- 47/011 • using batch processes [2017.01]
- 47/012 • using portable ion-exchange apparatus [2017.01]
- 47/014 • in which the adsorbent properties of the ion-exchanger are involved, e.g. recovery of proteins or other high-molecular compounds [2017.01]
- 47/015 • Electron-exchangers [2017.01]

Ion-exchange [3]

Note(s) [3]

1. In groups B01J 39/00-B01J 49/00:
 - ion-exchange covers all processes whereby ions are exchanged between the solid exchanger and the liquid to be treated and wherein the exchanger is not soluble in the liquid to be treated;
 - ion-exchange processes cover also ion-exchange in combination with complex or chelate forming reactions.
2. In groups B01J 39/00-B01J 49/00, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.

- 39/00 **Cation exchange; Use of material as cation exchangers; Treatment of material for improving the cation exchange properties** (ion-exchange chromatography processes B01D 15/36) [3, 2006.01]
- 39/02 • Processes using inorganic exchangers [3, 2006.01]
- 39/04 • Processes using organic exchangers [3, 2006.01, 2017.01]
- 39/05 • • in the strongly acidic form [2017.01]
- 39/07 • • in the weakly acidic form [2017.01]
- 39/08 • Use of material as cation exchangers; Treatment of material for improving the cation exchange properties [3, 2006.01, 2017.01]
- 39/09 • • Inorganic material [2017.01]
- 39/10 • • Oxides or hydroxides [3, 2006.01]
- 39/12 • • Compounds containing phosphorus [3, 2006.01]
- 39/14 • • Base exchange silicates, e.g. zeolites [3, 2006.01]

- 47/016 • Modification or after-treatment of ion-exchangers [2017.01]
- 47/018 • Granulation; Incorporation of ion-exchangers in a matrix; Mixing with inert materials [2017.01]
- 47/019 • • Mixtures in form of tablets [2017.01]
- 47/02 • Column or bed processes [3, 2006.01, 2017.01]
- 47/022 • • characterised by the construction of the column or container [2017.01]
- 47/024 • • • where the ion-exchangers are in a removable cartridge [2017.01]
- 47/026 • • using columns or beds of different ion exchange materials in series [2017.01]
- 47/028 • • • with alternately arranged cationic and anionic exchangers [2017.01]
- 47/04 • • Mixed-bed processes [3, 2006.01]
- 47/06 • • during which the ion-exchange material is subjected to a physical treatment, e.g. heat, electric current, irradiation or vibration (electrodialysis or electro-osmosis B01D 61/42) [3, 2006.01]
- 47/08 • • • subjected to a direct electric current [3, 2006.01]
- 47/10 • • with moving ion-exchange material; with ion-exchange material in suspension or in fluidised-bed form [3, 2006.01, 2017.01]
- 47/11 • • in rotating beds [2017.01]
- 47/12 • characterised by the use of ion-exchange material in the form of ribbons, filaments, fibres or sheets, e.g. membranes (electrodialysis or electro-osmosis B01D 61/42) [3, 2006.01, 2017.01]
- 47/127 • • in the form of filaments or fibres [2017.01]
- 47/133 • • Precoat filters [2017.01]
- 47/14 • Controlling or regulating [3, 2006.01, 2017.01]
- 47/15 • • for obtaining a solution having a fixed pH [2017.01]
- 49/00 Regeneration or reactivation of ion-exchangers; Apparatus therefor** (ion-exchange chromatography processes or apparatus B01D 15/08) [3, 2006.01, 2017.01]
- 49/05 • of fixed beds [2017.01]
- 49/06 • • containing cationic exchangers [2017.01]
- 49/07 • • containing anionic exchangers [2017.01]
- 49/08 • • containing cationic and anionic exchangers in separate beds [2017.01]
- 49/09 • • of mixed beds [2017.01]
- 49/10 • of moving beds [2017.01]
- 49/12 • • containing cationic exchangers [2017.01]
- 49/14 • • containing anionic exchangers [2017.01]
- 49/16 • • containing cationic and anionic exchangers in separate beds [2017.01]
- 49/18 • • of mixed beds [2017.01]
- 49/20 • of membranes [2017.01]
- 49/30 • Electrical regeneration [2017.01]
- 49/40 • Thermal regeneration [2017.01]
- 49/45 • • of amphoteric ion-exchangers [2017.01]
- 49/50 • characterised by the regeneration reagents [2017.01]
- 49/53 • • for cationic exchangers [2017.01]
- 49/57 • • for anionic exchangers [2017.01]
- 49/60 • Cleaning or rinsing ion-exchange beds [2017.01]
- 49/70 • for large scale industrial processes or applications [2017.01]
- 49/75 • of water softeners [2017.01]
- 49/80 • Automatic regeneration [2017.01]
- 49/85 • • Controlling or regulating devices therefor [2017.01]
- 49/90 • having devices which prevent back-flow of the ion-exchange mass during regeneration [2017.01]

B01L CHEMICAL OR PHYSICAL LABORATORY APPARATUS FOR GENERAL USE (apparatus for medical or pharmaceutical purposes A61; apparatus for industrial purposes or laboratory apparatus whose construction and performance are comparable to that of similar industrial apparatus, see the relevant classes for industrial apparatus, particularly subclasses of B01 and C12; separating or distilling apparatus B01D; mixing or stirring devices B01F; atomisers B05B; sieves B07B; corks, bungs B65D; handling liquids in general B67; vacuum pumps F04; siphons F04F 10/00; taps, stop-cocks F16K; tubes, tube joints F16L; apparatus specially adapted for investigating or analysing materials G01, particularly G01N; electrical or optical apparatus, see the relevant classes in sections G and H)

Note(s)

This subclass covers only laboratory apparatus which is either applicable solely to laboratory purposes or which, by reason of its simple construction and adaptability, is such as would not be suitable for industrial use.

- 1/00 Enclosures; Chambers** (fume cupboards B08B; provided with manipulation devices, glove boxes B25J; cooling chambers F25D) [1, 2006.01]
- 1/02 • Air-pressure chambers; Air-locks therefor [1, 2006.01]
- 1/04 • Dust-free rooms or enclosures [1, 2006.01]
- 3/00 Containers or dishes for laboratory use, e.g. laboratory glassware** (bottles B65D; apparatus for enzymology or microbiology C12M 1/00); **Droppers** (receptacles for volumetric purposes G01F) [1, 2006.01]
- 3/02 • Burettes; Pipettes [1, 2006.01]
- 3/04 • Crucibles [1, 2006.01]
- 3/06 • Crystallising dishes [1, 2006.01]
- 3/08 • Flasks (specially adapted for distillation B01D) [1, 2006.01]
- 3/10 • Wash bottles [1, 2006.01]
- 3/12 • Gas jars or cylinders [1, 2006.01]
- 3/14 • Test tubes [1, 2006.01]
- 3/16 • Retorts [1, 2006.01]
- 3/18 • Spatulas [1, 2006.01]
- 5/00 Gas handling apparatus** (gas jars or cylinders B01L 3/12; cold traps, cold baffles B01D 8/00; separation of gases or vapours B01D 53/00; gas generators B01J 7/00; steam traps F16T) [1, 2006.01]
- 5/02 • Gas collection apparatus, e.g. by bubbling under water (for sampling G01N) [1, 2006.01]
- 5/04 • Gas washing apparatus, e.g. by bubbling [1, 2006.01]
- 7/00 Heating or cooling apparatus** (evaporators B01D 1/00; drying gases or vapours, e.g. desiccators, B01D 53/26; autoclaves B01J 3/04; drying ovens F26B; furnaces, ovens F27); **Heat insulating devices** [1, 3, 2006.01]
- 7/02 • Water baths; Sand baths; Air baths [1, 2006.01]

B01L

7/04 • Heat insulating devices, e.g. jackets for flasks [2010.01]

9/00 Supporting devices; Holding devices (tweezers, tongs B25B) [1, 2006.01]

9/02 • Laboratory benches or tables; Fittings therefor [1, 2006.01]

9/04 • Retort stands; Retort clamps [1, 2006.01]

9/06 • Test-tube stands; Test-tube holders [1, 2006.01]

99/00 Subject matter not provided for in other groups of this subclass [2010.01]