SECTION B — PERFORMING OPERATIONS; TRANSPORTING

B23 MACHINE TOOLS; METAL-WORKING NOT OTHERWISE PROVIDED FOR

B23K SOLDERING OR UNSOLDERING; WELDING; CLADDING OR PLATING BY SOLDERING OR WELDING; CUTTING BY APPLYING HEAT LOCALLY, e.g. FLAME CUTTING; WORKING BY LASER BEAM (making metal-coated products by extruding metal B21C 23/22; building up linings or coverings by casting B22D 19/08; casting by dipping B22D 23/04; manufacture of composite layers by sintering metal powder B22F 7/00; arrangements on machine tools for copying or controlling B23Q; covering metals or covering materials with metals, not otherwise provided for C23C; burners F23D)

Note(s) [5]

- 1. This subclass <u>covers</u> also electric circuits specially adapted for the purposes covered by the title of the subclass.
- 2. In this subclass, the following term is used with the meaning indicated:
 - "soldering" means uniting metals using solder and applying heat without melting either of the parts to be united.
- 3. In groups B23K 1/00-B23K 31/00, it is desirable to add the indexing codes of groups B23K 101/00 or B23K 103/00.

Subclass index

SOLDERING	1/00, 3/00
WELDING	
Characterised by the means used to produce heat	
by flame	
by electricity	9/00, 11/00, 13/00
by means of plasma	10/00
by nuclear particles	
by alumino-thermic means	
by laser beam	
otherwise	
Characterised by the use of impact or pressure	
Characterised by other features, processes not restricted to one particular group of this subclass	s28/00
CUTTING BY APPLYING HEAT LOCALLY; SEVERING	7/00, 9/00, 15/00, 26/00, 28/00,
	11/00
SCARFING, DESURFACING	7/00
MATERIALS; AUXILIARY DEVICES	35/00, 37/00
SPECIAL PROCESSES	31/00, 33/00

Soldering, e.g. brazing; Unsoldering

- 1/00 Soldering, e.g. brazing, or unsoldering (B23K 3/00 takes precedence; characterised only by the use of special materials or media B23K 35/00; dip or wave soldering in the manufacture of printed circuits H05K 3/34) [1, 5, 2006.01]
- 1/002 Soldering by means of induction heating [5, 2006.01]
- 1/005 Soldering by means of radiant energy [5, 2006.01]
- 1/008 Soldering within a furnace (B23K 1/012 takes precedence) **[5, 2006.01]**
- 1/012 Soldering with the use of hot gas **[5, 2006.01]**
- 1/015 • Vapour-condensation soldering [5, 2006.01]
- Unsoldering; Removal of melted solder or other residues [5, 2006.01]
- 1/06 making use of vibrations, e.g. supersonic vibrations [1, 2006.01]
- Soldering by means of dipping in molten solder [1, 2006.01]

- specially adapted for soldering seams (making tubes involving operations other than soldering B21C) [1, 5, 2006.01]
- 1/16 longitudinal seams, e.g. of shells [1, 5, 2006.01]
- 1/18 circumferential seams, e.g. of shells **[1, 5, 2006.01]**
- 1/19 taking account of the properties of the materials to be soldered [3, 2006.01]
- Preliminary treatment of work or areas to be soldered, e.g. in respect of a galvanic coating (preparation of surfaces in particular ways, <u>see</u> the relevant classes for the treatments or the materials treated, e.g. C04B, C23C) [1, 2006.01]
- 3/00 Tools, devices, or special appurtenances for soldering, e.g. brazing, or unsoldering, not specially adapted for particular methods (materials used for soldering B23K 35/00) [1, 5, 2006.01]
- 3/02 Soldering irons; Bits **[1, 2006.01]**
- 3/03 • electrically heated **[5, 2006.01]**

IPC (2025.01), Section B 1

Heating appliances (soldering lamps or blow-pipes F23D; electric heating in general H05B) [1, 2006.01]
electric [5, 2006.01]
solder feeding devices; Solder melting pans [1, 2006.01]
Auxiliary devices therefor (cleaning pipes or tubes or systems of pipes or tubes, e.g. before soldering, B08B 9/02) [5, 2006.01]

Flame welding or cutting

5/00 Gas flame welding [1, 2006.01]

- Seam welding (making tubes involving operations other than welding B21C) [1, 2006.01]
- using additional profiled strips or like of welding metal along seam edges [1, 2006.01]
- 5/06 • Welding longitudinal seams [1, 2006.01]
- 5/08 • Welding circumferential seams [1, 2006.01]
- Welding workpieces essentially comprising layers of different metals, e.g. plated workpieces [1, 2006.01]
- taking account of the properties of the material to be welded [1, 2006.01]
- 5/14 • of non-ferrous metals (B23K 5/16 takes precedence) **[1, 2006.01]**
- 5/16 • of different metals **[1, 2006.01]**
- for purposes other than joining parts, e.g. built-up welding [1, 2006.01]
- making use of vibrations, e.g. supersonic vibrations [1, 2006.01]
- 5/213 Preliminary treatment [3, 2006.01]
- 5/22 Auxiliary equipment, e.g. backings, guides [1, 2006.01]
- 5/24 Arrangements for supporting torches (not restricted to flame welding B23K 37/02) [1, 2006.01]

7/00 Cutting, scarfing, or desurfacing by applying flames [1, 2006.01]

- Machines, apparatus, or equipment specially designed for scarfing or desurfacing [1, 2006.01]
- by applying additional compounds or means favouring the cutting, scarfing, or desurfacing procedure [1, 2006.01]
- Auxiliary devices, e.g. for guiding or supporting the torch (guiding means applicable to other metalworking machines B23Q) [1, 2006.01]

Electric welding or cutting

- **9/00 Arc welding or cutting** (electro-slag welding B23K 25/00; welding transformers H01F; welding generators H02K) **[1, 2006.01]**
- 9/007 Spot arc welding **[5, 2006.01]**
- 9/013 Arc cutting, gouging, scarfing or desurfacing **[5, 2006.01]**
- 9/02 Seam welding; Backing means; Inserts [1, 2006.01]
- 9/022 • Welding by making use of electrode vibrations [5, 2006.01]
- 9/025 • for rectilinear seams **[5, 2006.01]**
- 9/028 • for curved planar seams **[5, 2006.01]**
- 9/032 • for three-dimensional seams **[5, 2006.01]**
- 9/035 with backing means disposed under the seam [5, 2006.01]

- 9/038 using moulding means (not restricted to arc welding B23K 37/06) **[5, 2006.01]**
- 9/04 Welding for other purposes than joining, e.g. built-up welding [1, 2006.01]
- 9/06 Arrangements or circuits for starting the arc, e.g. by generating ignition voltage, or for stabilising the arc [1, 5, 2006.01]
- 9/067 • Starting the arc **[5, 2006.01]**
- 9/073 • Stabilising the arc **[5, 2006.01]**
- 9/08 Arrangements or circuits for magnetic control of the arc [1, 2006.01]
- 9/09 Arrangements or circuits for arc welding with pulsed current or voltage [3, 2006.01]
- 9/095 Monitoring or automatic control of welding parameters [5, 2006.01]
- 9/10 Other electric circuits therefor; Protective circuits; Remote controls [1, 2006.01]
- 9/12 Automatic feeding or moving of electrodes or work for spot or seam welding or cutting [1, 2006.01]
- 9/127 Means for tracking lines during arc welding or cutting (copying in general B23Q 35/00) [5, 2006.01]
- 9/133 Means for feeding electrodes, e.g. drums, rolls, motors [5, 2006.01]
- 9/14 making use of insulated electrodes [1, 2006.01]
- 9/16 making use of shielding gas **[1, 2006.01]**
- 9/167 • and of a non-consumable electrode **[5, 2006.01]**
- 9/173 • and of consumable electrode **[5, 2006.01]**
- 9/18 Submerged-arc welding [1, 2006.01]
- 9/20 Stud welding **[1, 2006.01]**
- 9/22 Percussion welding [1, 2006.01]
- 9/23 taking account of the properties of the materials to be welded [3, 2006.01]
- 9/235 Preliminary treatment [3, 2006.01]
- 9/24 Features related to electrodes (form or composition of electrodes B23K 35/00) [1, 2006.01]
- 9/26 Accessories for electrodes, e.g. ignition tips [1, 2006.01]
- 9/28
 Supporting devices for electrodes (not restricted to arc welding or cutting B23K 37/02) [1, 2006.01]
- 9/29 • Supporting devices adapted for making use of shielding means [5, 2006.01]
- 9/30 • Vibrating holders for electrodes (B23K 9/022 takes precedence) [1, 5, 2006.01]
- 9/32 Accessories (earthing connections H01R) [1, 2006.01]

10/00 Welding or cutting by means of a plasma [5, 2006.01]

10/02 • Plasma welding **[5, 2006.01]**

11/00 Resistance welding; Severing by resistance heating [1, 2006.01]

- 11/02 Pressure butt welding **[1, 2006.01]**
- 11/04 Flash butt welding **[1, 2006.01]**
- 11/06 using roller electrodes **[1, 2006.01]**
- 11/08 Seam welding not restricted to one of the preceding subgroups [1, 2006.01]
- 11/087 • for rectilinear seams **[5, 2006.01]**
- 11/093 • for curved planar seams [5, 2006.01]
- 11/10 Spot welding; Stitch welding **[1, 2006.01]**
- 11/11 • Spot welding **[5, 2006.01]**
- 11/12 • making use of vibrations **[1, 2006.01]**
- 11/14 Projection welding [1, 2006.01]
- taking account of the properties of the material to be welded [1, 2006.01]

11/18	• • of non-ferrous metals (B23K 11/20 takes precedence) [1, 2006.01]	20/18	• Zonal welding by interposing weld-preventing substances between zones not to be
11/20	• • of different metals [1, 2006.01]		welded [3, 2006.01]
11/22	 Severing by resistance heating [1, 2006.01] 	20/20	• Special methods allowing subsequent separation, e.g.
11/24	• Electric supply or control circuits therefor [1, 2006.01]		of metals of high quality from scrap material [3, 2006.01]
11/25	 Monitoring devices [5, 2006.01] 	20/22	• taking account of the properties of the materials to be
11/26	Storage discharge welding [1, 2006.01]		welded [3, 2006.01]
11/28	Portable welding equipment [1, 2006.01]	20/227	• • with ferrous layer [5, 2006.01]
11/30	Features relating to electrodes (form or composition	20/233	 without ferrous layer [5, 2006.01]
	of electrodes B23K 35/00) [1, 2006.01]	20/24	• Preliminary treatment [3, 2006.01]
11/31	Electrode holders (not restricted to resistance	20/26	 Auxiliary equipment [3, 2006.01]
	welding or severing by resistance heating B23K 37/02) [5, 2006.01]	23/00	Alumino-thermic welding [1, 2006.01]
11/34	Preliminary treatment [3, 2006.01]	25/00	Slag walding it a using a heated layer or mass of
11/36	Auxiliary equipment (B23K 11/31 takes	23/00	Slag welding, i.e. using a heated layer or mass of powder, slag, or the like in contact with the material
	precedence) [3, 5, 2006.01]		to be joined (B23K 23/00 takes precedence; submerged-arc welding B23K 9/18) [1, 2006.01]
13/00	Welding by high-frequency current		Submerged-arc weiting B23K 9/10) [1, 2000.01]
	heating [1, 5, 2006.01]	26/00	Working by laser beam, e.g. welding, cutting or
13/01	 by induction heating [5, 2006.01] 		boring [2, 3, 2006.01, 2014.01]
13/02	• • Seam welding [1, 2006.01]		NI-4-(-) [2014 04]
13/04	 by conduction heating [5, 2006.01] 		Note(s) [2014.01]
13/06	 characterised by the shielding of the welding zone 		1. This main group <u>covers</u> :
	against influence of the surrounding atmosphere		laser working for making a weakened layer, with an without removing metavial.
	(selection of media B23K 35/38) [5, 2006.01]		with or without removing material;laser shock processing;
13/08	• Electric supply or control circuits		 apparatus for laser surface treatment;
	therefor [5, 2006.01]		 laser ablation.
			2. This main group <u>does not cover</u> :
Other we	lding or cutting: Working by laser beam [3]		 laser assisted deposition which is covered by subclass C23C;
15/00	Electron-beam welding or cutting (electron- or ion-beam tubes H01J 37/00) [1, 2006.01]		 laser sintering which is covered by group B22F 3/105 for metallic powder, by group
15/02	 Control circuits therefor [5, 2006.01] 		B29C 67/04 for plastics, by group
15/04	 for welding annular seams [5, 2006.01] 		C03B 19/06 for glass or by group C04B 35/64 for ceramics;
15/06	 within a vacuum chamber (B23K 15/04 takes precedence) [5, 2006.01] 		 laser assisted chemical etching which is covered by group C23F 1/00.
15/08	Removing material, e.g. by cutting, by hole	26/02	 Positioning or observing the workpiece, e.g. with
15/10	drilling [5, 2006.01] • Non-vacuum electron beam-welding or	20/02	respect to the point of impact; Aligning, aiming or
13/10	cutting [5, 2006.01]	26/02	focusing the laser beam [3, 2006.01, 2014.01]
17/00	Use of the energy of nuclear particles in welding or	26/03	 Observing, e.g. monitoring, the workpiece [7, 2006.01]
	related techniques [1, 2006.01]	26/035	• • Aligning the laser beam (automatically B23K 26/042) [2014.01]
20/00	Non-electric welding by applying impact or other	26/04	Automatically aligning, aiming or focusing the
	pressure, with or without the application of heat, e.g.		laser beam, e.g. using the back-scattered
	cladding or plating [3, 2006.01]	26/042	light [3, 2006.01, 2014.01]
20/02	• by means of a press [3, 2006.01]	26/042	• • Automatically aligning the laser
20/04	 by means of a rolling mill [3, 2006.01] 	26/044	beam [2014.01]
20/06	• by means of high energy impulses, e.g. magnetic		• • • Seam tracking [2014.01]• • Automatically focusing the laser
20.400	energy [3, 2006.01]	20/040	beam [2014.01]
20/08	• • Explosive welding [3, 2006.01]	26/06	Shaping the laser beam, e.g. by masks or multi-
20/10	 making use of vibrations, e.g. ultrasonic welding [3, 2006.01] 		focusing [3, 2006.01, 2014.01]
20/12	 the heat being generated by friction; Friction welding [3, 2006.01] 		• • by direct control of the laser beam [2014.01]• • • by shaping pulses [2014.01]
20/14	Preventing or minimising gas access, or using		• • by means of optical elements, e.g. lenses,
20/1.	protective gases or vacuum during welding (formed		mirrors or prisms [2014.01]
	by material interposed between workpieces	26/066	• • • by using masks [2014.01]
	B23K 20/18) [3, 2006.01]		• • Dividing the beam into multiple beams, e.g.
20/16	 with interposition of special material to facilitate 		multi-focusing [7, 2006.01]
	connection of the parts, e.g. material for absorbing or	26/073	1 0 1
	producing gas [3, 2006.01]	26/08	• Devices involving relative movement between laser beam and workpiece [3, 2006.01, 2014.01]

IPC (2025.01), Section B 3

26/082	•	Scanning systems, i.e. devices involving movement of the laser beam relative to the laser	26/361	• • for deburring or mechanical trimming (B23K 26/351 takes precedence) [2014.01]
		head [2014.01]		 Laser etching [2014.01]
26/10		• using a fixed support [3, 2006.01]	26/364	• • • for making a groove or trench, e.g. for scribing
26/12	•	in a special environment or atmosphere, e.g. in an		a break initiation groove [2014.01]
26/122		enclosure [3, 2006.01, 2014.01]	26/38	• • by boring or cutting [7, 2006.01, 2014.01]
26/122		• in a liquid, e.g. underwater [2014.01]	26/382	3
26/14	•	using a fluid stream, e.g. a jet of gas, in conjunction with the laser beam; Nozzles therefor (B23K 26/12	26/384	
		takes precedence) [3, 2006.01, 2014.01]	26/386	• • • • of blind holes [2014.01]
26/142		• for the removal of by-products [2014.01]	26/388	• • • Trepanning, i.e. boring by moving the beam
		the fluid stream containing particles, e.g.	26/40	spot about an axis [2014.01]taking account of the properties of the material
		powder [2014.01]	20/40	involved [7, 2006.01, 2014.01]
26/146		 the fluid stream containing a liquid [2014.01] 	26/402	• • involving non-metallic material, e.g.
26/16	•	Removal of by-products, e.g. particles or vapours		isolators [2014.01]
		produced during treatment of a workpiece (by a fluid stream B23K 26/142) [3, 2006.01]	26/50	Working by transmitting the laser beam through or This is a second of the sec
26/18		using absorbing layers on the workpiece, e.g. for	26/53	within the workpiece [2014.01]for modifying or reforming the material inside the
20, 10		marking or protecting purposes [3, 2006.01]	20/33	workpiece, e.g. for producing break initiation
26/20	•	Bonding (soldering by means of radiant energy		cracks [2014.01]
		B23K 1/005; joining of preformed plastics parts by	26/55	 for creating voids inside the workpiece, e.g. for
		heating using laser beam B29C 65/16) [7, 2006.01, 2014.01]		forming flow passages or flow patterns [2014.01]
26/21		• by welding [2014.01]	26/57	• • the laser beam entering a face of the workpiece
26/21 26/211		 by weiding [2014.01] with interposition of special material to 		from which it is transmitted through the workpiece
20/211	·	facilitate connection of the parts [2014.01]		material to work on a different workpiece face, e.g. for effecting removal, fusion splicing,
26/22		• • Spot welding [7, 2006.01]		modifying or reforming [2014.01]
26/24		• Seam welding [7, 2006.01, 2014.01]	26/60	Preliminary treatment [2014.01]
26/242		Fillet welding, i.e. involving a weld of	26/70	Auxiliary operations or equipment [2014.01]
		substantially triangular cross section joining		
		two parts [2014.01]	28/00	Welding or cutting not covered by groups B23K 5/00-
26/244	•	• • • Overlap seam welding [2014.01]		B23K 26/00 (joining workpieces by electrolysis
26/26		• • of rectilinear seams [7, 2006.01, 2014.01]		C25D 2/00; electrolytic removal of materials C25F) [2, 2006.01]
26/262		• • • of longitudinal seams of tubes [2014.01]	28/02	Combined welding or cutting procedures or
26/28	•	• • • of curved planar	20/02	apparatus [2, 2006.01, 2014.01]
26/202		seams [7, 2006.01, 2014.01] • • • • of tube sections [2014.01]		
26/282 26/30	•	• • • of three-dimensional		
20/30	·	seams [7, 2006.01, 2014.01]	31/00	Processes relevant to this subclass, specially adapted
26/302		• • • of helicoidal seams [2014.01]	31/00	for particular articles or purposes, but not covered
26/32		taking account of the properties of the material		by any single one of main groups B23K 1/00-
		involved [7, 2006.01, 2014.01]		B23K 28/00 (making tubes or profiled bars involving
26/322	•	 involving coated metal parts (using absorbing 		operations other than soldering or welding B21C 37/04,
		layers on the workpiece B23K 26/18) [2014.01]	54.465	B21C 37/08) [1, 2006.01]
26/323	•	 involving parts made of dissimilar metallic 	31/02	 relating to soldering or welding (dip or wave soldering in the manufacture of printed circuits
00/00/		material [2014.01]		H05K 3/34) [1, 2006.01]
26/324		• involving non-metallic parts [2014.01]	31/10	• relating to cutting or desurfacing [1, 2006.01]
26/34	•	Laser welding for purposes other than joining [7, 2006.01, 2014.01]	31/12	 relating to investigating the properties, e.g. the
26/342		• Build-up welding [2014.01]	01,12	weldability, of materials [5, 2006.01]
		in combination with welding or cutting covered by		•
20/540		groups B23K 5/00-B23K 25/00, e.g. in combination	33/00	Specially-profiled edge portions of workpieces for
		with resistance welding [2014.01]		making soldering or welding connections; Filling the seams formed thereby [1, 2006.01]
26/348		 in combination with arc heating, e.g. TIG 		scams formed dicreby [1, 2000.01]
	•			
	•	[tungsten inert gas], MIG [metal inert gas] or	35/00	Rods, electrodes, materials, or media, for use in
	•	plasma welding (laser beam for starting a welding		soldering, welding, or cutting [1, 2006.01]
76/2E1		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01]	35/00 35/02	soldering, welding, or cutting [1, 2006.01]characterised by mechanical features, e.g.
26/351		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical	35/02	 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01]
	•	plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical components [2014.01]		 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01] specially designed for use as electrodes (ignition)
26/352		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical components [2014.01] for surface treatment [2014.01]	35/02	 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01] specially designed for use as electrodes (ignition tips for arc welding or cutting
26/352 26/354		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical components [2014.01] for surface treatment [2014.01] • by melting [2014.01]	35/02 35/04	 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01] specially designed for use as electrodes (ignition tips for arc welding or cutting B23K 9/26) [1, 2006.01]
26/352		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical components [2014.01] for surface treatment [2014.01]	35/02	 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01] specially designed for use as electrodes (ignition tips for arc welding or cutting
26/352 26/354 26/356 26/359		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical components [2014.01] for surface treatment [2014.01] • by melting [2014.01] • by shock processing [2014.01] • by providing a line or line pattern, e.g. a dotted break initiation line [2014.01]	35/02 35/04	 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01] specially designed for use as electrodes (ignition tips for arc welding or cutting B23K 9/26) [1, 2006.01] of non-circular cross-section; with special
26/352 26/354 26/356		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical components [2014.01] for surface treatment [2014.01] • by melting [2014.01] • by shock processing [2014.01] • by providing a line or line pattern, e.g. a dotted break initiation line [2014.01] Removing material (B23K 26/55, B23K 26/57 take	35/02 35/04 35/06	 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01] specially designed for use as electrodes (ignition tips for arc welding or cutting B23K 9/26) [1, 2006.01] of non-circular cross-section; with special arrangement, e.g. internal [1, 2006.01] multi-cored; multiple [1, 2006.01] with more than one layer of coating or
26/352 26/354 26/356 26/359		plasma welding (laser beam for starting a welding or cutting arc B23K 9/067) [2014.01] for trimming or tuning of electrical components [2014.01] for surface treatment [2014.01] • by melting [2014.01] • by shock processing [2014.01] • by providing a line or line pattern, e.g. a dotted break initiation line [2014.01]	35/02 35/04 35/06 35/08	 soldering, welding, or cutting [1, 2006.01] characterised by mechanical features, e.g. shape [1, 2006.01] specially designed for use as electrodes (ignition tips for arc welding or cutting B23K 9/26) [1, 2006.01] of non-circular cross-section; with special arrangement, e.g. internal [1, 2006.01] multi-cored; multiple [1, 2006.01]

• • not specially designed for use as	37/047 • • moving work to adjust its position between
electrodes [1, 2006.01]	soldering, welding or cutting steps (B23K 37/053
35/14 • • • for soldering [1, 2006.01]	takes precedence) [5, 2006.01] 37/053 • aligning cylindrical work; Clamping devices
35/16 • • • of non-circular cross-section; with special arrangement, e.g. internal (B23K 35/14 takes	therefor [5, 2006.01, 2025.01]
precedence) [1, 2006.01]	37/0531 • • • Internal pipe alignment clamps [2025.01]
35/18 • • • multi-cored; multiple [1, 2006.01]	37/0533 • • • External pipe alignment clamps [2025.01]
35/20 • • • with more than one layer of coating or	37/0535 • • • Longitudinal pipe seam alignment
sheathing material [1, 2006.01]	clamps [2025.01]
35/22 • characterised by the composition or nature of the	37/0536 • • • for maintaining flanges on tubes [2025.01]
material [1, 2006.01]	37/0538 • • • for rotating tubes, e.g. rollers [2025.01]
35/24 • • Selection of soldering or welding materials proper	
(B23K 35/34 takes precedence) [1, 2006.01]	to a desired area [1, 2006.01]
35/26 • • • with the principal constituent melting at less	37/08 • for flash removal [5, 2006.01]
than 400°C [1, 2006.01]	
35/28 • • • with the principal constituent melting at less	Indexing scheme associated with groups POOK 1/00 POOK 21/00
than 950°C [1, 2006.01]	Indexing scheme associated with groups B23K 1/00-B23K 31/00, relating to articles made by soldering, welding or cutting or to
35/30 • • • with the principal constituent melting at less than 1550°C [1, 2006.01]	materials to be soldered, welded or cut. [5]
35/32 • • • with the principal constituent melting at more	
than 1550°C [1, 2006.01]	101/00 Articles made by soldering, welding or
35/34 • • comprising compounds which yield metals when	cutting [5, 2006.01]
heated [1, 2006.01]	101/02 • Honeycomb structures [5, 2006.01]
35/36 • • Selection of non-metallic compositions, e.g.	101/04 • Tubular or hollow articles [5, 2006.01]
coatings, fluxes (B23K 35/34 takes precedence);	101/06 • • Tubes [5, 2006.01]
Selection of soldering or welding materials,	101/08 • • • finned or ribbed [5, 2006.01]
conjoint with selection of non-metallic	101/10 • • Pipe-lines [5, 2006.01]
compositions, both selections being of interest (selection of soldering or welding materials prope	101/12 • • Vessels [5, 2006.01]
B23K 35/24) [1, 2, 2006.01]	101/14 Ifett exchanges [5, 2000.01]
35/362 • • • Selection of compositions of fluxes	• Bands or sheets of indefinite length [5, 2006.01]
(B23K 35/365, B23K 35/368 take	101/18 • Sheet panels [5, 2006.01]
precedence) [2, 2006.01]	101/20 • Tools [5, 2006.01]
35/363 • • • • for soldering or brazing [4, 2006.01]	• Nets, wire fabrics or the like [5, 2006.01]
35/365 • • • Selection of non-metallic compositions of	101/24 • Frameworks [5, 2006.01]
coating materials either alone or conjoint with	101/26 • Railway- or like rails [5, 2006.01]
selection of soldering or welding	101/28 • Beams [5, 2006.01]
materials [2, 2006.01]	101/30 • Chains, hoops or rings [5, 2006.01]
35/368 • • • Selection of non-metallic compositions of core materials either alone or conjoint with selection	
of soldering or welding materials [2, 2006.01]	
35/38 • • Selection of media, e.g. special atmospheres for	101/36 • Electric or electronic devices [5, 2006.01]
surrounding the working area [1, 2006.01]	101/38 • Conductors [5, 2006.01] 101/40 • Semiconductor devices [5, 2006.01]
• Making wire or rods for soldering or welding	101/40 • Semiconductor devices [3, 2000.01] 101/42 • Printed circuits [5, 2006.01]
(processes involving a single technical art, see the	101/42 Frinted circuits [3, 2000.01]
relevant subclasses, e.g. B05D, B21C) [1, 2006.01]	103/00 Materials to be soldered, welded or cut [5, 2006.01]
37/00 Auxiliary devices or processes, not specially adapted	103/02 • Iron or ferrous alloys [5, 2006.01]
for a procedure covered by only one of the other main	103/04 • • Steel alloys [5, 2006.01]
groups of this subclass (eye-shields for welders worn o	400 /00 C . 1 11 FE 0000 041
the operator's body or carried in the hand A61F 9/00;	103/08 • Non-ferrous metals or alloys [5, 2006.01]
applicable to metal-working machines other than	103/10 • • Aluminium or alloys thereof [5, 2006.01]
soldering, welding, or flame-cutting machines B23Q;	103/12 • • Copper or alloys thereof [5, 2006.01]
other protective shields F16P 1/06) [1 2006 01 2025 01]	103/14 • • Titanium or alloys thereof [5, 2006.01]
F16P 1/06) [1, 2006.01, 2025.01]	103/16 • Composite materials [5, 2006.01]
 37/003 • Cooling means for welding or cutting [2025.01] 37/006 • Safety devices for welding or cutting [2025.01] 	103/18 • Dissimilar materials [5, 2006.01]
 37/006 • Safety devices for welding or cutting [2025.01] 37/02 • Carriages for supporting the welding or cutting 	103/20 • • Ferrous alloys and aluminium or alloys
element [1, 2006.01]	thereof [5, 2006.01]
37/04 • for holding or positioning work [1, 2006.01]	103/22 • • Ferrous alloys and copper or alloys
2 1 1 2 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	thereof [5, 2006.01]
	103/24 • Ferrous alloys and titanium or alloys thereof [5, 2006.01]
	dicteor [0, 2000.01]

IPC (2025.01), Section B 5