SECTION C — CHEMISTRY; METALLURGY

C03 GLASS; MINERAL OR SLAG WOOL

C03C CHEMICAL COMPOSITION OF GLASSES, GLAZES OR VITREOUS ENAMELS; SURFACE TREATMENT OF GLASS; SURFACE TREATMENT OF FIBRES OR FILAMENTS MADE FROM GLASS, MINERALS OR SLAGS; JOINING GLASS TO GLASS OR OTHER MATERIALS

Subclass index

CHEMICAL COMPOSITION	
For glasses	1/00, 3/00, 4/00, 6/00, 10/00-12/00
For glazes, for vitreous enamels	1/00, 8/00
For devitrified glass ceramics	10/00
For fibres or filaments.	
For glass containing a non-glass component	14/00
SURFACE TREATMENTS	
By diffusion into the surface	21/00
By coating	17/00
Other treatments	15/00, 19/00, 23/00
Of fibres or filaments	25/00
JOINING	27/00, 29/00

Chemical composition of glasses, glazes, or vitreous enamels

Note(s) [4]

In groups C03C 1/00-C03C 14/00, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.

1/00 Ingredients generally applicable to manufacture of glasses, glazes or vitreous enamels [1, 2006.01]

- 1/02 Pretreated ingredients **[1, 2006.01]**
- Opacifiers, e.g. fluorides or phosphates;
 Pigments [1, 2006.01]
- 1/06 to produce non-uniformly pigmented, e.g. speckled, marbled, or veined products [1, 2006.01]
- 1/08 to produce crackled effects [1, 2006.01]
- 1/10 to produce uniformly-coloured transparent products [1, 2006.01]
- **3/00 Glass compositions** (glass batch compositions C03C 6/00) **[1, 4, 2006.01]**
- 3/04 containing silica [1, 4, 2006.01]

Note(s) [4]

If silica is specified as being present in a percent range covered by two of the groups C03C 3/06, C03C 3/062 or C03C 3/076, classification is made in both groups. If the range is covered by the three groups, classification is made in group C03C 3/04 itself.

- 3/06 with more than 90% silica by weight, e.g. quartz **[1, 2006.01]**
- 3/062 • with less than 40% silica by weight **[4, 2006.01]**
- 3/064 • containing boron **[4, 2006.01]**
- 3/066 • containing zinc [4, 2006.01]

- 3/068 • containing rare earths **[4, 2006.01]**
- 3/07 • containing lead **[4, 2006.01]**
- 3/072 • containing boron [4, 2006.01]
- 3/074 • • containing zinc **[4, 2006.01]**3/076 • with 40% to 90% silica by weight **[4, 2006.01]**
- 3/078 • containing an oxide of a divalent metal, e.g. an
- oxide of zinc [4, 2006.01]
- 3/083 • containing aluminium oxide or an iron compound [4, 2006.01]
- 3/085 • containing an oxide of a divalent metal **[4, 2006.01]**
- 3/087 • • containing calcium oxide, e.g. common sheet or container glass [4, 2006.01]
- 3/089 • containing boron **[4, 2006.01]**
- 3/091 • containing aluminium **[4, 2006.01]**
- 3/093 • • containing zinc or zirconium **[4, 2006.01]**
- 3/095 • containing rare earths **[4, 2006.01]**
- 3/097 • containing phosphorus, niobium or tantalum [4, 2006.01]
- 3/102 • containing lead **[4, 2006.01]**
- 3/105 • containing aluminium **[4, 2006.01]**
- 3/108 • containing boron **[4, 2006.01]**
- 3/11 • containing halogen or nitrogen **[4, 2006.01]**
- 3/112 • containing fluorine **[4, 2006.01]**
- 3/115 • • containing boron **[4, 2006.01]**
- 3/118 • • containing aluminium **[4, 2006.01]**
- 3/12 Silica-free oxide glass compositions [1, 4, 2006.01]
- 3/14 • containing boron **[1, 4, 2006.01]**
- 3/145 • containing aluminium or beryllium [4, 2006.01]
- • containing rare earths **[4, 2006.01]**
- 3/155 • containing zirconium, titanium, tantalum or niobium [4, 2006.01]

IPC (2025.01), Section C 1

3/16	• • containing phosphorus [1, 4, 2006.01]	8/24	• Fusion seal compositions being frit compositions
3/17	• • containing aluminium or beryllium [4, 2006.01]		having non-frit additions, i.e. for use as seals between
3/19	• • containing boron [4, 2006.01]		dissimilar materials, e.g. glass and metal; Glass
3/21	 containing titanium, zirconium, vanadium, tungsten or molybdenum [4, 2006.01] 		solders [4, 2006.01]
3/23	 containing halogen and at least one oxide, e.g. 	10/00	Devitrified glass ceramics, i.e. glass ceramics having
5/25	oxide of boron [4, 2006.01]		a crystalline phase dispersed in a glassy phase and
3/247	• • containing fluorine and		constituting at least 50% by weight of the total composition [4, 2006.01]
	phosphorus [4, 2006.01]	10/02	Non-silica and non-silicate crystalline phase, e.g.
3/253	• • containing germanium [4, 2006.01]		spinel, barium titanate [4, 2006.01]
3/32	 Non-oxide glass compositions, e.g. binary or ternary halides, sulfides, or nitrides of germanium, selenium 	10/04	• Silicate or polysilicate crystalline phase, e.g. mullite, diopside, sphene, plagioclase [4, 2006.01]
	or tellurium [4, 2006.01]	10/06	Divalent metal oxide aluminosilicate crystalline
4/00	Compositions for glass with special	10/00	phase, e.g. anorthite, slagcerams [4, 2006.01]
	properties [4, 2006.01]	10/08	 • Magnesium aluminosilicate, e.g. cordierite [4, 2006.01]
	Note(s) [4]	10/10	Alkali metal aluminosilicate crystalline
	When classifying in group C03C 4/00, classification is	10/10	phase [4, 2006.01]
	also made in the appropriate subgroups of group C03C 3/00 according to the glass composition.	10/12	• • • Lithium aluminosilicate, e.g. spodumene, eucryptite [4, 2006.01]
4/02	• for coloured glass [4, 2006.01]	10/14	 Silica crystalline phase, e.g. stuffed quartz,
4/04	• for photosensitive glass [4, 2006.01]		cristobalite [4, 2006.01]
4/06	• • for phototropic or photochromic glass [4, 2006.01]	10/16	 Halogen-containing crystalline phase [4, 2006.01]
4/08	 for glass selectively absorbing radiation of specified wave lengths [4, 2006.01] 	11/00	Multi-cellular glass [1, 2006.01]
4/10	• for infrared transmitting glass [4, 2006.01]	12/00	Powdered glass (C03C 8/02 takes precedence); Bead
4/12	for luminescent glass; for fluorescent	12,00	compositions [1, 4, 2006.01]
	glass [4, 2006.01]	12/02	• Reflective beads [4, 2006.01]
4/14	• for electro-conductive glass [4, 2006.01]	40 (00	
4/16	• for dielectric glass [4, 2006.01]	13/00	Fibre or filament compositions (manufacture of fibres or filaments C03B 37/00) [1, 2006.01]
4/18	• for ion-sensitive glass [4, 2006.01]	13/02	• containing compounds of titanium or
4/20	• for chemical resistant glass [4, 2006.01]	15/02	zirconium [4, 2006.01]
6/00	Glass batch compositions (single ingredients of batch compositions C03C 1/00) [4, 2006.01]	13/04	 Fibre optics, e.g. core and clad fibre compositions [4, 2006.01]
		13/06	Mineral fibres, e.g. slag wool, mineral wool, rock
	Note(s) [4]		wool [4, 2006.01]
	This group <u>covers</u> also compositions which are intended to be heated sufficiently for their ingredients to fuse into	14/00	Glass compositions containing a non-glass
	a glass, e.g. glass furnace charges.		component, e.g. compositions containing fibres,
6/02	 containing silicates, e.g. cullet [4, 2006.01] 		filaments, whiskers, platelets, or the like, dispersed in
6/04	 containing uncombined silica, e.g. sand [4, 2006.01] 		a glass matrix (glass batch compositions C03C 6/00; devitrified glass-ceramics C03C 10/00) [4, 2006.01]
6/06	• containing halogen compounds [4, 2006.01]		deviamed glass ceramics 3058 10/00) [1, 2000/01]
6/08	• containing pellets or agglomerates [4, 2006.01]		
6/10	• containing slag [4, 2006.01]		reatment of glass; Surface treatment of fibres or
8/00	Enamels; Glazes; Fusion seal compositions being frit	filaments	s made from glass, minerals or slags
	compositions having non-frit additions [4, 2006.01]		Note(s) [4]
8/02	 Frit compositions, i.e. in a powdered or comminuted form [4, 2006.01] 		Treatment of materials specially adapted to enhance their filling properties in mortars, concrete or artificial
8/04	• containing zinc [4, 2006.01]		stone is classified in subclass C04B.
8/06	• containing halogen [4, 2006.01]		stone is classified in subclass GO-D.
8/08	• containing phosphorus [4, 2006.01]	15/00	Surface treatment of glass, not in the form of fibres
8/10	• • containing lead [4, 2006.01]		or filaments, by etching [1, 2, 2006.01]
8/12	• • containing titanium or zirconium [4, 2006.01]	15/02	 for making a smooth surface [1, 2006.01]
8/14	• Glass frit mixtures having non-frit additions, e.g.	17/00	Surface treatment of glass, e.g. of devitrified glass,
	opacifiers, colorants, mill additions [4, 2006.01]		not in the form of fibres or filaments, by
8/16	• with vehicle or suspending agents, e.g.		coating [1, 2006.01]
Q / 1 O	slip [4, 2006.01]	17/02	• with glass (C03C 17/34, C03C 17/44 take
8/18 8/20	containing free metals [4, 2006.01]containing titanium compounds; containing	4=101	precedence) [1, 3, 2006.01]
0/20	containing titanium compounds; containing	17/04	 by fritting glass powder [1, 2006.01]

17/06

17/09 17/10 • with metals (C03C 17/34, C03C 17/44 take

- • by deposition from the vapour phase [3, 2006.01]

• • by deposition from the liquid phase [1, 2006.01]

precedence) [1, 3, 2006.01]

8/22

• containing two or more distinct frits having different

zirconium compounds [4, 2006.01]

compositions **[4, 2006.01]**

- 17/22 with other inorganic material (C03C 17/34, C03C 17/44 take precedence) [1, 3, 2006.01]
- 17/23 • Oxides (C03C 17/02 takes precedence) [3, 2006.01]
- 17/245 • by deposition from the vapour phase **[3, 2006.01]**
- 17/25 • by deposition from the liquid phase **[3, 2006.01]**
- 17/27 • by oxidation of a coating previously applied [3, 2006.01]
- 17/28 with organic material (C03C 17/34, C03C 17/44 take precedence) [1, 3, 2006.01]
- 17/30 • with silicon-containing compounds [1, 2006.01]
- 17/32 with synthetic or natural resins (C03C 17/30 takes precedence) [1, 2006.01]
- with at least two coatings having different compositions (C03C 17/44 takes precedence) [3, 2006.01]
- 17/36 • at least one coating being a metal **[3, 2006.01]**
- 17/38 • at least one coating being a coating of an organic material [3, 2006.01]
- 17/40 • all coatings being metal coatings [3, 2006.01]
- 17/42 at least one coating of an organic material and at least one non-metal coating [3, 2006.01]
- 17/44 Lustring [3, 2006.01]
- 19/00 Surface treatment of glass, not in the form of fibres or filaments, by mechanical means (sand-blasting, grinding, or polishing glass B24) [1, 2006.01]
- 21/00 Treatment of glass, not in the form of fibres or filaments, by diffusing ions or metals into the surface [1, 2006.01]
- 23/00 Other surface treatment of glass not in the form of fibres or filaments [1, 2006.01]
- 25/00 Surface treatment of fibres or filaments made from glass, minerals or slags [1, 2006.01, 2018.01]

Note(s) [2018.01]

- In groups C03C 25/24-C03C 25/48, the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.
- A coating composition, i.e. a mixture of two or more constituents, is classified in the last of groups C03C 25/24-C03C 25/42 that provides for at least one of these constituents.
- 3. When classifying in groups C03C 25/24-C03C 25/42, any individual constituent, i.e. compound or ingredient of a coating composition, which is not identified by the classification according to Note (2), and which itself is determined to be novel and non-obvious, must also be classified in the last appropriate place in groups C03C 25/24-C03C 25/42.

- 4. When classifying in groups C03C 25/24-C03C 25/42, any individual constituent of a coating composition which is not identified by the classification according to Note (2) or (3), and which is considered to represent information of interest for search, may also be classified in groups C03C 25/24-C03C 25/42. This can, for example, be the case when it is considered of interest to enable searching of coating compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information".
- 5. When classifying in groups C03C 25/1025-C03C 25/1095, the composition of the coatings must also be classified in one or more of groups C03C 25/24-C03C 25/54, according to Notes (1) to (4).
- 6. When classifying in group C03C 25/48, any individual coating which itself is determined to be novel and non-obvious must also be classified in groups C03C 25/24-C03C 25/42, according to Notes (1) to (4).
- 25/002 Thermal treatment [2018.01]
- 25/005 by mechanical means [2018.01]
- 25/007 Impregnation by solution; Solution doping or molecular stuffing of porous glass [2018.01]
- 25/10 Coating [7, 2006.01, 2018.01]
- 25/1025 • to obtain fibres used for reinforcing cement-based products [2018.01]
- 25/104 • to obtain optical fibres **[2018.01]**
- 25/105 • Organic claddings **[2018.01]**
- 25/106 • Single coatings **[2018.01]**
- 25/1065 • Multiple coatings **[2018.01]**
- 25/1095 • to obtain coated fabrics [2018.01]
- 25/12 • General methods of coating; Devices therefor [7, 2006.01]
- 25/14 • Spraying [7, 2006.01, 2018.01]
- 25/143 • onto continuous fibres **[2018.01]**
- 25/146 • onto fibres in suspension in a gaseous medium (C03C 25/143 takes precedence) [2018.01]
- 25/16 • Dipping [7, 2006.01]
- 25/18 • Extrusion [7, 2006.01]
- 25/20 • Contacting the fibres with applicators, e.g. rolls **[7, 2006.01]**
- 25/22 • Deposition from the vapour phase **[7, 2006.01, 2018.01]**
- 25/223 • by chemical vapour deposition or pyrolysis [2018.01]
- 25/226 • by sputtering **[2018.01]**
- 25/24 Coatings containing organic materials [7, 2006.01, 2018.01]
- 25/25 • Non-macromolecular compounds [2018.01]
- 25/255 • Oils, waxes, fats or derivatives thereof **[2018.01]**
- 25/26 • Macromolecular compounds or prepolymers [7, 2006.01, 2018.01]
- 25/27 • Rubber latex **[2018.01]**
- - bonds [7, 2006.01, 2018.01]
- 25/285 • • Acrylic resins **[2018.01]**
- 25/30 • • Polyolefins [7, 2006.01, 2018.01]
- 25/305 • • Polyfluoroolefins **[2018.01]**

IPC (2025.01), Section C 3

25/32	 • • • obtained otherwise than by reactions involving only carbon-to-carbon unsaturated bonds [7, 2006.01, 2018.01] 	• by application of electric or wave energy (for drying or dehydration C03C 25/64); by particle radiation or ion implantation [7, 2006.01, 2018.01]
25/321	• • • • • Starch; Starch derivatives [2018.01]	25/6206 • • Electromagnetic waves [2018.01]
25/323		25/6208 • • • Laser [2018.01]
25/325		25/621 • • • Microwaves [2018.01]
25/326	•	25/6213 • • • Infrared [2018.01]
25/328	· · · · · · · · · · · · · · · · · · ·	25/622 • • • Visible light [2018.01]
25/34	• • • • Condensation polymers of aldehydes, e.g.	25/6226 • • • Ultraviolet [2018.01]
20/01	with phenols, ureas, melamines, amides	25/624 • • • X-rays [2018.01]
	or amines [7, 2006.01]	25/6246 • • • Gamma rays [2018.01]
25/36	• • • • Epoxy resins [7, 2006.01]	25/626 • Particle radiation or ion implantation [2018.01]
25/38	Organo-metallic compounds [7, 2006.01]	25/6266 • • • Electrons, protons or alpha particles [2018.01]
25/40	• • • Organo-silicon compounds [7, 2006.01]	25/6273 • • • Neutrons [2018.01]
25/42	Coatings containing inorganic	25/628 • • • Atoms [2018.01]
	materials [7, 2006.01]	25/6286 • • • Ion implantation [2018.01]
25/44	 Carbon, e.g. graphite [7, 2006.01] 	25/6293 • • Plasma or corona discharge [2018.01]
25/46	• • • Metals [7, 2006.01]	25/64 • Drying; Dehydration; Dehydroxylation [7, 2006.01]
25/465	• • Coatings containing composite	25/66 • Chemical treatment, e.g. leaching, acid or alkali
	materials [2018.01]	treatment (dehydroxylation C03C 25/64) [7, 2006.01]
25/47	 containing particles, fibres or flakes, e.g. in a 	25/68 • • by etching [7, 2006.01]
	continuous phase [2018.01]	25/70 • Cleaning, e.g. for reuse (C03C 25/62-C03C 25/66
25/475	0 00 -	take precedence) [7, 2006.01]
25/48	 with two or more coatings having different compositions [7, 2006.01] 	,[.,
25/50	 Coatings containing organic materials only [7, 2006.01] 	Joining glass to glass or to other materials
25/52	Coatings containing inorganic materials	Note(s)
	only [7, 2006.01]	Layered products classified in groups C03C 27/00 or
25/54	 Combinations of one or more coatings 	C03C 29/00 are also classified in subclass B32B.
	containing organic materials only with one or	
	more coatings containing inorganic materials only [7, 2006.01]	27/00 Joining pieces of glass to pieces of other inorganic material; Joining glass to glass other than by fusing
25/60	 by diffusing ions or metals into the 	(C03C 17/00takes precedence; fusion seal compositions
	surface [7, 2006.01, 2018.01]	C03C 8/24; wired glass C03B; joining glass to ceramics
25/601	1 1 , 0 0	C04) [1, 2006.01] 27/02 • by fusing glass directly to metal [1, 2006.01]
D= / COD	salts [2018.01]	27/02 • Joining glass to metal by means of an
	to perform ion-exchange between alkali ions (C03C 25/605 takes precedence) [2018.01]	interlayer [1, 2006.01]
25/603	3 • • • • under application of an electrical potential difference [2018.01]	• Joining glass to glass by processes other than fusing [1, 2006.01]
25/605	• • • to introduce metals or metallic ions, e.g. silver	27/08 • • with the aid of intervening metal [1, 2006.01]
	or copper, into the glass [2018.01]	• • with the aid of adhesive specially adapted for that
		purpose 11 2006 011
25/607		purpose [1, 2006.01]
25/607 25/608	• • in the gaseous phase [2018.01]	27/12 • • Laminated glass (mechanical features in manufacture of glass laminates part of which is

29/00 Joining metals with the aid of glass [1, 2006.01]