

R65205PC_ST25.txt
SEQUENCE LISTING

<110> Federal Republic of Germany, represented by
Robert-Koch-Institut, represented by its president

<120> System for delivery into a XCR1 positive cell and uses thereof

<130> R65205PC

<160> 19

<170> PatentIn version 3.5

<210> 1
<211> 114
<212> PRT
<213> Homo sapiens

<400> 1

Met Arg Leu Leu Ile Leu Ala Leu Leu Gly Ile Cys Ser Leu Thr Ala
1 5 10 15

Tyr Ile Val Glu Gly Val Gly Ser Glu Val Ser Asp Lys Arg Thr Cys
20 25 30

Val Ser Leu Thr Thr Gln Arg Leu Pro Val Ser Arg Ile Lys Thr Tyr
35 40 45

Thr Ile Thr Glu Gly Ser Leu Arg Ala Val Ile Phe Ile Thr Lys Arg
50 55 60

Gly Leu Lys Val Cys Ala Asp Pro Gln Ala Thr Trp Val Arg Asp Val
65 70 75 80

Val Arg Ser Met Asp Arg Lys Ser Asn Thr Arg Asn Asn Met Ile Gln
85 90 95

Thr Lys Pro Thr Gly Thr Gln Gln Ser Thr Asn Thr Ala Val Thr Leu
100 105 110

Thr Gly

<210> 2
<211> 114
<212> PRT
<213> Mus musculus

<400> 2

Met Arg Leu Leu Leu Leu Thr Phe Leu Gly Val Cys Cys Leu Thr Pro
1 5 10 15

Trp Val Val Glu Gly Val Gly Thr Glu Val Leu Glu Glu Ser Ser Cys
20 25 30

Val Asn Leu Gln Thr Gln Arg Leu Pro Val Gln Lys Ile Lys Thr Tyr

35

40

45

Ile Ile Trp Glu Gly Ala Met Arg Ala Val Ile Phe Val Thr Lys Arg
 50 55 60

Gly Leu Lys Ile Cys Ala Asp Pro Glu Ala Lys Trp Val Lys Ala Ala
 65 70 75 80

Ile Lys Thr Val Asp Gly Arg Ala Ser Thr Arg Lys Asn Met Ala Glu
 85 90 95

Thr Val Pro Thr Gly Ala Gln Arg Ser Thr Ser Thr Ala Ile Thr Leu
 100 105 110

Thr Gly

<210> 3
 <211> 114
 <212> PRT
 <213> Rattus norvegicus

<400> 3

Met Arg Leu Leu Leu Leu Thr Phe Leu Gly Val Cys Cys Phe Ala Ala
 1 5 10 15

Trp Val Val Glu Gly Val Gly Thr Glu Val Leu Gln Glu Ser Ile Cys
 20 25 30

Val Ser Leu Arg Thr Gln Arg Leu Pro Val Gln Lys Ile Lys Thr Tyr
 35 40 45

Thr Ile Lys Glu Gly Ala Met Arg Ala Val Ile Phe Val Thr Lys Arg
 50 55 60

Gly Leu Arg Ile Cys Ala Asp Pro Gln Ala Lys Trp Val Lys Thr Ala
 65 70 75 80

Ile Lys Thr Val Asp Gly Arg Ala Ser Ala Ser Lys Ser Lys Ala Glu
 85 90 95

Thr Ile Pro Thr Gln Ala Gln Arg Ser Ala Ser Thr Ala Val Thr Leu
 100 105 110

Thr Gly

<210> 4
 <211> 114
 <212> PRT
 <213> Human herpesvirus 8

<400> 4

R65205PC_ST25.txt

Met Trp Ser Met Cys Trp Val Leu Arg Ala His Leu Gly Leu Leu Phe
1 5 10 15

Trp Val Ala Val Ile Glu Leu Cys Ala Ala Ser Gly Pro Ala Thr Ile
20 25 30

Met Ala Ser Asp Cys Cys Glu Asn Ser Leu Ser Ser Ala Arg Leu Pro
35 40 45

Pro Asp Lys Leu Ile Cys Gly Trp Tyr Trp Thr Ser Thr Val Tyr Cys
50 55 60

Arg Gln Lys Ala Val Ile Phe Val Thr His Ser Gly Arg Lys Val Cys
65 70 75 80

Gly Ser Pro Ala Lys Arg Arg Thr Arg Leu Leu Met Glu Lys His Thr
85 90 95

Glu Ile Pro Leu Ala Lys Arg Val Ala Leu Arg Ala Gly Lys Gly Leu
100 105 110

Cys Pro

<210> 5
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Consensus sequence

<220>
<221> Xaa
<222> (1)..(1)
<223> Xaa = S or N

<220>
<221> Xaa
<222> (3)..(3)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (4)..(4)
<223> Xaa = T or S

<220>
<221> Xaa
<222> (5)..(5)
<223> Xaa = Q or A

<220>
<221> Xaa
<222> (9)..(9)
<223> Xaa = V or P

<220>

<221> Xaa
<222> (10)..(10)
<223> Xaa = any amino acid

<220>
<221> Xaa
<222> (11)..(11)
<223> Xaa = K or R

<220>
<221> Xaa
<222> (12)..(12)
<223> Xaa = I or L

<220>
<221> Xaa
<222> (13)..(13)
<223> Xaa = K or I

<220>
<221> Xaa
<222> (14)..(14)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (15)..(15)
<223> Xaa = T or G

<220>
<221> Xaa
<222> (16)..(16)
<223> Xaa = any or no amino acid

<400> 5

Xaa Leu Xaa Xaa Xaa Arg Leu Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Tyr

<210> 6
<211> 17
<212> PRT
<213> Artificial

<220>
<223> consensus domain

<220>
<221> Xaa
<222> (1)..(1)
<223> Xaa = R or K

<220>
<221> Xaa
<222> (6)..(6)
<223> Xaa = I or V

<220>
<221> Xaa
<222> (8)..(8)
<223> Xaa = K or H

<220>
 <221> Xaa
 <222> (9)..(9)
 <223> Xaa = R or S

<220>
 <221> Xaa
 <222> (11)..(11)
 <223> Xaa = L or R

<220>
 <221> Xaa
 <222> (12)..(12)
 <223> Xaa = K or R

<220>
 <221> Xaa
 <222> (13)..(13)
 <223> Xaa = I or V

<220>
 <221> Xaa
 <222> (15)..(15)
 <223> Xaa = A or G

<220>
 <221> Xaa
 <222> (16)..(16)
 <223> Xaa = D or S

<400> 6

Xaa Ala Val Ile Phe Xaa Thr Xaa Xaa Gly Xaa Xaa Xaa Cys Xaa Xaa
 1 5 10 15

Pro

<210> 7
 <211> 58
 <212> PRT
 <213> Artificial

<220>
 <223> consensus sequence

<220>
 <221> Xaa
 <222> (1)..(57)
 <223> Xaa = any or no amino acid

<400> 7

Xaa Gly Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
 1 5 10 15

Leu Xaa Xaa Xaa Arg Leu Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Ala Val Ile Phe Xaa Thr
 35 40 45

Xaa Xaa Gly Xaa Xaa Xaa Cys Xaa Xaa Pro
 50 55

<210> 8
 <211> 58
 <212> PRT
 <213> Artificial

<220>
 <223> consensus sequence

<220>
 <221> Xaa
 <222> (1)..(1)
 <223> Xaa = V or S

<220>
 <221> Xaa
 <222> (3)..(3)
 <223> Xaa = any or no amino acid

<220>
 <221> Xaa
 <222> (4)..(4)
 <223> Xaa = E or A

<220>
 <221> Xaa
 <222> (5)..(5)
 <223> Xaa = V or T

<220>
 <221> Xaa
 <222> (6)..(12)
 <223> Xaa = any or no amino acid

<220>
 <221> Xaa
 <222> (14)..(14)
 <223> Xaa = V or E

<220>
 <221> Xaa
 <222> (15)..(15)
 <223> Xaa = any or no amino acid

<220>
 <221> Xaa
 <222> (16)..(16)
 <223> Xaa = S or N

<220>
 <221> Xaa
 <222> (18)..(18)
 <223> Xaa = any or no amino acid

<220>
 <221> Xaa
 <222> (19)..(19)
 <223> Xaa = T or S

<220>
 <221> Xaa
 <222> (20)..(20)
 <223> Xaa = Q or A

<220>
<221> Xaa
<222> (24)..(24)
<223> Xaa = V or P

<220>
<221> Xaa
<222> (25)..(25)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (26)..(26)
<223> Xaa = K or R

<220>
<221> Xaa
<222> (27)..(27)
<223> Xaa = I or L

<220>
<221> Xaa
<222> (28)..(28)
<223> Xaa = K or I

<220>
<221> Xaa
<222> (29)..(29)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (30)..(30)
<223> Xaa = T or G

<220>
<221> Xaa
<222> (31)..(31)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (33)..(33)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (34)..(34)
<223> Xaa = I or T

<220>
<221> Xaa
<222> (35)..(35)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (36)..(36)
<223> Xaa = E or T

<220>
<221> Xaa
<222> (37)..(37)
<223> Xaa = G or V

<220>
<221> Xaa
<222> (38)..(41)

<223> Xaa = any or no amino acid

<220>

<221> Xaa

<222> (42)..(42)

<223> Xaa = R or K

<220>

<221> Xaa

<222> (47)..(47)

<223> Xaa = V or I

<220>

<221> Xaa

<222> (49)..(49)

<223> Xaa = K or H

<220>

<221> Xaa

<222> (50)..(50)

<223> Xaa = R or S

<220>

<221> Xaa

<222> (52)..(52)

<223> Xaa = L or R

<220>

<221> Xaa

<222> (53)..(53)

<223> Xaa = K or R

<220>

<221> Xaa

<222> (54)..(54)

<223> Xaa = any or no amino acid

<220>

<221> Xaa

<222> (56)..(56)

<223> Xaa = A or G

<220>

<221> Xaa

<222> (57)..(57)

<223> Xaa = D or S

<400> 8

Xaa Gly Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa
1 5 10 15

Leu Xaa Xaa Xaa Arg Leu Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Tyr
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Ala Val Ile Phe Xaa Thr
35 40 45

Xaa Xaa Gly Xaa Xaa Xaa Cys Xaa Xaa Pro
50 55

<210> 9

<211> 93

<212> PRT

<213> Artificial

<220>

<223> consensus sequence

<220>

<221> misc_feature

<222> (3)..(3)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (6)..(10)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (13)..(13)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (15)..(15)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (22)..(23)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (28)..(28)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (30)..(30)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (33)..(34)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (40)..(40)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (46)..(47)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (52)..(52)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

<222> (54)..(54)

<223> Xaa can be any naturally occurring amino acid

<220>

<221> misc_feature

R65205PC_ST25.txt

```

<222> (57)..(63)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (65)..(75)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (77)..(77)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (80)..(81)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (83)..(83)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (85)..(86)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> misc_feature
<222> (89)..(89)
<223> Xaa can be any naturally occurring amino acid

<400> 9
Val Gly Xaa Glu Val Xaa Xaa Xaa Xaa Xaa Cys Val Xaa Leu Xaa Thr
1      5      10      15

Gln Arg Leu Pro Val Xaa Xaa Ile Lys Thr Tyr Xaa Ile Xaa Glu Gly
20      25      30

Xaa Xaa Arg Ala Val Ile Phe Xaa Thr Lys Arg Gly Leu Xaa Xaa Cys
35      40      45

Ala Asp Pro Xaa Ala Xaa Trp Val Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asp
50      55      60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Thr Xaa Pro Thr Xaa
65      70      75      80

Xaa Gln Xaa Ser Xaa Xaa Thr Ala Xaa Thr Leu Thr Gly
85      90

<210> 10
<211> 93
<212> PRT
<213> Artificial

<220>
<223> consensus sequence

```

<220>
<221> Xaa
<222> (3)..(3)
<223> Xaa = T or S

<220>
<221> Xaa
<222> (6)..(6)
<223> Xaa = L or S

<220>
<221> Xaa
<222> (7)..(7)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (8)..(8)
<223> Xaa = E or K

<220>
<221> Xaa
<222> (9)..(9)
<223> Xaa = S or R

<220>
<221> Xaa
<222> (10)..(10)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (13)..(13)
<223> Xaa = S or N

<220>
<221> Xaa
<222> (15)..(15)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (22)..(22)
<223> Xaa = Q or S

<220>
<221> Xaa
<222> (23)..(23)
<223> Xaa = K or R

<220>
<221> Xaa
<222> (28)..(28)
<223> Xaa = T or I

<220>
<221> Xaa
<222> (30)..(30)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (33)..(33)
<223> Xaa = A or S

<220>
<221> Xaa
<222> (34)..(34)

```

<223> Xaa = M or L

<220>
<221> Xaa
<222> (40)..(40)
<223> Xaa = V or I

<220>
<221> Xaa
<222> (46)..(46)
<223> Xaa = K or R

<220>
<221> Xaa
<222> (47)..(47)
<223> Xaa = I or V

<220>
<221> Xaa
<222> (52)..(52)
<223> Xaa = Q or E

<220>
<221> Xaa
<222> (54)..(54)
<223> Xaa = K or T

<220>
<221> Xaa
<222> (57)..(57)
<223> Xaa = K or R

<220>
<221> Xaa
<222> (58)..(58)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (59)..(59)
<223> Xaa = A or V

<220>
<221> Xaa
<222> (60)..(60)
<223> Xaa = I or V

<220>
<221> Xaa
<222> (61)..(61)
<223> Xaa = K or R

<220>
<221> Xaa
<222> (62)..(62)
<223> Xaa = T or S

<220>
<221> Xaa
<222> (63)..(63)
<223> Xaa = V or M

<220>
<221> Xaa
<222> (65)..(65)
<223> Xaa = G or R

<220>

```

<221> Xaa
<222> (66)..(66)
<223> Xaa = R or K

<220>
<221> Xaa
<222> (67)..(67)
<223> Xaa = A or S

<220>
<221> Xaa
<222> (68)..(68)
<223> Xaa = S or N

<220>
<221> Xaa
<222> (69)..(69)
<223> Xaa = T or A

<220>
<221> Xaa
<222> (70)..(70)
<223> Xaa = R or S

<220>
<221> Xaa
<222> (71)..(71)
<223> Xaa = K or N

<220>
<221> Xaa
<222> (72)..(72)
<223> Xaa = N or S

<220>
<221> Xaa
<222> (73)..(73)
<223> Xaa = M or K

<220>
<221> Xaa
<222> (74)..(74)
<223> Xaa = A or I

<220>
<221> Xaa
<222> (75)..(75)
<223> Xaa = E or Q

<220>
<221> Xaa
<222> (77)..(77)
<223> Xaa = any or no amino acid

<220>
<221> Xaa
<222> (80)..(80)
<223> Xaa = G or Q

<220>
<221> Xaa
<222> (81)..(81)
<223> Xaa = A or T

<220>
<221> Xaa
<222> (83)..(83)
<223> Xaa = R or Q

R65205PC_ST25.txt

<220>
 <221> Xaa
 <222> (85)..(85)
 <223> Xaa = T or A

<220>
 <221> Xaa
 <222> (86)..(86)
 <223> Xaa = S or N

<220>
 <221> Xaa
 <222> (89)..(89)
 <223> Xaa = V or I

<400> 10

Val Gly Xaa Glu Val Xaa Xaa Xaa Xaa Xaa Cys Val Xaa Leu Xaa Thr
 1 5 10 15

Gln Arg Leu Pro Val Xaa Xaa Ile Lys Thr Tyr Xaa Ile Xaa Glu Gly
 20 25 30

Xaa Xaa Arg Ala Val Ile Phe Xaa Thr Lys Arg Gly Leu Xaa Xaa Cys
 35 40 45

Ala Asp Pro Xaa Ala Xaa Trp Val Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asp
 50 55 60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Thr Xaa Pro Thr Xaa
 65 70 75 80

Xaa Gln Xaa Ser Xaa Xaa Thr Ala Xaa Thr Leu Thr Gly
 85 90

<210> 11
 <211> 21
 <212> DNA
 <213> Artificial

<220>
 <223> forward primer

<400> 11
 tgcctgtggt gatctcagca c

21

<210> 12
 <211> 19
 <212> DNA
 <213> Artificial

<220>
 <223> reverse primer

<400> 12
 cggatgatgg tcatgatgg

19

<210> 13
 <211> 21

<212> DNA
 <213> Artificial

<220>
 <223> forward primer

<400> 13
 cgctcgggtga ccctagtctt t

21

<210> 14
 <211> 21
 <212> DNA
 <213> Artificial

<220>
 <223> reverse primer

<400> 14
 ttcagtatgt tcggcttccc a

21

<210> 15
 <211> 8
 <212> PRT
 <213> Artificial

<220>
 <223> OVA peptide

<400> 15

Ser Ile Ile Asn Phe Glu Lys Leu
 1 5

<210> 16
 <211> 17
 <212> PRT
 <213> Artificial

<220>
 <223> OVA peptide

<400> 16

Ile Ser Gln Ala Val His Ala Ala His Ala Glu Ile Asn Glu Ala Gly
 1 5 10 15

Arg

<210> 17
 <211> 333
 <212> PRT
 <213> Homo sapiens

<400> 17

Met Glu Ser Ser Gly Asn Pro Glu Ser Thr Thr Phe Phe Tyr Tyr Asp
 1 5 10 15

Leu Gln Ser Gln Pro Cys Glu Asn Gln Ala Trp Val Phe Ala Thr Leu
 20 25 30

R65205PC_ST25.txt

Ala Thr Thr Val Leu Tyr Cys Leu Val Phe Leu Leu Ser Leu Val Gly
35 40 45

Asn Ser Leu Val Leu Trp Val Leu Val Lys Tyr Glu Ser Leu Glu Ser
50 55 60

Leu Thr Asn Ile Phe Ile Leu Asn Leu Cys Leu Ser Asp Leu Val Phe
65 70 75 80

Ala Cys Leu Leu Pro Val Trp Ile Ser Pro Tyr His Trp Gly Trp Val
85 90 95

Leu Gly Asp Phe Leu Cys Lys Leu Leu Asn Met Ile Phe Ser Ile Ser
100 105 110

Leu Tyr Ser Ser Ile Phe Phe Leu Thr Ile Met Thr Ile His Arg Tyr
115 120 125

Leu Ser Val Val Ser Pro Leu Ser Thr Leu Arg Val Pro Thr Leu Arg
130 135 140

Cys Arg Val Leu Val Thr Met Ala Val Trp Val Ala Ser Ile Leu Ser
145 150 155 160

Ser Ile Leu Asp Thr Ile Phe His Lys Val Leu Ser Ser Gly Cys Asp
165 170 175

Tyr Ser Glu Leu Thr Trp Tyr Leu Thr Ser Val Tyr Gln His Asn Leu
180 185 190

Phe Phe Leu Leu Ser Leu Gly Ile Ile Leu Phe Cys Tyr Val Glu Ile
195 200 205

Leu Arg Thr Leu Phe Arg Ser Arg Ser Lys Arg Arg His Arg Thr Val
210 215 220

Lys Leu Ile Phe Ala Ile Val Val Ala Tyr Phe Leu Ser Trp Gly Pro
225 230 235 240

Tyr Asn Phe Thr Leu Phe Leu Gln Thr Leu Phe Arg Thr Gln Ile Ile
245 250 255

Arg Ser Cys Glu Ala Lys Gln Gln Leu Glu Tyr Ala Leu Leu Ile Cys
260 265 270

Arg Asn Leu Ala Phe Ser His Cys Cys Phe Asn Pro Val Leu Tyr Val
275 280 285

Phe Val Gly Val Lys Phe Arg Thr His Leu Lys His Val Leu Arg Gln
290 295 300

R65205PC_ST25.txt

Phe Trp Phe Cys Arg Leu Gln Ala Pro Ser Pro Ala Ser Ile Pro His
305 310 315 320

Ser Pro Gly Ala Phe Ala Tyr Glu Gly Ala Ser Phe Tyr
325 330

<210> 18
<211> 31
<212> PRT
<213> Artificial

<220>
<223> 31 N-terminal amino acids of human XCR1

<400> 18

Met Glu Ser Ser Gly Asn Pro Glu Ser Thr Thr Phe Phe Tyr Tyr Asp
1 5 10 15

Leu Gln Ser Gln Pro Cys Glu Asn Gln Ala Trp Val Phe Ala Thr
20 25 30

<210> 19
<211> 10
<212> PRT
<213> Artificial

<220>
<223> c-myc epitope

<400> 19

Glu Gln Lys Leu Ile Ser Glu Glu Asp Leu
1 5 10