

w7380.ST25.txt
SEQUENCE LISTING

<110> Technische Universität München
 <120> Use of prokaryotic TIR-domain containing proteins as therapeutic and diagnostic agents
 <130> W 7380 / DB
 <150> EP08152029
 <151> 2008-02-27
 <150> US61/031,787
 <151> 2008-02-27
 <160> 31
 <170> PatentIn version 3.3
 <210> 1
 <211> 307
 <212> PRT
 <213> Escherichia coli, strain CFT073

<220>
 <221> MISC_FEATURE
 <223> protein TcpC

<400> 1

Met Ile Ala Tyr Glu Asn Ile Glu Phe Phe Ile Cys Leu Val Asn Val
 1 5 10 15

Leu Gly Asn Asn Met Tyr Asn Ile Leu Phe Phe Ile Phe Leu Ser Ile
 20 25 30

Ala Ile Pro Phe Leu Leu Phe Leu Ala Trp Lys Gln His Leu Lys Thr
 35 40 45

Lys Glu Ile Arg Ser Tyr Leu Leu Lys Glu Gly Tyr Asn Ile Ile Phe
 50 55 60

Asn Gly Glu Gly Asn Ser Tyr Leu Ala Phe Asn Ile Ser Asn Ala Thr
 65 70 75 80

Phe Arg Ala Gly Asn Leu Thr Ser Asn Asp Tyr Phe Gln Ala Ser Ile
 85 90 95

Ser Tyr Ile His Asp Tyr Arg Trp Glu Trp Lys Glu Val Glu Ala Lys
 100 105 110

Lys Ile Asn Asn Ile Phe Ile Ile Tyr Ile Ser Asn Ile Asp Phe Pro
 115 120 125

Ser Gln Lys Leu Phe Tyr Arg Asn Asn Lys Ser Leu Ala Glu Ile Asp
 130 135 140

Trp Ala Lys Leu Gln Ala Ile Phe His Gln Pro Tyr Glu Ile Gln Asn
 Seite 1

w7380.ST25.txt

145 150 155 160

Asp Val Met Gln Asp Asn Asn Asn Thr His Tyr Asp Phe Phe Ile Ser
165 170 175

His Ala Lys Glu Asp Lys Asp Thr Phe Val Arg Pro Leu Val Asp Glu
180 185 190

Leu Asn Arg Leu Gly Val Ile Ile Trp Tyr Asp Glu Gln Thr Leu Glu
195 200 205

Val Gly Asp Ser Leu Arg Arg Asn Ile Asp Leu Gly Leu Arg Lys Ala
210 215 220

Asn Tyr Gly Ile Val Ile Leu Ser His Asn Phe Leu Asn Lys Lys Trp
225 230 235 240

Asp Lys Asp Thr Phe Val Arg Pro Leu Val Asp Glu Leu Asn Arg Leu
245 250 255

Gly Val Ile Ile Trp Tyr Asp Glu Gln Thr Leu Glu Val Gly Asp Ser
260 265 270

Leu Arg Arg Asn Ile Asp Leu Gly Leu Arg Lys Ala Asn Tyr Gly Ile
275 280 285

Val Ile Leu Ser His Asn Phe Leu Asn Lys Lys Trp Glu Ile Ala Tyr
290 295 300

Arg Arg Arg
305

```
<210> 2
<211> 250
<212> PRT
<213> Brucella melitensis
```

```
<220>
<221> MISC_FEATURE
<223> protein TcpB
```

 $\langle 400 \rangle$ 2Met Ser Lys Glu Lys Gln Ala Gln Ser Lys Ala His Lys Ala Gln Gln
1 5 10 15

Ala Ile Ser Ser Ala Lys Ser Leu Ser Thr Gln Lys Ser Lys Met Ser
20 25 30

Glu Leu Glu Arg Ala Thr Arg Asp Gly Ala Ala Ile Gly Lys Lys Arg
35 40 45

Ala Asp Ile Ala Lys Lys Ile Ala Asp Lys Ala Lys Gln Leu Ser Ser

50

55

Tyr Gln Ala Lys Gln Phe Lys Ala Asp Glu Gln Ala Val Lys Lys Val
65 70 75 80
Ala Gln Glu Gln Lys Arg Leu Ser Asp Glu Arg Thr Lys His Glu Ala
85 90 95
Phe Ile Lys Gln Ser Leu Ser Ser Met Arg Thr Thr Ala Ser Ala Thr
100 105 110
Met Glu Ala Glu Glu Glu Tyr Asp Phe Phe Ile Ser His Ala Ser Glu
115 120 125
Asp Lys Glu Ala Phe Val Gln Asp Leu Val Ala Ala Leu Arg Asp Leu
130 135 140
Gly Ala Lys Ile Phe Tyr Asp Ala Tyr Thr Leu Lys Val Gly Asp Ser
145 150 155 160
Leu Arg Arg Lys Ile Asp Gln Gly Leu Ala Asn Ser Lys Phe Gly Ile
165 170 175
Val Val Leu Ser Glu His Phe Phe Ser Lys Gln Trp Pro Ala Arg Glu
180 185 190
Leu Asp Gly Leu Thr Ala Met Glu Ile Gly Gly Gln Thr Arg Ile Leu
195 200 205
Pro Ile Trp His Lys Val Ser Tyr Asp Glu Val Arg Arg Phe Ser Pro
210 215 220
Ser Leu Ala Asp Lys Val Ala Leu Asn Thr Ser Leu Lys Ser Val Glu
225 230 235 240
Glu Ile Ala Lys Glu Leu His Ser Leu Ile
245 250

<210> 3

<211> 4

<212> PRT

<213> artificial

<220>

<223> consensus sequence of Box 1 (A)

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> X is F or V

<400> 3

Tyr Asp Xaa Phe

1

<210> 4
<211> 15
<212> PRT
<213> artificial

<220>
<223> consensus sequence of Box 2

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> X is A or I or V or L

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> X is K or N or I

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> X is I or V

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> X is W or F

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> X is Y or E

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X is A or E or V

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X is Y or F or Q or K

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> X is T or S or V

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> X is L or F

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> X is K or G or E

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> X is W or V or I

<220>

<221> MISC_FEATURE
 <222> (15)..(15)
 <223> X is D or K

<400> 4

Gly Xaa Xaa Xaa Xaa Xaa Asp Xaa Xaa Xaa Xaa Xaa Gly Xaa
 1 5 10 15

<210> 5
 <211> 7
 <212> PRT
 <213> artificial

<220>
 <223> consensus sequence of Box 3

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> X is V or I

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> X is K or E

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> X is A or V or F

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> X is K or D or R or E

<400> 5

Ser Xaa Xaa Ile Ile Xaa Xaa
 1 5

<210> 6
 <211> 23
 <212> DNA
 <213> artificial

<220>
 <223> TcpC forward primer

<400> 6
 ggcaacaata tgtataatat cct

23

<210> 7
 <211> 4
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<400> 7

Tyr Asp Phe Phe

1

<210> 8
 <211> 8
 <212> PRT
 <213> artificial

<220>
 <223> consensus sequence of Box 1 (B)

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> X is F or V

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X is I or L

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> X is A or S

<400> 8

Tyr Asp Xaa Phe Xaa Ser His Xaa
 1 5

<210> 9
 <211> 8
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<400> 9

Tyr Asp Val Phe Ile Ser His Ala
 1 5

<210> 10
 <211> 15
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<400> 10

Gly Ala Lys Ile Phe Tyr Asp Ala Tyr Thr Leu Lys Val Gly Asp
 1 5 10 15

<210> 11
 <211> 15
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<400> 11

Gly Val Ile Ile Val Tyr Asp Glu Gln Thr Leu Glu Val Gly Asp
1 5 10 15

<210> 12

<211> 7

<212> PRT

<213> artificial

<220>

<223> artificial sequence

<400> 12

Ser Val Glu Glu Ile Ala Lys
1 5

<210> 13

<211> 7

<212> PRT

<213> artificial

<220>

<223> artificial sequence

<400> 13

Ser Val Lys Glu Ile Ala Arg
1 5

<210> 14

<211> 28

<212> PRT

<213> artificial

<220>

<223> artificial consensus sequence of combined Boxes 1, 2 and 3 (A)

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> X is F or V

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> X may be an amino acid stretch of arbitrary sequence that acts as spacer between Box 1 and Box 2 (see text)

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> X is A or I or V or L

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> X is K or N or I

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> X is I or V
 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> X is W or F
 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> X is Y or E
 <220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> X is A or E or V
 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> X is Y or F or Q or K
 <220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> X is T or S or V
 <220>
 <221> MISC_FEATURE
 <222> (16)..(16)
 <223> X is L or F
 <220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> X is K or G or E
 <220>
 <221> MISC_FEATURE
 <222> (18)..(18)
 <223> X is W or V or I
 <220>
 <221> MISC_FEATURE
 <222> (20)..(20)
 <223> X is D or K
 <220>
 <221> MISC_FEATURE
 <222> (21)..(21)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 2 and Box 3 (see text)
 <220>
 <221> MISC_FEATURE
 <222> (23)..(23)
 <223> X is V or I
 <220>
 <221> MISC_FEATURE
 <222> (24)..(24)
 <223> X is K or E
 <220>
 <221> MISC_FEATURE
 <222> (27)..(27)
 <223> X is A or V or F

<220>
 <221> MISC_FEATURE
 <222> (28)..(28)
 <223> X is K or D or R or E

<400> 14

Tyr Asp Xaa Phe Xaa Gly Xaa Xaa Xaa Xaa Xaa Asp Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Gly Xaa Xaa Ser Xaa Xaa Ile Ile Xaa Xaa
 20 25

<210> 15
 <211> 28
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 1 and Box 2 (see text)

<220>
 <221> MISC_FEATURE
 <222> (21)..(21)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 2 and Box 3 (see text)

<400> 15

Tyr Asp Phe Phe Xaa Gly Val Ile Ile Val Tyr Asp Glu Gln Thr Leu
 1 5 10 15

Glu Val Gly Asp Xaa Ser Val Lys Glu Ile Ala Arg
 20 25

<210> 16
 <211> 28
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 1 and Box 2 (see text)

<220>
 <221> MISC_FEATURE
 <222> (21)..(21)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 2 and Box 3 (see text)

<400> 16

w7380.ST25.txt

Tyr Asp Phe Phe Xaa Gly Ala Lys Ile Phe Tyr Asp Ala Tyr Thr Leu
1 5 10 15

Lys Val Gly Asp Xaa Ser Val Glu Glu Ile Ala Lys
20 25

<210> 17
<211> 28
<212> PRT
<213> artificial

<220>
<223> artificial sequence

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 1 and Box 2 (see text)

<220>
<221> MISC_FEATURE
<222> (21)..(21)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 2 and Box 3 (see text)

<400> 17

Tyr Asp Phe Phe Xaa Gly Val Ile Ile Val Tyr Asp Glu Gln Thr Leu
1 5 10 15

Glu Val Gly Asp Xaa Ser Val Glu Glu Ile Ala Lys
20 25

<210> 18
<211> 28
<212> PRT
<213> artificial

<220>
<223> artificial sequence

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 1 and Box 2 (see text)

<220>
<221> MISC_FEATURE
<222> (21)..(21)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 2 and Box 3 (see text)

<400> 18

Tyr Asp Phe Phe Xaa Gly Ala Lys Ile Phe Tyr Asp Ala Tyr Thr Leu
1 5 10 15

Lys Val Gly Asp Xaa Ser Val Lys Glu Ile Ala Arg
Seite 10

<210> 19
<211> 32
<212> PRT
<213> artificial

<220>
<223> artificial consensus sequence of combined Boxes 1, 2 and 3 (B)

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> X is F or V

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> X is I or L

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> X is A or S

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 1 and Box 2 (see text)

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> X is A or I or V or L

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> X is K or N or I

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> X is I or V

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> X is W or F

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> X is Y or E

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> X is A or E or V

<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> X is Y or F or Q or K

```

<220>
<221> MISC_FEATURE
<222> (19)..(19)
<223> X is T or S or V

<220>
<221> MISC_FEATURE
<222> (20)..(20)
<223> X is L or F

<220>
<221> MISC_FEATURE
<222> (21)..(21)
<223> X is K or G or E

<220>
<221> MISC_FEATURE
<222> (22)..(22)
<223> X is W or V or I

<220>
<221> MISC_FEATURE
<222> (24)..(24)
<223> X is D or K

<220>
<221> MISC_FEATURE
<222> (25)..(25)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 2 and Box 3 (see text)

<220>
<221> MISC_FEATURE
<222> (27)..(27)
<223> X is V or I

<220>
<221> MISC_FEATURE
<222> (28)..(28)
<223> X is K or E

<220>
<221> MISC_FEATURE
<222> (31)..(31)
<223> X is A or V or F

<220>
<221> MISC_FEATURE
<222> (32)..(32)
<223> X is K or D or R or E

<400> 19

Tyr Asp Xaa Phe Xaa Ser His Xaa Xaa Gly Xaa Xaa Xaa Xaa Xaa Asp
1          5          10          15

Xaa Xaa Xaa Xaa Xaa Xaa Gly Xaa Xaa Ser Xaa Xaa Ile Ile Xaa Xaa
20          25          30

<210> 20
<211> 32
<212> PRT
<213> artificial

<220>
<223> artificial sequence

```

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 1 and Box 2 (see text)

<220>
 <221> MISC_FEATURE
 <222> (25)..(25)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 2 and Box 3 (see text)

<400> 20

Tyr Asp Phe Phe Ile Ser His Ala Xaa Gly Val Ile Ile Val Tyr Asp
 1 5 10 15

Glu Gln Thr Leu Glu Val Gly Asp Xaa Ser Val Lys Glu Ile Ala Arg
 20 25 30

<210> 21
 <211> 32
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 1 and Box 2 (see text)

<220>
 <221> MISC_FEATURE
 <222> (25)..(25)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 2 and Box 3 (see text)

<400> 21

Tyr Asp Phe Phe Ile Ser His Ala Xaa Gly Ala Lys Ile Phe Tyr Asp
 1 5 10 15

Ala Tyr Thr Leu Lys Val Gly Asp Xaa Ser Val Glu Glu Ile Ala Lys
 20 25 30

<210> 22
 <211> 32
 <212> PRT
 <213> artificial

<220>
 <223> artificial sequence

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> X may be an amino acid stretch of arbitrary sequence that acts as
 spacer between Box 1 and Box 2 (see text)

w7380.ST25.txt
spacer between Box 1 and Box 2 (see text)

<220>
<221> MISC_FEATURE
<222> (25)..(25)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 2 and Box 3 (see text)

<400> 22

Tyr Asp Phe Phe Ile Ser His Ala Xaa Gly Val Ile Ile Val Tyr Asp
1 5 10 15

Glu Gln Thr Leu Glu Val Gly Asp Xaa Ser Val Glu Glu Ile Ala Lys
20 25 30

<210> 23
<211> 32
<212> PRT
<213> artificial

<220>
<223> artificial sequence

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 1 and Box 2 (see text)

<220>
<221> MISC_FEATURE
<222> (25)..(25)
<223> X may be an amino acid stretch of arbitrary sequence that acts as
spacer between Box 2 and Box 3 (see text)

<400> 23

Tyr Asp Phe Phe Ile Ser His Ala Xaa Gly Ala Lys Ile Phe Tyr Asp
1 5 10 15

Ala Tyr Thr Leu Lys Val Gly Asp Xaa Ser Val Lys Glu Ile Ala Arg
20 25 30

<210> 24
<211> 16
<212> PRT
<213> artificial

<220>
<223> peptide for immunization

<400> 24

Glu Gln Thr Leu Glu Val Gly Asp Ser Leu Arg Arg Asn Ile Asp Leu
1 5 10 15

<210> 25
<211> 16
<212> PRT
<213> artificial

<220>

<223> peptide for immunization

<400> 25

Phe Leu Asn Lys Lys Trp Thr Gln Tyr Glu Leu Asp Ser Leu Ile Cys
 1 5 10 15

<210> 26

<211> 47

<212> DNA

<213> artificial

<220>

<223> mutagenesis primer forward

<400> 26

gcatacagga gaagatgctg cccgggctgt tgtatggacc gttctcg

47

<210> 27

<211> 47

<212> DNA

<213> artificial

<220>

<223> mutagenesis primer reverse

<400> 27

cgagaacggt ccatacaaca gcccgggcag catcttctcc tgtatgc

47

<210> 28

<211> 11

<212> PRT

<213> artificial

<220>

<223> Tat-peptide

<400> 28

Tyr Gly Arg Lys Lys Arg Arg Gln Arg Arg Arg
 1 5 10

<210> 29

<211> 921

<212> DNA

<213> Escherichia coli, strain CFT073

<220>

<221> misc_feature

<223> TcpC gene

<400> 29

gtgatagcat atgaaaacat agaatttttt atatgcttgg tgaatgtttt gggcaacaat 60

atgtataata tccttttctt catctttctt tcaatagcaa ttccattcct tttattcctc 120

gcatggaaac agcacctaaa aaccaaagag attcgttcat atctattgaa agagggatat 180

aatattattt tcaacggaga aggtaactca tatctcgcgt ttaatattag taatgcgaca 240

tttcgcgcag gtaatttaac ttccaatgat tattttcaag catcaatttc ttatatccac 300

w7380.ST25.txt

gattatagat	gggagtggaa	ggaggttgag	gcaaagaaaa	taaataatat	atttattatt	360
tacatttcga	atattgattt	cccttcccaa	aaactatttt	atcgcaataa	taaatcttta	420
gcagaaatag	actgggcaaa	attacaagca	atttttcatc	aaccatatga	aatacagaat	480
gacgtcatgc	aagataacaa	taatacgcac	tatgattttt	tcatatccca	tgcaaaagag	540
gataaagata	cttttgtcag	accactggta	gacgagttaa	atagacttgg	tgtaattatt	600
tggtatgatg	aacagacact	tgaagtcggc	gatagcttaa	ggagaaatat	tgatttaggc	660
ctaagaaaag	caaattatgg	catagtcata	ctttctcata	actttctaaa	caagaaatgg	720
acacaatacg	aattagatag	tttaattaat	cgtgcagtgt	atgatgataa	taagattata	780
ttgccaatct	ggcataatat	caatgctcaa	gaggtatcta	aatacagcca	ttatttggcg	840
gataaaatgg	cactgcaaac	ttctttatat	agcgттаagg	aaatagcaag	agagttggct	900
gaaatagcat	acaggagaag	a				921

<210> 30
 <211> 750
 <212> DNA
 <213> Brucella melitensis

<220>
 <221> misc_feature
 <223> TcpB gene

<400>	30	
atgtctaaag	agaaacaagc	ccaatcaaaa gccacaaaag cccaacaagc tatcagttca 60
gcaaaatcac	tctccacaca	gaaaagcaaa atgtcagagc ttgagcgcg cagcagggat 120
ggtgccgca	ttggcaagaa	gcgagcggat atcgccaaaa aaattgccga taaggcaaaa 180
cagttaagct	cctatcaggc	taagcaattc aaagctgatg agcaggctgt taaaaaggctc 240
gcgcaggagc	aaaagcgttt	atcagatgag cgaaccaagc atgaagcttt catcaaacaa 300
tcattgagct	ccatgcgaac	aactgcgagc gcgactatgg aagcagaaga agaatacgat 360
ttcttcatat	cacatgcgag	cgaagacaaa gaagcattcg ttcaggatct agtcgccgcg 420
cttcgcgacc	taggagctaa	gattttctat gacgcatata cgttgaaggc cggtgacagc 480
cttcggcgca	aaatcgatca	ggggctcgcg aactccaaat ttggcatagt tgttctatcg 540
gaacactttt	ttagcaagca	atggcccgca agagaattag atggactgac ggcaatggaa 600
attggcggac	agacgcgaat	attgccgatc tggcataaag tttcctacga tgaagttcgg 660
cgtttcagtc	cctcattggc	cgacaaagtg gcaactgaaca catcgctaaa gagcgtggaa 720
gaaatcgca	aagaactgca	ttcccttatc 750

<210> 31
 <211> 23
 <212> DNA
 <213> artificial

<220>
 <223> TcpC reverse primer

<400> 31
gccagtccta tttctgctaa aga

23