

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is gamma-amino butyric acid

<400> 5

Xaa Lys Xaa
1

<210> 6
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is 6-aminohexanoic acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is lysine amide

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is glutaric acid

<400> 6

Xaa Xaa Lys Xaa Xaa
1 5

<210> 7
<211> 10
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is glutaric acid

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
 acid

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
 acid

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
 acid

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
 acid

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
 acid

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
 acid

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is lysine amide

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is glutaric acid

<400> 7

Xaa Xaa Xaa Xaa Lys Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 8
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is gamma-amino butyric acid

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is tert. butyl glycine

<400> 8

Xaa Xaa Lys Xaa Xaa Arg Arg Pro Tyr Xaa Leu
1 5 10

<210> 9
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is gamma-amino butyric acid

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is tert. butyl glycine

<400> 9

Xaa Xaa Lys Xaa Xaa Arg Arg Pro Tyr Xaa Leu
1 5 10

<210> 10
<211> 15
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa is gamma-amino butyric acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Xaa is tert. butyl glycine

<400> 10

Xaa Xaa Xaa Xaa Lys Xaa Xaa Xaa Xaa Arg Arg Pro Tyr Xaa Leu
1 5 10 15

<210> 11

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is glutaric acid

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa is lysine amide

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is glutamic acid

<400> 11

Xaa Xaa Lys Xaa Xaa Xaa
1 5

<210> 12

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is glutaric acid

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is lysine amide

<220>
<221> misc_feature
<222> (6)..(6)
<223> Xaa can be any naturally occurring amino acid

<400> 12

Xaa Xaa Lys Xaa Xaa Xaa
1 5

<210> 13
<211> 25
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is gamma-amino butyric acid

<400> 13

Xaa Xaa Lys Xaa Xaa Asn Ala Val Pro Asn Leu Arg Gly Asp Leu Gln
1 5 10 15

Val Leu Ala Gln Lys Val Ala Arg Thr
20 25

<210> 14
 <211> 30
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (21)..(21)
 <223> Xaa is gamma-amino butyric acid

<220>
 <221> MISC_FEATURE
 <222> (22)..(22)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>
 <221> MISC_FEATURE
 <222> (23)..(23)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>
 <221> MISC_FEATURE
 <222> (24)..(24)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>
 <221> MISC_FEATURE
 <222> (26)..(26)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>
 <221> MISC_FEATURE
 <222> (27)..(27)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>
 <221> MISC_FEATURE
 <222> (28)..(28)
 <223> Xaa is
 N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>
 <221> MISC_FEATURE

<222> (29)..(29)
<223> Xaa is lysine amide

<220>
<221> MISC_FEATURE
<222> (30)..(30)
<223> Xaa is glutaric acid

<400> 14

Asn Ala Val Pro Asn Leu Arg Gly Asp Leu Gln Val Leu Ala Gln Lys
1 5 10 15

Val Ala Arg Thr Xaa Xaa Xaa Xaa Lys Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 15
<211> 30
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (21)..(21)
<223> Xaa is gamma-amino butyric acid

<220>
<221> MISC_FEATURE
<222> (22)..(22)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (23)..(23)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (24)..(24)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (26)..(26)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (27)..(27)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (28)..(28)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (29)..(29)
<223> Xaa is cysteine amide

<220>
<221> MISC_FEATURE
<222> (30)..(30)
<223> Xaa is 3-(N-maleimido) propionic acid

<400> 15

Asn Ala Val Pro Asn Leu Arg Gly Asp Leu Gln Val Leu Ala Gln Lys
1 5 10 15

Val Ala Arg Thr Xaa Xaa Xaa Xaa Lys Xaa Xaa Xaa Xaa Xaa
20 25 30

<210> 16
<211> 27
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)

<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa is lysine amide

<220>

<221> MISC_FEATURE

<222> (26)..(26)

<223> Xaa is gamma-amino butyric acid

<220>

<221> MISC_FEATURE

<222> (27)..(27)

<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<400> 16

Xaa Xaa Xaa Xaa Xaa Asn Ala Val Pro Asn Leu Arg Gly Asp Leu Gln
1 5 10 15

Val Leu Ala Gln Lys Val Ala Arg Thr Xaa Xaa
20 25

<210> 17

<211> 27

<212> PRT

<213> Artificial

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is glutaric acid

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is lysine amide

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (26)..(26)
<223> Xaa is gamma-amino butyric acid

<220>
<221> MISC_FEATURE
<222> (27)..(27)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<400> 17

Xaa Xaa Lys Xaa Xaa Asn Ala Val Pro Asn Leu Arg Gly Asp Leu Gln
1 5 10 15

Val Leu Ala Gln Lys Val Ala Arg Thr Xaa Xaa
20 25

<210> 18
<211> 14
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa is gamma-amino butyric acid

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa is hydroxy proline

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is cyclohexalamine

<400> 18

Xaa Xaa Lys Xaa Xaa Lys Arg Pro Xaa Gly Xaa Ser Pro Leu
1 5 10

<210> 19

<211> 14

<212> PRT

<213> Artificial

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is glutaric acid

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic acid

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa is gamma-amino butyric acid

<220>

<221> MISC_FEATURE

<222> (6)..(6)
<223> Xaa is ornithine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is octahydroindol-2-carbonic acid

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is alpha-methyl-L-phenylalanine

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa is D-2-Naphtylalanine

<400> 19

Xaa Xaa Lys Xaa Xaa Xaa Arg Xaa Pro Gly Xaa Ser Xaa Ile
1 5 10

<210> 20
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is lysine amide

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is glutaric acid

<400> 20

Xaa Xaa Xaa Xaa
1

<210> 21
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is glutaric acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is
N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is lysine amide

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is glutaric acid

<400> 21

Xaa Xaa Xaa Xaa
1

<210> 22
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Synthetic

<400> 22

Gly Phe Leu Gly
1

<210> 23
<211> 4
<212> PRT
<213> Artificial

<220>

<223> Synthetic

<400> 23

Ala Leu Ala Leu

1

<210> 24

<211> 24

<212> PRT

<213> Artificial

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is N-(1-(4,4-dimethyl-2,6-dioxocyclohexylidene)ethyl)

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is

N-(3-{2-[2-(3-Amino-propoxy)-ethoxy]-ethoxy}-propyl)-succinamic
acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is gamma-amino butyric acid

<400> 24

Xaa Lys Xaa Xaa Asn Ala Val Pro Asn Leu Arg Gly Asp Leu Gln Val

1

5

10

15

Leu Ala Gln Lys Val Ala Arg Thr

20