

# SEQUENCE LISTING

<110> McMaster University

<120> LUBRICANT-INFUSED SURFACE BIOSENSING INTERFACE, METHODS OF MAKING AND USES THEREOF

<130> 3244-P62813PC00

<140> PCT/CA2021/051320

<141> 2021-09-22

<150> US 63/081,622

<151> 2020-09-22

<160> 6

<170> PatentIn version 3.5

<210> 1

<211> 101

<212> DNA

<213> Escherichia coli

<400> 1

tttttcacgg atcctgacaa ggatgtgggtt gtcgagacct gcgaccggaa cactacactg 60

tgtgggatgg atttctttac agttgtgtgc agctccgtcc g 101

<210> 2

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> misc\_feature

<222> (13)..(13)

<223> n is tamra-dt

<220>

<221> misc\_feature

<222> (14)..(14)

<223> n is riboadenosine

<220>

<221> misc\_feature  
 <222> (15)..(15)  
 <223> n is bhq2-dt  
  
 <400> 2  
 actcttccta gcnnnggttc gatcaaga 28  
  
 <210> 3  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Synthetic Construct  
  
 <400> 3  
 ctaggaagag tcggacggag ctg 23  
  
 <210> 4  
 <211> 129  
 <212> DNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Synthetic Construct  
  
 <220>  
 <221> misc\_feature  
 <222> (114)..(114)  
 <223> n is tamra-dt  
  
 <220>  
 <221> misc\_feature  
 <222> (115)..(115)  
 <223> n is riboadenosine  
  
 <220>  
 <221> misc\_feature  
 <222> (116)..(116)  
 <223> n is bhq2-dt  
  
 <400> 4  
 tttttcacgg atcctgacaa ggatgtggtt gtcgagacct gcgaccggaa cactacactg 60  
 tgtgggatgg atttctttac agttgtgtgc agctccgtcc gactcttcct agcnnnggtt 120  
 cgatcaaga 129

<210> 5  
<211> 24  
<212> DNA  
<213> Escherichia coli

<400> 5  
tttttcacgg atcctgacaa ggat 24

<210> 6  
<211> 24  
<212> DNA  
<213> Escherichia coli

<400> 6  
tttttcacgg atcctgacaa ggat 24